

11746-21

Pa. 12

1573

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NUMBER 11746-21	DATE OF ISSUANCE 11/26/85
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Davis Kill-A-Bug XVII	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
 (Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Louisiana Chemical Company
 8993 Airline Highway
 Baton Rouge, LA 70815

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. (c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 11746-21."
- b. Add the following to your Hazards To Humans and Domestic Animals paragraph:

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

c. Add the following to your use directions for this product.

Do not enter treated areas without protective clothing until dusts have settled.

157498
 18/03
 140

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: Jay Ellenberger DATE: 11/26/85

Because certain States may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. [Indicate specific oral warnings which inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure.] When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: [Appropriate signal word DANGER or WARNING]. Area treated with [name of pesticide] on [date of application]. Do not enter without appropriate protective clothing for [insert here reentry interval for your product]. [insert here actions to take in case of accidental exposure.]"

This statement may either appear on the label (see Attachment B for specific location) or on the labeling accompanying the product.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

DAVIS KILL-A-BUG XVII (R)

Sevin* Dust-5% Insecticide

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate)* 5.0%

INERT INGREDIENTS: 95.0%

*Sevin registered trademark, Union Carbide Corporation

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.
If inhaled: Remove victim to fresh air. Apply respiration if indicated.
If on face or in eyes: Flush eyes for at least 15 minutes with water. Call a physician immediately.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: MAY BE HARMFUL IF SWALLOWED. Do not take internally. Avoid contact with eyes, skin and clothing. Avoid breathing vapors, dust, or spray mist. Wash thoroughly after handling. Wash contaminated clothing before reuse. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARD

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or wetlands, except under the forest canopy and use on rice. Discharge from rice fields may kill aquatic and estuarine invertebrates. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

CONDITIONS OF SALE

This product is sold only to licensed applicators who have received the Master License or a State License. It is sold only to those who are licensed in the State of Louisiana. It is sold only to those who are licensed in the State of Louisiana. It is sold only to those who are licensed in the State of Louisiana.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open during STORAGE: Store in cool, dry place. (In case of spill, remove spillage with a wash area with household bleach.)

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of in an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse bag. Completely empty bag into approved empty bag in a sanitary landfill or by incineration, or, if allowed by State regulations, burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with the directions.

*Subsequent planting of food or feed crops in treated soil must be made with care. Use contrary to these directions may cause serious plant, crop or personal injury control or other unintended consequences.

BEANS—Against Mexican Bean Beetle and Leafhoppers, dust thoroughly every 7 to 10 days or as needed, beginning when insects first appear. Against Lygus and other insects, apply 1 to 2 ounces per acre every 7 to 10 days or as needed. In home garden apply 1 to 2 ounces per 50 row feet, at rates directed, without exceeding residue tolerances.

CUCUMBER, SUMMER SQUASH—Against Striped and Spotted Cucumber Beetle, Pickleworm and Melonworm, dust thoroughly with 20 pounds (no more) per acre every 7 to 10 days. In home garden, apply 1 ounce per 50 row feet. May be applied without exceeding residue tolerances.

TOMATO, EGGPLANT, PEPPER—Against Tomato Fruitworm, Fall Armyworm, European Corn Borer, and Stink bugs, dust thoroughly with 40 to 60 pounds per acre every 7 to 10 days. In home garden, apply 1 to 2 ounces per 50 row feet. May be applied without exceeding residue tolerances.

POTATO—Against Colorado Potato Beetle, Leafhoppers, and Flea Beetle, apply 20 to 40 pounds per acre every 7 to 10 days. Against Lygus bugs, apply 40 pounds (no more) per acre in home garden, apply 1 to 2 ounces per 50 row feet. May be applied as foliage directed without exceeding residue tolerances.

SWEET CORN—Against Corn Earworms, use at rate of 35 to 40 pounds per acre when they appear. Make 3 to 4 applications at 2-3 day intervals as infestation warrants. In home gardens, apply 1 to 2 ounces per 50 row feet. May be applied up to harvest without exceeding residue tolerances. Application of this product to the tassel region of corn will seriously reduce bee population.

BEETS (Roots), BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER, KOHLRABI, PARSNIPS, RADISH, RUTABAGA, SALSIFY (Roots), TURNIPS—Against Imported Cabbageworm, Flea Beetle and Harlequin bug, apply 20 to 40 pounds per acre every 7 to 10 day intervals. Do not apply later than 3 days before harvest.

PASTURE FORAGE GRASSES, CLOVER, ALFALFA, COWPEAS, PEANUTS—Against worms, Grasshoppers, and Stink bugs, apply 20 to 30 pounds (no more) per acre every 7 to 10 day intervals. May be applied up to harvest at rates directed, without exceeding residue tolerances.

BEETS (Tops), COLLARDS, CHINESE CABBAGE, DANDELION, ENDIVE (Escarole), LARD GREENS, PARSLEY, SALSIFY (Tops), SPINACH, SWISS CHARD, TURNIPS—Against Earworm, Armyworm, Imported Cabbageworm, apply 20 to 40 pounds (no more) per acre every 7 to 10 day intervals. Do not apply later than 14 days before harvest.

TOBACCO—In plant beds: Against Tobacco Flea Beetle apply 1 to 2 pounds per acre. Repeat as needed at 10 to 14 day intervals and just before transplanting. Tobacco Flea Beetles apply 15 to 25 pounds broadcast per acre depending on infestation. Use the highest dosage only on large plants and repeat as needed. Do not use on Shade Tobacco in combination with parathion.

NOTE: If late applications are necessary, treat immediately after priming rain may be entered immediately after dust has settled. Some phytotoxicity may occur if rain or high humidity of several days duration following application.

DOGS AND CATS—Against Brown Dog Tick and fleas, rub in skin and apply to treat kittens under 4 weeks old. Do not treat puppies under 4 weeks old. Do not use on cats.

NOTICE—The U.S. Food and Drug Administration has set tolerances for pesticide residues on food. In excess of their permitted tolerances should not be marketed and do so in violation of Federal law when sold in interstate commerce. Such crops should not be marketed.

EPA Reg. No. EPA Est. No. 11746-LA-1

**LOUISIANA CHEMICAL COMPANY
BATON ROUGE, LA 70815**

NET WEIGHT: POUNDS