

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

DEC 16 1991

300 SA04431
172

Louisiana Chemical U.S.A., Inc.
c/o Ms. Kim Davis
RegWest Company
P.O. Box 2220
Greeley, CO 80632-2220

Dear Ms. Davis,

Subject: Revised Labeling
Davis Kill-A-Bug III
EPA File Symbol 11746-32
Your Submission Dated September 9, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Our records have been corrected to reflect the name of this product as "Davis Kill-A-Bug III."

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

CONCURRENCES

SYMBOL								
SURNAME	TM							
DATE	11/21/91							

Only for Use and Storage by
Licensed Pest Control Operators

DAVIS KILL-A-BUG III
for
PEST CONTROL

KILLS
Roaches, Ants, Waterbugs, Silverfish
Spiders, Crickets, Earwigs,
Flies, Chiggers,
Brown Dog Ticks and Fleas

For Use In and Around Households, Apartments and Other
Structures Including Schools, Hospitals, Office Build-
ings, Museums, Libraries, Sports Facilities, Stores,
Warehouses, and Food and Feed Handling Establishments

ACTIVE INGREDIENTS:

Diazinon: O,O-Diethyl O-(2-isopropyl- 6-methyl-4-pyrimidinyl) phosphoro- thioate	12.5%
Dichlorvos [2,2,-dichlorovinyl dimethyl phosphate]	5.7%
Related compounds	0.4%
*INERT INGREDIENTS	81.4%

*Contains aromatic petroleum hydrocarbons.

Keep Out of Reach of Children

W A R N I N G

See side panel for additional
precautionary statements.

NET CONTENTS: 16 OUNCES

EPA Reg. No. 11746-32

EPA Est. 11746-LA-1

LOUISIANA CHEMICAL USA, INC. with COMMER
6155 Evangeline Street in EPA Letter Data
Baton Rouge, LA 70815

DEC 16 1991

Under the Federal Insect
Fungicide, and Rodenticide
Act, as amended, for the pest
registered under EPA Re

11746-32

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

KILLS: Cockroaches, Fleas, Ticks, Ants, Flies, Spiders, Chiggers and Earwigs.

For use in and around households, apartments and other structures including schools, hospitals, office buildings, museums, libraries, sports facilities, stores, warehouses, and food and feed handling establishments (except USDA Meat and Poultry Plants). Read and follow the "Precautions" listed below when applying this product in any of these indoor areas. In food and feed areas of food/feed handling establishments, this product may be applied only as a crack and crevice treatment or limited spot treatment - see the specific directions for use for treatment of these areas. Spray infested surfaces only until wet.

For heavy cockroach infestation, make the first application of Diazinon at a strength of 1% solution. To make 1% spray, use 10 fluid ounces per gallon of water. This will also be a 0.5% DDVP concentration for initial knockdown treatment of high roach populations.

For normal maintenance sprays, make a 0.5% solution of Diazinon. To make 0.5% spray, use 5 fluid ounces per gallon of water. This will be a 0.25% DDVP concentration for quick knockdown of roaches and other specified pests.

INDOOR USE:

Precautions: 1) Do not use this product indoors as an overall surface spray or as a space spray; take care not to introduce this product into the air during application. 2) Use only in well-ventilated areas. 3) Do not apply where children are likely to frequently contact treated surfaces. 4) Remove or cover fish bowls and remove pets before application. 5) Do not treat pets or plants with this product. 6) Do not allow children or pets in treated areas until spray has dried. 7) If clothing is sprayed during application, remove clothing immediately after spraying and launder before wearing again. 8) Avoid excessive wetting of carpets or floor coverings and unfinished materials. 9) Care should be taken to avoid spotting of walls, wall coverings and fabrics. 10) Do not apply directly to upholstery, furniture, leather, draperies, or stained surfaces because damage may occur. 11) Do not apply to areas, surfaces or utensils which will contact food or feed. 12) Exposed food should be covered or removed during application. 13) All food processing surfaces and utensils should be covered during application or thoroughly washed with soap and water before use. 14) Do not use in conduits, motor housings or electrical switch

BEST AVAILABLE COPY

boxes. 15) Do not use in edible food areas of food processing plants, restaurants, or other areas where food or feed is commercially prepared or processed. 16) Do not use in serving areas while food is exposed. 17) Do not apply to classrooms when in use. 18) Do not apply in patient rooms or in any rooms while occupied by the elderly or infirm. 19) Do not apply when occupants are present in the immediate area.

Roaches, Ants, Waterbugs, Silverfish, Spiders, Crickets and Earwigs: Spray until wet surfaces behind and beneath cabinets, refrigerators, sinks, stoves, ant trails and other localized areas infested with insects. Treat around window frames and door frames where ants enter. Repeat as necessary.

Brown dog ticks: Spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of pets and localized areas of floors and floor coverings. Repeat as necessary. Bedding should be replaced in animal quarters after treatment. Do not treat animals with this product.

INDOOR USE - FOOD AND FEED HANDLING ESTABLISHMENTS:

Places other than private residences in which food or feed is held, processed, prepared, or served (includes restaurants, canneries, bakeries, food processing plants, mills, dairies, etc.). This product may be used in the food/feed areas and the non-food/non-feed areas of these establishments. Apply as either a spot or crack and crevice treatment as directed below.

Food/Feed Areas of Food/Feed Handling Establishments: Include areas for receiving, serving, storage, (dry, cold, frozen or raw), packaging (canning, bottling, wrapping and boxing), preparing (cleaning, slicing, cooking and grinding); enclosed processing systems (mills, dairies and systems for processing edible oils, and syrups). APPLICATION OF THIS PRODUCT IN THE FOOD/FEED AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT OR LIMITED SPOT TREATMENT IS NOT PERMITTED.

Limited Spot Treatment: Dust floor areas around water pipes and door frames, surfaces beneath cabinets, refrigerators, sinks, stoves, storage areas, and similar floor areas where the pests hide. Limit spot treatments to floor surfaces where pests have been seen or where they are suspected of hiding. Limit individual spot treatments to an area no larger than 20% of the surface area. Any individual spot treatment must not exceed 2 square feet.

Crack and Crevice Treatment: Apply the product so that it delivers a small amount of the spray directly into cracks and crevices in such areas as expansion joints, spaces between equipment and the floor, openings leading to voids, and hollow spaces in walls and equipment legs and bases.

BEST AVAILABLE COPY

Non-Food/Non-Feed Areas of Food/Feed Handling Establishments: Including garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage areas (after canning or bottling).

Spot Treatment: Apply this product along baseboards, to areas around water pipes, beneath cabinets, to surfaces behind and beneath sinks, lockers and pallets; and to storage areas where cockroaches, ants, scorpions, silverfish and spiders hide.

OUTDOOR USE:

Precautions: 1) Spray with wind to your back. If clothing becomes wet from spray during use, remove clothing after spraying, wash affected body areas thoroughly with soap and water, and launder clothing before wearing again. 2) Do not allow children or pets to contact treated areas until spray has dried. 3) Do not apply to lawns or other desirable plants.

Ants, Brown Dog Ticks and Fleas: For treatment of localized infestations of insects in outdoor areas spray infested areas, including spraying of weeds and brushy non-crop areas around the home. For ants, wet hills and runways. Repeat as necessary. Do not spray on windy days.

STORAGE: Store in original container in a cool dry place (preferably locked) inaccessible to children and pets and away from heat or open flame. Separate pesticides during storage to prevent cross-contamination of other pesticides, fertilizer, food and feed. **DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent) container. Then dispose of in a sanitary landfill or by other approved state and local procedures.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

WARNING: May be fatal if swallowed or absorbed through the skin. May be harmful if inhaled. Do not get on skin, in eyes or on clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking or smoking. Remove contaminated clothing and wash before reuse. May cause contact sensitization following repeated contact with skin of susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result, consult a physician.

Statement of Practical Treatment

If Swallowed: Do not induce vomiting. Call a physician or poison control center. Do not give anything by mouth to an

BEST AVAILABLE COPY

unconscious person. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. Contact a physician if warranted. If In Eyes: Flush with plenty of water. Get medical attention if irritation persists. If On Skin: Immediately remove contaminated clothing and wash affected area thoroughly with soap and water. Get medical attention if irritation persists. Note to Physician: This product is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally.

Environmental Hazards

This pesticide is toxic to birds, fish and wildlife, including waterfowl. Birds feeding in treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not spray lawns or other desirable plants (vegetation). Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming plants where they feed. Do not allow this pesticide to drift to blooming plants if bees are visiting the treatment area. Do not apply this product or allow it to drift to food crops or any desirable vegetation at any time.

NOTICE: Seller makes no warranty, express or implied, concerning the use of this product other than as indicated on label. Buyer assumes all risk of use and or handling of this material when such use and or handling is contrary to label instructions.