Louisiana Chemical U.S.A., Inc. 8995 Airline Highway Baton Rouge, LA 70815

ESSEEANTIMOSOS SIP sods)

L

1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indersement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

- 1. Submit/cite all data required for registration/reregistration of your product under FIPRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.
- 2. Hake the labeling changes listed below before you release the product for shipment:
 - a. And the phrase "LPA Registration Ro. 11740-so" to the rabula
 - b. Aud the statement "Don't puncture or incinerate" to the Storage and lagorax scalerest.
 - the control of the regions of the theory is the control of the fields:

oktrency flactable. Contents chaef oressure.

The happen applies the process or incidents

suffaces. A not principle or incidents

to to perature a live

13. *r hay cause nursting.

property to

ATTACHMENT	15 APPLICABLE
------------	---------------

SIGNATURE OF APPROVING OFFICIAL

MAR 2 0 1991

公司の政治を持ちているので、大小・サーンと

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

voltage the following statement must be added to the use directions:

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

- e. Submit a 1-year storage stability study. The formulated product must be analyzed for its active ingredient at time zero and during a year of storage. The storage should be in warehouse conditions of temperature and humidity using containers similar to those that will be used in the trade. This data must be submitted within 15 months of the date of this notice.
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard P. Mountfort Product Manager (10) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosures

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS AVOID CONTAMINATION OF FOOD OR FOOD PROCESSING SURFACES.

FOR SPACE SPRAY:

To Kill Flies, Mosquitoes, Small Flying Moths, Gnats and Wasps: Before spraying cover exposed food and utensils. Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects.

FOR SPOT TREATMENT:

To Kill Cockroaches, Ants and Crickets: Contact many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, food storage areas and wherever these pests are suspected of hiding. To kill ants, treat doors, around mindow frames, ant trails and other areas of entry. Repeat as necessary.

To Kill Carpet Beetles: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

To Kill Exposed Forms of Confused Flour Beetles, Saw-toothed Grain Beetles and Rice Meevils: Find and discard infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

To Kill Soubugs, Centipedes, Silverfish, Firebrats and Spiders: Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, crevi-

ces, hidder surfaces under state, behind stoves and refrigerators.

To Kill Flees and Brown about tiches: • Remove and destroy pet a pid bedding. Saray sagaring ourters of pets, around baseboards, window and door frames, wall cracks and local areas of floors.

flee and tick control product before allowing them to enter treated area. FOR CRACK AND CREVICE: To Kill Ants, Cockroaches, Crickets, Silverfish, Sombugs, Spiders, Brown Dog Ticks Fleas and Carpet Beetles: Apply spray in small amounts direct-

Repeat as necessary. Do not spray animals with

this product. Old bedding should be removed and

replaced with clean, fresh bedding after treatment. Also treat dogs and cats with a registered

ly into cracks and crevices. Equipment capable of delivering a pin stream should be used in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where the above listed insects hide. STORAGE: Store in a cool, dry place (preferably locked) inaccessible to children and gets and away from heat, open flame or other sources of ignition. BISPOSAL: Replace cap, wrap container in several layers of newspaper and put in trash col-

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals CAUTION: Haraful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with skin. Do not use in commercial food processing or preparation areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover

aquariums before spraying.

lection.

Statement of Practical Treatment If Swallowed: Call a physician or poison control center immediately. If On Skin: Remove contaminated clothing and wash affected area with soap and water. Call a physician if irritation persists. Wash clothing prior to re-use. Inhaled: Remove victim to fresh air. Apply artificial respiration of warranted. If In Eyes: Flush eyes with plenty of water. Call a physician

Physical or Chemical Hazards

Contents under pressure. Do not use or continuous container. Exposure to temperature of 130 may cause bursting.

Environmental Management of the container of the c

Cleaning of a hoderic de lice bodies hodies apply directly to water of and sciological designations of seasons, bogs, warshes and notholes). Cleaning of the requipment or disposal of wastes out be done to are long and to the reasonar that avoids contamination of bodies and of the water or wetlands.

DRAFT

Kill

Housef1

Oth

For Household Industrial Office Buil

ACTIVE INGREDI 3-phenoxyben 2,2-dimeth cvclopropa INERT INGREDIE

EPA Reg. No.

LO