11746 - 41

4/28/2003

11746-41 New Label: Page 1 of 2 02/05/03

Davis Kill-A-Bug S2
2% Sumithrin®
Kills Fleas, Roaches, Ants, Spiders, Crickets, Silverfish, Grains Beetles, Houseflies, Mosquitoes, Gnats and Most Common Houseflies, Mosquitoes, Gnats and Most Common Houseflies
For Household Use and Use in Non-Food Areas of Industrial Buildings: Schools, Warehouses, Office Buildings, Theaters, Garages, Hotels, Hospitals, Restaurants, Motels and Kennels and Aboard Ships
Active Ingredient: Sumithrin [®] (CAS Number 26002-80-2)
Keep Out of Reach of Children CAUTION See back panel for additional precautionary statements.
EPA Reg. No. 11746-41 EPA EstACCEPTED
Louisiana Chemical U.S.A., Inc. APR 2 8 2003 10135 Mammoth Avenue Baton Rouge, LA 70814 Under the Poteral Insectivity.
Net Weight: {5 through 16 ounces}
<i>{Back Panel}</i> DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Shake Before Use
For Space Spray To Kill Flies, Gnats, Mosquitoes, Small Flying Moths and Wasps: Before spraying, cover or remove exposed food and utensils. Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5- 10 seconds for average room. After spraying, exit and keep room closed for 15 minutes. Thoroughly ventilate room before reentry. Sweep up and discard fallen insects.

For Spot Treatment

To Kill Ants, Cockroaches and Crickets: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Pay special attention to cracks, hidden surfaces under sinks, behind stoves and refrigerators, food storage areas and wherever these pests are suspected of hiding. To kill ants, treat doors, around window frames, ant trails and other areas of entry. Repeat as necessary.

To Kill Exposed Forms of Confused Flour Beetles, Rice Weevils and Sawtoothed Grain Beetles: Find and discard infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the listed insects present. After shelves have dried, place clean paper on the shelves and return uninfested packages. Repeat as necessary.

To Kill Centipedes, Firebrats, Silverfish, Sowbugs and Spiders: Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harboring these pests. Pay special attention to cracks, crevices, hidden surfaces under sinks and behind stoves and refrigerators.



To Kill Brown Dog Ticks and Fleas: Remove and destroy pet's old bedding. Spray pets' sleeping quarters, around baseboards, window and doorframes, wall cracks and local areas of floors. Repeat as necessary. Replace old pet bedding with clean, fresh bedding after treatment. Do not spray animals with this product. Treat pets with a flea and tick control product, registered for use on pets, before allowing them to enter treated area.

For Crack and Crevice

To Kill Ants, Brown Dog Ticks, Carpet Beetles, Cockroaches, Crickets, Fleas, Silverfish, Sowbugs and Spiders: Apply spray in small amounts directly into cracks and crevices. Use equipment caoable of delivering a pin stream in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls and equipment legs and bases where the above listed insects hide. Avoid contamination of food or food processing surfaces.

Storage: Store in a cool, dry (preferably locked) place inaccessible to children and pets and away from heat or open flame. **Disposal:** Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency [or 1-800-CLEANUP] for disposal instructions.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with skin or yes. Thoroughly wash with soap and water after use. Avoid contamination of food or feedstuffs.

Do not use in commercial food processing, preparation, food storage or serving areas. In the home, cover or remove all food processing surfaces and utensils during treatment or thoroughly wash before use. Cover or remove exposed food. Remove pets, birds and cover aquariums before spraying.

First Aid	
If Swaliowed	 Immediately call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
lf Inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing eye. Call a poison control center or doctor for treatment advice.
lf on Skin or Clothing	 Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
	ct container or label with you when calling a poison control center or doctor or going for treatment. [You ct 1-800-222-1222 {or other appropriate number} for emergency medical treatment information.]

{Note: The first aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.}

Physical or Chemical Hazards

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

[] Denotes alternate/optional language

{ } Denotes language that does not appear on the market labeling