

1 1/3 PINTS

INSERT #1

Only emerged broadleaf weeds are likely to be controlled. Do not apply more than 1 quart per acre unless the increased risk of crop injury can be tolerated.

INSERT #2

Do not forage or feed corn fodder for 7 days following application.

INSERT #3

, CONSERVATION RESERVE

INSERT #4

For Conservation Reserve Land follow all applicable State and Federal regulations. Follow the most severe grazing restrictions imposed either by the pesticide label or by the USDA Acreage Conservation Reserve Program whichever is longest.

INSERT #5

6.275-6.279 (13th Ed.)

INSERT #6


May cause allergic skin reaction.


INSERT #7

If swallowed, DO NOT induce vomiting. Get medical attention. Contains petroleum distillate. NOTE TO PHYSICIAN: May cause chemical pneumonitis if aspirated. If lavage is performed, suggest endotracheal and/or esophagoscopic control.

INSERT #8

DO NOT USE THIS PRODUCT ON CROPS GROWN FOR SEED. SOME INBREDS HAVE A VERY LOW TOLERANCE TO CHEMICALS AND THE USE OF THIS COMPOUND COULD RESULT IN INJURY TO A CROP GROWN FOR SEED.





CORNBELT[®]

6 LB. LOVOL ESTER

EMULSIFIABLE LIQUID HERBICIDE

Herbicide for the control of many broadleaf weeds
herbaceous perennials and woody plants susceptible to 2,4-D
in grass pastures, certain crops and non-crop areas

ACTIVE INGREDIENT

2,4-D-Dichlorophenoxyacetic Acid 87.7%

Isoucyt esters*

INERT INGREDIENTS 12.3%

100.0%

This product contains 2,4-D-Dichlorophenoxyacetic Acid Equivalent* 58.3 lb — 5.6 lb/gal

*Isomer Specific by AOAC Method No. *Insert #5*

CAUTION
AGRICULTURAL CHEMICAL
KEEP OUT OF REACH OF CHILDREN
See Side Panel For Additional Cautions

Insert #8

EPA Reg. No. 11773-4

EPA Est. No. 11773-IA-1

Net Contents

