


11773-19

4/24/2000



DE-BUG 5%

Selective Insecticide

For Lawn, Garden & Agricultural Control of Grasshoppers,
Crickets, Army Worms, Cutworms, Darkling Ground Beetles, Mole
Crickets, Earwigs and Sow Bugs

Active Ingredients By Weight:

Carbaryl (1-naphthyl methylcarbamate).....	5.0%
Inert Ingredients.....	95.0%
Total.....	100.0%

(Contains 1 pound carbaryl per 20 pounds of product)

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

N-Methyl Carbamate

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching
finger to back of throat.

IF ON SKIN: Wash thoroughly with soap and water.

IF IN EYES: Flush with plenty of water.

NOTICE OF WARRANTY

The Seller warrants only that the goods shall arrive viable. This warranty is expressly made in lieu of all warranties, expressed or implied, including all the warranties of merchantability and fitness for use. In the event of a breach of the warranty stated herein, buyer shall have as a sole remedy a replacement of the goods sold upon giving proper notice to Seller. No claim shall be made for damages, nor may any recovery be had for incidental or consequential damages.

EPA EST. NO. 11773-NE-001

EPA REG. NO. 11773-19

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: May be harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

NOTE TO PHYSICIAN: 1-Naphthyl Methylcarbamate is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

Personal Protective Equipment:

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Storage: Store unused De-Bug 5% in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100 degrees F.

Pesticide Disposal: Waste resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

Container Disposal: Empty bag completely into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burning, stay out of smoke.

GENERAL INFORMATION

Read entire label. Use in strict accordance with the label directions and cautions.

GENERAL: Broadcast application may be made with spreader, hand applicator, aircraft or by hand. Use gloves and wash thoroughly following application. Treatment may be repeated as necessary.

CROP AND RANGELAND: Apply 2 to 10 pounds per acre for control of grasshoppers, crickets and cutworms.

HOME AND GARDEN: Use $\frac{1}{2}$ to 2 $\frac{1}{2}$ pounds per 10,000 square feet of area. Use the higher application rates when insect density is high and crops or garden are threatened.

FOR SUPPRESSION of grasshoppers and crickets, rates of $\frac{1}{2}$ to 1 $\frac{1}{2}$ pounds per acre may be used.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR, part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for the training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

IMPORTANT PRE-HARVEST INFORMATION

Tolerances established under the Federal Food, Drug, and Cosmetic Act permit the sale of crops bearing probable carbaryl residues when carbaryl is used in accordance with label directions. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).

CROP AND DAYS BETWEEN APPLICATION & HARVEST

Almond	28 days
Apples, apricots, broccoli, brussel sprouts, cabbage, cauliflower, cherries, cucumbers, eggplants, melons, okra, peaches, pears, peppers, squash, tomatoes	3 days
Asparagus	1 day
Beans, peas	3 days (succulents) 14 days (forage) 21 days (dried, hay)
Alfalfa, carrots, garden beets (roots), horseradish, parsnips, potatoes, radishes, rutabagas, strawberries, turnips (roots)	7 days
Citrus	5 days
Collard, endive (escarole), forest land, garden beets (tops), grassland, hay, kale, leaf lettuce, parks, parsley, pastures, rangeland, recreation areas, spinach, swiss chard, turnip (tops), walnut, wasteland	14 days
Corn (field and pop)	14 days (forage, silage) 48 days (grain, fodder)
Corn (sweet)	2 days (ears) 14 days (forage) 48 days (fodder)
Head lettuce	14 to 15 days
Sugar beets	28 days (roots, forage)
Wheat	21 days

Van Diest Supply Co.
P.O. Box 410
McCook, NE 69001-0410