

CLEAN CROP

DIAZINON AG500 INSECTICIDE

For control of certain insects on fruits, nuts, vegetables, field crops, and ornamentals.

ACTIVE INGREDIENTS:	84%
O,O-Diethyl O-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate	48%
Xylene	36%
INERT INGREDIENTS	16%
TOTAL	100%

Diazinon AG500 contains 4 lb. Diazinon per gallon.

WARNING: KEEP OUT OF REACH OF CHILDREN. See additional statements on back of container.

EPA Reg. No. 11800-18

EPA Est. No. 34704-NB-1

NET GALLONS

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY
IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product.

Asparagus	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.	Brussels Sprouts	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.
Bananas	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.	Cucumbers	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.
Beans	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.	Leafhoppers	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.
Berries	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.	Peaches	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.
Broad Beans	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.	Spinach	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.
Broad Beans	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.	Squash	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.
Broad Beans	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.	Sweet Corn	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.
Broad Beans	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.	Tomatoes	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.
Broad Beans	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.	Turnips	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.
Broad Beans	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.	Watermelons	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.
Broad Beans	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.	Winter Squash	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.
Broad Beans	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.	Zucchini	Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Manufactured by
Midwest Agricultural Warehouse Co.
 FREMONT, NEBRASKA 68025

CONDITIONS OF SALE AND WARRANTY

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, inefficacy, or other unintended consequences may result because of such factors as weather conditions, presence of other materials on the material of use, application of which are beyond the control of Midwest or the Seller. A such risks shall be assumed by the Buyer. Midwest warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. Midwest makes no other express or implied warranty of fitness or MERCHANTABILITY or any other express or implied warranty in no case shall Midwest or the Seller be liable for consequential, special, or indirect damages resulting from the use of this product. Midwest and the Seller offer this product and the Buyer and user accept it subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of Midwest.

GENERAL INFORMATION

Diazinon AG500 is an emulsifiable solution which, when diluted with water according to directions is intended for the control of insect pests of agricultural crops. Do not use in barns or dwellings. Do not use on livestock. In the directions for use which follow, best control is obtained when application is made at the first sign of insects. Application should be repeated as necessary to maintain control. Note: The California Department of Agriculture has set a 5 day reentry for Diazinon on citrus grapes, peaches and strawberries. Five days should elapse between the time of application and the time a worker may enter the field to engage in any activity requiring substantial contact with treated foliage. When a mixture of two or more organic phosphate pesticides is applied, the interval should be prolonged by adding to the longest applicable interval an additional 50% of that interval.

FRUIT AND NUT CROPS

NOTE: Unless otherwise stated, the rates listed below should be applied as a dilute full cover spray.

Almonds
 Aerial: 1.5 pts. per acre as a thorough cover spray.
 Ground: 1.5 pts. per acre as a thorough cover spray.

Apples
 Aphids, Brown Mites, Clover Mites, Twospotted Spider Mites, Olive Scale Crawlers, San Jose Scale Crawlers, Mites, etc. Apply 1.5 pts. per acre as a thorough cover spray when insects first appear.

Avocado
 Olive Scale Crawlers, Mites, etc. Apply 1.5 pts. per acre as a thorough cover spray when insects first appear.

Blueberries
 Aphids, Brown Mites, Clover Mites, Twospotted Spider Mites, Olive Scale Crawlers, San Jose Scale Crawlers, Mites, etc. Apply 1.5 pts. per acre as a thorough cover spray when insects first appear.

Blackberries
 Aphids, Brown Mites, Clover Mites, Twospotted Spider Mites, Olive Scale Crawlers, San Jose Scale Crawlers, Mites, etc. Apply 1.5 pts. per acre as a thorough cover spray when insects first appear.

Cherries
 Aphids, Brown Mites, Clover Mites, Twospotted Spider Mites, Olive Scale Crawlers, San Jose Scale Crawlers, Mites, etc. Apply 1.5 pts. per acre as a thorough cover spray when insects first appear.

Citrus Fruits
 Citrus Greening, Citrus Red Dots, Citrus Thrips, Citrus Scale, Citrus Mites, etc. Apply 1.5 pts. per acre as a thorough cover spray when insects first appear.

Corn
 European Cornborer, European Corn Flea, etc. Apply 1.5 pts. per acre as a thorough cover spray when insects first appear.

Cucumbers
 Aphids, Leafhoppers, Mites, etc. Apply 1.5 pts. per acre as a thorough cover spray when insects first appear.

Field Crops
 Aphids, Leafhoppers, Mites, etc. Apply 1.5 pts. per acre as a thorough cover spray when insects first appear.

Flowers
 Aphids, Leafhoppers, Mites, etc. Apply 1.5 pts. per acre as a thorough cover spray when insects first appear.

Fruit Crops
 Aphids, Leafhoppers, Mites, etc. Apply 1.5 pts. per acre as a thorough cover spray when insects first appear.

Grains
 European Cornborer, European Corn Flea, etc. Apply 1.5 pts. per acre as a thorough cover spray when insects first appear.

Legumes
 Aphids, Leafhoppers, Mites, etc. Apply 1.5 pts. per acre as a thorough cover spray when insects first appear.

VEGETABLE CROPS

Asparagus
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Bananas
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Beans
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Berries
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Blackberries
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Blueberries
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Cherries
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Citrus Fruits
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Corn
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Cucumbers
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Field Crops
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Flowers
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Fruit Crops
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Grains
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Legumes
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Peaches
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Spinach
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Squash
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Sweet Corn
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Tomatoes
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Turnips
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

VEGETABLE SOIL INSECTS

Asparagus
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Bananas
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Beans
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Berries
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Blackberries
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Blueberries
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Cherries
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Citrus Fruits
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Corn
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Cucumbers
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Field Crops
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Flowers
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Fruit Crops
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Grains
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Legumes
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Peaches
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Spinach
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Squash
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Sweet Corn
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Tomatoes
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

Turnips
 Apply 1.5 pts. per acre as a thorough cover spray when insects first appear. Do not apply within 10 days of harvest.

ACCEPTED

