

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS

CAUTION

Keep out of reach of children.
Do not breathe dust.
Do not get in eyes, nose, or mouth.
Do not get on skin or clothing.
Do not eat, drink, or smoke while using this product.
Do not use in or near living quarters.
Do not use in or near food or feed.

ENVIRONMENTAL HAZARDS

Do not use in or near water bodies.
Do not use in or near wildlife.
Do not use in or near crops or livestock.

DIRECTIONS FOR USE

For use on insects only.
Do not use on humans or animals.

STORAGE AND DISPOSAL

Store in original container.
Do not use if container is damaged.
PESTICIDE DISPOSAL
Do not dump into water.
Do not dump into soil.
PAPER AND PLASTIC BAGS DISPOSAL
Do not burn.
Do not reuse.
STORAGE
Store in original container.

GENERAL INFORMATION

For use on insects only.
Do not use on humans or animals.
Do not use in or near living quarters.
Do not use in or near food or feed.
Do not use in or near water bodies.
Do not use in or near wildlife.
Do not use in or near crops or livestock.

4% MALATHION
Dry Insecticide

ACTIVE INGREDIENT:	4.0
Malathion	
INERT INGREDIENTS:	96.0
	100

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Give water to drink.
IF INHALED: Move to fresh air. Give water to drink.
IF ON SKIN: Wash with soap and water.
IF IN EYES: Flush with water for 15 minutes.

NOTE TO PHYSICIAN - ANTIDOTE STATEMENT

Malathion is a cholinesterase inhibitor. Antidote is atropine.

For more information, see the full label.

MH-B
Inter-Chem, Inc.
Alton, Iowa 51003

EPA Reg. No. 11849-1A-2
EPA Reg. No. 11849-1

Net Content: 5.1 lbs.

CYTHION
THE PREEMINENT MALATHION



[illegible]

As a result of the above, the Commission has concluded that the information provided by the respondents is sufficient to determine that the respondents are not in violation of the provisions of the Act. The Commission has also concluded that the respondents are not in violation of the provisions of the Act. The Commission has also concluded that the respondents are not in violation of the provisions of the Act.

[illegible]

DOGS and CATS: For the veterinarian. Allergies that affect the skin are the most common type of allergic condition. The most common type of skin disease has been treated successfully with a new therapy called "food trials." To avoid allergic reactions, patients are fed a diet of only one type of food for two weeks. To avoid allergic reactions, patients are fed a diet of only one type of food for two weeks. To avoid allergic reactions, patients are fed a diet of only one type of food for two weeks.

DAIRY CATTLE—The dairy cattle population of the State of Michigan was 1,000,000 head in 1937, an increase of 100,000 head over the population in 1936. The increase was due to a combination of factors, including a high birth rate, a low death rate, and a high rate of replacement.

NOTICE is hereby given that the following have been filed for record with the County Clerk of the County of San Diego, California, for the purpose of perfecting the lien thereon:

The figure consists of two side-by-side scatter plots. The left plot has 'Number of children' on the x-axis (ranging from 0 to 10) and 'Number of mothers' on the y-axis (ranging from 0 to 10). It shows a positive correlation with a regression line. The right plot has 'Number of children' on the x-axis (ranging from 0 to 10) and 'Number of mothers' on the y-axis (ranging from 0 to 10). It shows a negative correlation with a regression line.

1. *Chlorophyll a* and *Chlorophyll b* were determined by the method of Arar and Collins (1971). The *Chlorophyll a* and *Chlorophyll b* contents were expressed as $\mu\text{g g}^{-1}$ of dry weight.

FOUO

7

11644-5