PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS



Harmful if swallowed inhaled, or absorbed through skin. Avoid breathing dusts. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and warm water after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of takes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty the container by shaking and tapping sides and bottom to loosen clinging particles. thereby dispensing the entire contents of the can only as directed by the label. Dispose of container in a sanitary landfill or by incineration if allowed by state and tocal authorities. If burned, stay out of smoke.

NOTICE: Seller's quarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of misuse or improper handling and accepts the product on these conditions.

REREGISTERED



ACCEPTAL

ANIMAL INSECTICIDE

LONTAINS O-RAL (couomaphos)

.'ederal Insecticide, Und. For control of not filles and aids in reducing face fly population on peet and dairy cittle, and control of lice on SMIPA Reg. No.

ACTIVE INGREDIENT:

O,O-D.ethyl O-(3-chloro-4-methyl-2-oxo-(2H)-INERT INGREDIENTS99.00% CO-RAL* is a Reg. " of the parent company of

Farbenfabriken Bayer GmbH, Leverkusen

130.00%

KEEP OUT OF REACH OF CHILDREN



STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. IF INHALED - Remove victim to fresh air. Apply artificial respiration if

indicated. Get medical attention if victim displays signs of poisoning. IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water

IF IN EYES • Flush eyes with plenty of water. Call a physician immediately. TO PHYSICIAN: Prolonged exposure will result in cholinesterase depression. Atropine sulfate is antidotal, 2-PAM is also antidotal and may be administered in conjunction with atropine

See side panel for additional precautionary statements.

NET WT. 2 LBS.

EPA Reg No 11849-7

EPA Est. No. 11849-1A-2

Manufactured By

WHB SPECIALTY PRODUCTS CO. P.O. Box 231 • Allon, Iowa 51003

DIRECTIONS FOR USE

It is a violation of federal law to use this product In a manner inconsistent with its labeling.

Hold container at a distance from the area to be treated that will permit even distribution of the

Important: For an aid in reducing Face Fly populations, faces of cattle must be dusted daily. Best results are achieved when dust applicators are used as directed on an area wide basis.

RECOMMENDED APPLICATIONS

CATTLE, Dairy and Beef: Horn Files & Lice -Direct Application: Apply not more than 2 oz. */animal. Dust evenly into the hair over the head. neck, shoulders, back and tailhead. Repeat as necessary. No interval is required between treatment and use of meat or milk as food.

SWINE: Lice -

Direct Application: Apply not more than 1 oz. '/animal as a uniform coat to the shoulders and back. Repeat as necessary, but not more often than once every 10 days. No interval is required between treatment and use of meat as food.

Bedding Treatment: Apply 2 oz. * uniformly over each 30 square feet of fresh, dry bedding by use of a shaker can or a suitable mechanical dust applicator. Repeat as necessary but not more often than once every 10 days.

Direct Application and Bedding Treatment: In severe infestations both individual animals and the bedding may be treated as directed above. 'Note: 1 oz of this material equals approximately three tevel

USE RESTRICTIONS

For external insecticidal use only on abovespecified animals. Do not contaminate food. feed, troughs, water, or water utensils. Provide thorough ventilation while dusting. Do not apply to sick, stressed or convalescent animals.

HP	330
----	-----

tablespoonsfuls

OT NO			
LUIRU			