


DIRECTIONS FOR USE

LICE and HORN FLY CONTROL
Apply SLAK to the animal's body, paying particular attention to the neck, head, and tail. Repeat applications as necessary. Do not use on horses or dogs.

INSTALLATION
SLAK is a dry dust. It should be applied to the animal's body, paying particular attention to the neck, head, and tail. Repeat applications as necessary.

RESTRICTIONS
Do not use on horses or dogs.

NOTICE
SLAK is a registered trademark of the SLAK Company, Inc.



BEEF and DAIRY CATTLE DUST

Contains ® CO-RAL
FOR CONTROL OF LICE AND HORN FLIES
ON BEEF AND DAIRY CATTLE

ACTIVE INGREDIENTS
0.0 Diethyl 0-3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl phosphorothioate 1.00
INERT INGREDIENTS 99.00

CAUTION
KEEP OUT OF REACH OF CHILDREN
See Side Panel for Additional Cautions

EPA Reg. No. 118912 NET WEIGHT _____ LBS

Manufactured by
SLAK COMPANY, INC
Hospers, Iowa 51238

ACCEPTED



UNL
FUM
E
CAUTION: Harmful if inhaled or absorbed through the skin. Do not get in eyes or on skin. Do not breathe dust. Wash thoroughly with soap and warm water after handling.

Do not contaminate food or feed. Keep out of reach of children.

If poisoning occurs obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression.

To physician -- Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

11844-12