

BEST AVAILABLE COPY

1 OF 1
Pm 16

11849-18

FEB 27 1989

11849-18

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION

May be harmful if swallowed. Do not breathe dust. Do not get in eyes, on skin, or on clothing. May cause eye or skin irritation. During exposure in treatment and loading operations wear goggles, clean synthetic rubber gloves, and protective clothing. Wash hands, arms, and face thoroughly with soap after handling and before eating or smoking. Routinely shower or bathe after work and wash work clothes with soap and hot water before reusing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND
DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

PAPER and PLASTIC BAG DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bags in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

STORAGE: Store in a cool, dry place.



**MALATHION
GRAIN
COATING**

FOR USE ON STORED GRAINS

ACTIVE INGREDIENT:

Malathion: 0,0-dimethyl phosphorodithioate of diethyl mercapto succinate

2.0%
98.0%

INERT INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN

CAUTION

**STATEMENT OF
PRACTICAL TREATMENT**

IF SWALLOWED - Drink or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES - Flush eyes for at least 15 minutes with water. Call a physician if irritation persists.

NOTE TO PHYSICIAN - ANTIDOTE STATEMENT
If signs of cholinesterase inhibition are present atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

See side panel for additional
precautionary statements.

EPA Establishment No. 11849-1A-2

EPA Registration No. 11849-18

NET CONTENTS 50 lbs.

Manufactured By
WHB SPECIALTY PRODUCTS CO.
P.O. Box 231 • Aron, Iowa 51003



GENERAL INFORMATION

This product is a powdered insecticide for use on stored grains: Wheat, Corn, Oats, Rye, Barley, Grain Sorghum, Rice, Field and Garden Seeds. When used on stored grains protection is provided against Confused Flour Beetle, Rice Weevil, Granary Weevil, Saw-Toothed Grain Beetle, Flat Grain Beetle, Red Flour Beetle, Rusty Grain Beetle, Lesser Grain Borer, and Indian Meal Moth.

Use of this product as directed will be within the tolerance of 8 parts per million for malathion. Treated grain is not subject to downgrading and can be milled into flour or feed using normal production methods.

DIRECTIONS

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR USE ON STORED GRAINS:

Apply this product to the grain at the rate of 30 lbs. per 1000 bu. as the grain is being loaded or turned into final storage.

Field and garden seeds can be protected against grain pests with a dosage of 30 lbs. of this product per 1000 bu. of seed.

To protect stored grains from attack by Indian Meal Moth, apply this product to the surface of clean or uninfested grain at the rate of 15 lbs. per 1000 sq. feet of grain surface area. Apply the dust evenly over the surface of the grain. Apply immediately after grain is loaded into storage and repeat if necessary.

HOW TO APPLY

Apply this product when grain is in the truck or wagon prior to binning. To determine the amount in the truck or wagon, multiply the length by width by depth (all in feet) and multiply this total by 0.8 to get the number of bushels. Measure out the correct amount of this product (30 lbs. per 1000 bu.) and spread evenly over the surface of the grain in the truck or wagon. Cut into the grain with a shovel. Coating will become mixed with grain as it is dumped from the truck or wagon into the hopper. Further mixing will occur when the grain is augered or blown into the bin. Mixing is completed as the coating and grain roll down the cone shaped pile in the bin.

Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces.

NOTICE: Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of misuse or improper handling and accepts the product on these conditions.