

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)
CAUTION**

May be harmful if swallowed. Do not breathe dust. Irritates eyes, on skin or on clothing. May cause eye or skin irritation. During exposure in treatment and loading operations wear goggles, clean synthetic rubber gloves, and protective clothing. Wash hands, arms, and face thoroughly with soap after handling and before eating or smoking. Routinely shower or bathe after work and wash work clothes with soap and hot water before reusing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

1. **PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
2. **PESTICIDE DISPOSAL:** Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State, or Local procedures under the Resource Conservation and Recovery Act.
3. **CONTAINER DISPOSAL:** Dispose of bags according to approved Federal, State, or Local procedures under the Resource Conservation and Recovery Act.
4. **GENERAL:** Consult Federal, State, or Local Disposal Authorities for approved alternative procedures such as limited open burning.
5. **STORAGE:** Store in a cool, dry place.

ACCEPTED

SEP 9 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 11849-25

**6% MALATHION
Dry Insecticide**

FOR USE ON STORED GRAINS

ACTIVE INGREDIENT:

Malathion* 6.0%
INERT INGREDIENTS: 94.0%
100%

*O,O-dimethyl phosphorothioate of diethyl mercaptosuccinate

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES - Flush eyes for at least 15 minutes with water. Call a physician if irritation persists.

See side panel for additional precautionary statements.

STORE IN A COOL, DRY PLACE.

Mfg. By Inter Chem. Inc.
Alton, Iowa 51003

Establishment No. 11849-IA-2
EPA Registration No. 11849-

Net Contents

CYTHION
INSECTICIDE
THE PREMIUM GRADE MALATHION



GENERAL INFORMATION

This product is a powdered insecticide for use on stored grains: Wheat, Corn, Oats, Rye, Barley, Synthetic Grains, and Rice. Field and Garden Seeds.

When used on stored grains, protection is provided against Confused Flour Beetle, Red Flour Beetle, Granary Weevil, Saw-Toothed Grain Beetle, Flat Grain Beetle, Red Flour Beetle, Rusty Grain Beetle, Lesser Grain Borer, Indian Meal Moth. Use of this product as directed will provide a tolerance of 8 parts per million for malathion. Treated grain is not subject to downgrading and can be milled into flour or feed using normal production methods.

DIRECTIONS

FOR USE ON STORED GRAINS

Apply this product to the grain at the rate of 10 lbs. per 1000 bu. at the grain is being loaded or turned into final storage. Field and garden seeds can be protected against grain pests with a dosage of 10 lbs. of this product per 1000 bu. of seed. To protect stored grains from attack by Indian Meal Moth, apply this product to the surface of clean or partially cleaned grain at the rate of 5 lbs. per 1000 sq. feet of grain surface area. Apply the dust evenly over the surface of the grain. Apply immediately after grain is loaded into storage and repeat if necessary.

HOW TO APPLY

Apply this product when grain is in the truck or wagon prior to binning. To determine the amount in the truck or wagon, multiply the length by width by depth (all in feet) and multiply this total by 0.8 to get the number of bushels. Measure out the correct amount of this product (10 lbs. per 1000 bu.) and spread evenly over the surface of the grain in the truck or wagon. Cut into the grain with shovel. Coating will become mixed with grain as it is dumped from the truck or wagon into the hopper. Further mixing will occur when the grain is augered or blown into the bin. Mixing is completed as the coating and grain roll down the cone shaped pile in the bin.

NOTICE: Seller's guarantee shall be limited to the terms of label and subject thereto the buyer assumes any risk to person or property arising out of use or handling & accepts the product on these conditions.