

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)**

CAUTION

May be harmful if swallowed. Do not breathe dust or fumes. May cause eye or skin irritation. During exposure to treatment and loading operations wear goggles, clean synthetic rubber gloves, and protective clothing. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Routinely shower or bathe after work and wash work clothes with soap and water before reusing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

- 1. PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
- 2. PESTICIDE DISPOSAL:** Pesticide, spray mixture, or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State, or Local procedures under the Resource Conservation and Recovery Act.
- 3. CONTAINER DISPOSAL:** Dispose of bags according to approved Federal, State, or Local procedures under the Resource Conservation and Recovery Act.
- 4. GENERAL:** Consult Federal, State, or Local Disposal Authorities for approved alternative procedures such as limited open burning.
- 5. STORAGE:** Store in a cool, dry place.

**10% MALATHION
Dry Insecticide**

FOR USE ON STORED GRAINS

ACTIVE INGREDIENT:

Malathion*

10.0%

INERT INGREDIENTS:

90.0%

100%

* Systemically active when absorbed by the insect.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES - Flush eyes for at least 15 minutes with water. Call a physician if irritation persists.

See side panel for additional precautionary statements.

STORE IN A COOL, DRY PLACE.

Mfg. By Inter Chem. Inc.
Alton, Iowa 51003

Establishment No. 11849-IA-2
EPA Registration No. 11849-

Net Contents

CYTHION
INSECTICIDE
THE PREMIUM GRADE MALATHION



GENERAL INFORMATION

For use on stored grains, this product is registered under the Federal Insecticide, Fungicide, and Fumigant Act.

When used as directed, this product is effective against the following insects: Grain Weevils, Saw Toothed Grain Beetles, Flour Beetles, Red Flour Beetles, Rusty Grain Beetles, Lesser Grain Beetles, Indian Meal Moths. Use this product as directed on the label. Tolerance of 5 parts per million of malathion in grain is subject to downgrading and can be determined by the following product label.

DIRECTIONS

FOR USE ON STORED GRAINS

Apply this product to the grain at the rate of 6 lbs. per 1000 bu. of the grain being loaded or turned into final storage. Field and garden seeds can be protected against grain pests with dosage of 6 lbs. of this product per 1000 bu. of seed. To protect stored grains from attack by Indian Meal Moth, apply this product to the surface of clean or uninfested grain at the rate of 3 lbs. per 1000 sq. feet of grain surface area. Apply the dust evenly over the surface of the grain. Apply immediately after grain is loaded into storage and repeat if necessary.

HOW TO APPLY

Apply this product when grain is in the truck or wagon prior to binning. To determine the amount in the truck or wagon, multiply the length by width by depth (all in feet) and multiply this total by 6.6 to get the number of bushels. Measure out the correct amount of this product (6 lbs. per 1000 bu.) and spread evenly over the surface of the grain in the truck or wagon. Cut into the grain with a shovel. Coating will become mixed with grain as it is dumped from the truck or wagon into the hopper. Further mixing will occur when the grain is augered or blown into the bin. Mixing is completed as the coating and grain roll down the cone shaped pile in the bin.

ACCEPTED
with COMMENTS
in EPA L. 11849-26

Under the Federal Insecticide, Fungicide, and Fumigant Act, as amended, this product is registered under EPA Reg. No. 11849-26.

NOTICE: Sellers guarantee that the product is as labeled and subject thereto the buyer assumes any risk to person or property arising out of use or handling & accepts the product on these conditions.