

112117-45

PIA-11

1/4/90

1351

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist. Wash thoroughly with soap and water after handling and before eating or smoking. Before using, cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets, birds, and cover fish aquariums before spraying. When using in animal quarters, do not apply directly to food, water or food supplements.

Exposed food products and packaging materials must be removed from the room or protected before treatment. After using this compound, equipment and utensils must be washed with an effective cleaning compound and thoroughly rinsed with potable water before operations are resumed. Before food product may be placed in the area where the material is being used, the area should be sufficiently free of odor to prevent product contamination.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL OR STURE NEAR HEAT OR OPEN FLAME. Extinguish open flame before space spraying. This formulation is combustible.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store upright, in original containers. Store at room temperature above 40° F. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and place in trash collection

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For use outdoors in yards, patios, picnic areas, camp-sites, drive-ins, around swimming pools, poultry houses. For use indoors and outside premises of hotels, motels, homes, food handling establishments, packaging and processing plants, seed-houses, commercial, industrial, office, institutional and storage buildings, milk handling areas of milk plants, milk storage rooms, egg-processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, boats, ship cabins and hospitals. **IN HOSPITALS, PATIENTS SHOULD BE REMOVED PRIOR TO TREATMENT.** Also for use in buses, automobiles, trucks, boxcars, ship cargo holds, and in dog kennels and horse stables. **IN HORSE STABLES, NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD.**

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas apply only when the facility is not in operation.

Before application, remove plants and animals from area to be treated. Cover or remove fish aquariums. Remove horses before spraying stables.

**SUPER II BRAND
Insect Spray**

For use in hand, electric, gas and propane foggers.

A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING SMALL FLYING INSECTS AND CRAWLING INSECTS: Houseflies, mosquitoes, gnats, fruit flies, flying moths (millers), wasps, hornets, yellow jackets, cockroaches, earwigs, ants, crickets, silverfish, earwigs, spiders, grain mites, sowbugs, centipedes and millipedes.

ACTIVE INGREDIENTS:

*g resmethrin (5-(phenylmethyl)-3-furanyl methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate 0.200% w/w
Related Compounds 0.027%

INERT INGREDIENTS:**

99.773%

*Cis/trans isomers ratio: max. 30% (±) cis, and min. 70% (±) trans.

#Roussel Bio's SBP-1382(r) brand of resmethrin insecticide

#Roussel Bio Corp., 400 Sylvan Ave., Englewood Cliff, NJ 07632

**Contains Petroleum Distillate

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a Physician or Poison Control Center. Do not induce vomiting. This product contains petroleum solvent. Aspiration pneumonia may be a hazard.

IN CASE OF CONTACT: Immediately flush skin and eyes with plenty of water for at least 15 minutes. Get medical attention if irritation persists. See Side Panel For Additional Precautionary Statements

NET CONTENTS: 1 gallon

Manufactured By

WHB SPECIALTY PRODUCTS CO.

P.O. Box 231 • Anon, Iowa 51003

DIRECTIONS FOR USE

Thermal Applications - For use undiluted in electric, propane, or gas-powered thermo-foggers and such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol-size range.

To kill houseflies, mosquitoes, gnats, fruit flies, flying moths (millers): Remove or cover exposed food and food handling surfaces. Remove animals, fish and plants. Shut off ventilating systems, air ducts, air conditioning equipment and close off room or area to be treated. Do not apply while food processing plant is occupied or in operation. Extinguish all flames and pilot lights. **APPLY AS A DRY FOG AT THE RATE OF 1-1/3 fluid ounces per 1,000 cubic feet of space.** Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at least one-half hour. Do not remain in treated area. Ventilate the area after treatment.

Space Spray: To kill houseflies, mosquitoes, gnats, fruit flies, flying moths (millers). Close off room or area to be treated. Shut off air-conditioner and ventilator system. Seal all open vents. Remove animals and plant life. Cover or remove fish aquariums. Apply undiluted as a very fine mist space spray through manually operated equipment with electric or other powered applicators. Avoid staining by holding the spray nozzle at least five feet from objects. Direct the fine spray mist toward the upper corners of the room or area. Fill the area with a fine mist space spray at the rate of 5 fluid ounces per 5,000 cubic feet. Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Sweep up and destroy wasps.

Contact Spray: To kill cockroaches, waterbugs, ants, crickets, silverfish, earwigs, spiders, grain mites, sowbugs, centipedes and millipedes. Adjust spray to produce large wetting-type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets and other harborages. Spray these infested areas until thoroughly wet. Repeat as necessary.

To Kill Ants: Spray around doors and window frames, ant trails and hills in addition to direct spray to contact insects. **To Kill Spiders:** Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

OUTDOORS

Thermal Applications - This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol-size range.

For reduction in annoyance from flies, mosquitoes and gnats in yards, patios, around swimming pools, picnic areas, campsites, drive-ins, and horse stables.

Hold thermal applicator at least five feet from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 3% gallons per acre. Fog only when there is no breeze, or the wind velocity is less than 3 miles per hour. The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

Contact Spray - To kill nuisance pests around buildings, patios and paved areas. Spray directly on insects. Avoid spraying turf or plants.

Ants: Same as directed for indoor application.

Wasps, Hornets, Yellow Jackets: Application should be made in late evening when insects are at rest. Point spray opening away from face. Aim spray at nest opening in bushes, under eaves, chimneys, cracks and crevices. Thoroughly saturate nest with spray, contacting as many insects as possible. Spray liberally into hiding and breeding places.

Earwigs, Sowbugs, Spiders, Centipedes and Millipedes: Apply as a contact spray, as for indoor use. To control flies, mosquitoes and gnats and crawling insects around premises, spray thoroughly around doors, window frames and similar areas of entry. Also thoroughly spray garbage and refuse areas, especially around poultry houses, barns, and similar areas of heavy infestation. Do not spray on turf or plants.

WARRANTY STATEMENT

Our recommendation for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

EPA Reg No 11849-45 EPA Est No

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

BEST AVAILABLE COPY