


STERI-ZONE DISINFECTANT®

ACTIVE INGREDIENTS:

E.P.A. REGISTRATION NO. 11853-4 E.P.A. ESTABLISHMENT NO. 11853-FL-2

WARNING: KEEP OUT OF REACH OF CHILDREN CONTENTS: 1 GALLON FOR PRECAUTIONS AND FIRST AID REFER TO BACK PANEL



USE DIRECTIONS

CLEANING: To clean lightly soiled surfaces mop or brush with a solution containing 2 ounces of STERI-ZONE DIS-INFECTANT in a gallon of water.

For heavily soiled surfaces use 4 ounces of STERI-ZONE DISINFECTANT in a gallon of water.

GENERAL PURPOSE DISINFECTANT FOR NON-HEALTH CARE FACILITIES SUCH AS HOMES AND SCHOOLS: Painted walls, floors, ceilings, metals, glass, tile, porcelain, plastic and similar hard surfaces are disinfected by mopping or brushing with a solution of STERI-ZONE DISINFECTANT containing 2 ounces to the gallon of water. Very heavily soiled surfaces should first be cleaned with STERI-ZONE DISINFECTANT and then disinfected — a double treatment.

Locker rooms, shower stalls, swimming pool walkways and other areas where fungicidal control is indicated, mop with a solution containing 4 ounces of STERI-ZONE DISINFECTANT in a gallon of water to kill Trichophyton (the fungus that causes athlete's foot).

HOSPITAL DISINFECTION: Disinfection of all hard surfaces in hospitals and other health-care facilities (nursing homes, sanitaria, mental institutions, etc.) mop with a solution containing 4 ounces of STERI-ZONE DISINFECT-ANT in a gallon of water. Surfaces heavily covered with blood, feces and other hospital soil should first be scrubbed with a solution of STERI-ZONE DISINFECTANT, containing 2 ounces to the gallon of water to remove soil and then mopped with a solution of STERI-ZONE DISINFECTANT containing 4 ounces to the gallon to disinfect against the more virulent disease producing bacteria likely to be present in hospital and health-care environments.

SANITIZATION: To sanitize walls and floors in food processing plants clean the surfaces thoroughly by mopping with a solution containing 4 ounces of STERI-ZONE DISINFECTANT in a gallon of water and then rinse with a solution containing 1 ounce of STERI-ZONE DISINFECTANT in

a gallon of water. For food contact surfaces, rinse a second time with potable water.

DEODORIZING: STERI-ZONE DISINFECTANT reliably deodorizes bathroom areas, garbage pails, kennels and all places where malodors are likely to develop. An effective spray of a solution containing 8 ounces of STERI-ZONE DISINFECTANT in a gallon of water disinfects and deodorizes bars, food establishments, toilet rooms, theaters, schools, auditoriums, public buildings, churches and similar areas. Toilet bowls and urinals are freed of malodor by pouring a cupful of a STERI-ZONE DISINFECTANT dilution (8 ounces to the gallon) into each daily.


MILDEW: To kill mildew on hard surfaces such as walls and ceilings in homes, institutions, buildings, closets, lockers, basements, on painted surfaces and surfaces of metal, plastic, tile and similar sites (surface should be clean) use 8 ounces of STERI-ZONE DISINFECTANT in 64 ounces of water and mop onto the contaminated surface. Repeat every 8 weeks.

GENERAL: STERI-ZONE DISINFECTANT is an elegant general purpose antibacterial, antifungal, antimildew, antimalodorant detergent for use on hard surfaces in homes, hospitals, restaurants, schools, food processing plants, and wherever antibacterial and antifungal activity should be effectively controlled.

WARNING:

Causes eye irritation and should not be gotten into eyes or on the skin. Harmful if swallowed. Avoid contamination of food. Rinse empty container thoroughly with water and discard it.

FIRST AID: In case of eye contact, immediately flush eyes with an abundance of water for at least 15 minutes and get medical attention promptly. In case of skin contact, flush with an abundance of water for at least 15 minutes. Remove and wash any contaminated clothing before reuse. If accidentally swallowed do NOT induce vomiting but drink large quantities of fluids (water, milk), and get medical attention immediately.



STERECHE DISINFECTANT.

ACTIVE MORIEBILITYS:

	Alkyl (50%, C 14 40% C12 10% C 16) Dimethyl Benzyl	
٠.	Ammonium Chibride	2.75%
· •.	Tetra Spaum Belt of Ethylenediaminetetraacetic acid	
	Essential Oils	
		15 59%

E.P.A. REGISTRATION NO. 11853-4 E.P.A. ESTABLISHMENT NO. 11853-FL-2

WARNING: KEEP OUT OF REACH OF CHILDREN

CONTENTS:

GALLONS

USE DIRECTIONS.

CLEANING To Bear Options to the term open these water as a temperature of the property of the Company of the Co

THE THE TAKE IN A SHIP OF A STATE OF A STATE OF THE COMME.

GENERAL PURPOSE DISINFFCTANTFOR NON HEALTH CARE FACILITIES SUCH AS HOMES AND SCHOOLS

Service Qualities of the extension of

DEODORIZING A PROPERTY OF A PR

USE DIRECTIONS:

CLEANING: To clean lightly soiled surfaces mop or brush with a solution containing 2 ounces of STERI-ZONE DISINFECTANT in a gallon of water

For heavily soiled surfaces use 4 ounces of STERI-ZONE DISINFECTANT in a gallon of water

GENERAL PURPOSE DISINFECTANT FOR NON-HEALTH CARE FACILITIES SUCH AS HOMES AND SCHOOLS: Painted walls, floors, ceilings, metals, glass, tile, porcelain, pastic and similar hard surfaces are disinfected by mopping or brushing with a solution of STERI ZONE DISINFECTANT containing 2 ounces to the gallon of water. Very heavily soiled surfaces should first be cleaned with STERI ZONE DISINFECTANT and then disinfected.

Locker rooms shower stalls swimming pool walkways and other areas where fungicidal control is indicated, mop with a solution containing 4 ounces of STERI-ZONE DISINFECTANT in a gallon of water to kill Trichophyton (the fungus that causes athlete's foot)

HOSPITAL DISINFECTION: Disinfection of all hard surfaces in hospitals and other health care facilities (nursing homes, sanitaria, mental institutions, etc.) mop with a solution containing 4 ounces of STERI ZONE DISINFECTANT in a gallon of water. Surfaces heavily covered with blood, feces and other hospital soil should first be scrubbed with a solution of STERIZONE DISINFECTANT, containing 2 ounces to the gallon of water to remove soil and then mopped with a solution of STERIZONE DISINFECTANT containing 4 ounces to the gallon to disinfect against the more virulent disease producing bacteria likely to be present in hospital and health-care environments.

SANITIZATION. To sanitize walls and floors in food processing plants clean the surfaces thoroughly by mopping with a solution containing 4 ounces of STERI ZONE DISINFECTANT

in a gallon of water and then rinse with a solution containing 1 ounce of STERI ZONE DISINFECTANT in a gallon of water. For food contact surfaces, rinse a second time with potable water.

DEODORIZING: STERI ZONE DISINFECTANT reliably deodorizes bathroom areas, garbage pails, kennels and all places where malodors are likely to develop. An effective spray of a solution containing 8 ounces of STERI-ZONE DISINFECTANT in a gallon of water disinfects and deodorizes bars, food establishments, toilet rooms, theaters, schools, auditoriums, public buildings, churches and similar areas. Toilet bowls and urinals are freed of malodor by pouring a cupful of a STERI-ZONE DISINFECTANT dilution (8 ounces to the gallon) into each daily.

MILDEW: To kill mildew on hard surfaces such as walls and ceilings in homes, institutions, buildings, closets, lockers, basements, on painted surfaces and surfaces of metal, plastic, tile and similar sites (surface should be clean), use 8 ounces of STERI-ZONE DISINFECTANT in 64 ounces of water and mop onto the contaminated surface. Repeat every 8 weeks

GENERAL: STERI-ZONE DISINFECTANT is an elegant general purpose antibacterial, antifungal, antimildew, antimalodorant detergent for use on hard surfaces in homes, hospitals, restaurants schools, food processing plants, and wherever antibacterial and antifungal activity should be effectively controlled

WARNING: Causes eye irritation and should not be gotten into eyes or on the skin. Harmful if swallowed. Avoid contamination of food. Rinse empty container thoroughly with water and discard it.

FIRST AID. In case of eye contact, immediately flush eyes with an abundance of water for at least 15 minutes and get medical attention promptly. In case of skin contact, flush with an abundance of water for at least 15 minutes. Remove and wash any contaminated crothing before reuse. If accidentally swallowed do NOT induce vomiting but drink large quantities of fluids (water milk), and get medical attention immediately.