

(1002)
DIRECTIONS FOR USE—HOUSEFLIES

Residual Wall Sprays: For the control of houseflies, including resistant strains in dairy barns, hog pens, calf barns, poultry houses and other farm buildings, apply a 1% residual spray to the ceilings, walls, stanchions, etc. Prepare the spray by mixing 5 ounces of Master Mix CYGON 2-E in 1 gallon water. Thoroughly wet all fly-resting areas to the point of run off. One gallon of spray will cover 500 to 1,000 sq. ft. of surface.

Master Mix CYGON 2-E controls flies up to 8 weeks or longer. Repeat applications should be made when necessary. Remove all animals and poultry from buildings prior to spraying.

SPOT SPRAYS: For localized housefly control, apply a spray containing 3 1/2 tablespoons of Master Mix CYGON 2-E in 1 quart of water with a knapsack or similar type sprayer to areas frequented by flies, such as doorways, around windows. Repeat applications should be made when necessary. Good sanitation is a necessary part of any effective fly control program.

GENERAL OUTSIDE USE: For the control of houseflies around homes and recreation areas, garbage cans, animal quarters, food-processing plants, kennels, loading docks and refuse areas, thoroughly spray exposed surfaces, such as walls, fences, garbage and refuse containers with 3 tablespoons of Master Mix CYGON 2-E in 1 quart of water. Repeat applications should be made when necessary.

MAGGOT SPRAYS: For the control of housefly maggots, mix 1/2 pint Master Mix CYGON 2-E in 5 quarts of water and apply as a coarse spray or with a sprinkling can to fly-breeding areas, such as poultry droppings in caged-layer houses, garbage dumps and manure piles. Repeat application as additional manure or garbage is added.



Master Mix

RESEARCH APPROVED

CYGNON* 2-E

SYSTEMIC INSECTICIDE

Controls houseflies and insects and mites on ornamental plants.

ACTIVE INGREDIENT:

dimethoate (O,O-dimethyl S-N-methylcarbamoyl methyl phosphorodithioate) 23.4%

INERT INGREDIENTS:

(1 gallon contains 2 pounds of inert material)

Trade Name: American Cyanamid Co. **NET CONTENTS: 1 LIQUID GALLON**

WARNING: KEEP OUT OF REACH OF CHILDREN
 See side panel for additional cautions.



WARNING

Harmful or fatal if swallowed. Concentrated material causes eye irritation. Avoid breathing vapor or spray mist. Use only with adequate ventilation. Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Keep away from heat, sparks and open flame. Keep out of reach of children. In case of contact with eyes, flush eyes with plenty of water for at least 15 minutes, get medical attention.

NOTE TO PHYSICIANS: This product may cause cholinesterase inhibition. Atropine is antidotal.

Do not contaminate feed and foodstuffs, drinking fountains, litter and feed troughs. Do not use in milk-processing rooms, including milk houses and milk storage rooms. Do not use in homes. Do not contaminate water by cleaning of equipment.

ENVIRONMENTAL CAUTIONS

This product is toxic to wildlife. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Services.

Apply this product only as specified on this label. Do not reuse container. Destroy when empty.

EPA REG. NO. 11685-2



CENTRAL SOYA
 Feed Division

with comments 507-715 11885-2