

PM 04

11885-12

8/24/83

102

24 AUG 1983

300 / 17
97003 / 1

Central Soya Company, Inc.
1200 Ft. Wayne Bank Building
Ft Wayne, IN 46802

Gentlemen:

Subject: Kill-Ko Rat Blues - D
EPA Registration No. 11885-12
Your Letter of April 11, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable, subject to the comments below.

Make the labeling changes listed below before you release the product for shipment.

1. Place the paragraph "SELECTION OF TREATMENT AREAS" ahead of the directions for controlling "RATS."
 2. The statement "Four ounces of bait is effective for 1 or 2 rats" may be deleted from the 11885-12 label.
 3. Delete "General Classification."
 4. Change "USE DIRECTIONS" to "DIRECTIONS FOR USE."
 5. Revise the "Storage and Disposal" statement in accordance with enclosed sheet.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD:Miller:DCR-40288:WANC-0984C:hja:Raven:479-2013:8/17/83

CONCURRENCES

SYMBOL ▶								
SURNAME ▶								
DATE ▶								

**PRECAUTIONARY
STATEMENTS**

**HAZARD TO HUMANS &
DOMESTIC ANIMALS**

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN - If ingested, administer Vitamin K₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARD

Keep Out of Lakes,
Streams or Ponds.


USE RESTRICTIONS

Treated baits must be placed in tamper-proof bait boxes or in locations not accessible to children, pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

**STORAGE AND
DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty containers. **WRAP CONTAINER AND PUT IN TRASH COLLECTION.**

This bait is colored blue as an added safety precaution when used in and around feed mills as well as food processing plants. When used in USDA inspected plants, use in accordance with Meat and Poultry Inspection Procedures.



**Master
Mix**

BLUE DEATH MATE RAT BAIT



ACTIVE INGREDIENT: Diphacinone (2-diphenylacetyl-1,3-Indandione) .005%
INERT INGREDIENTS: 99.995%

CAUTION

KEEP OUT OF REACH OF CHILDREN

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 11885-12 EPA EST. NO. 70-KY-1

ANOTHER
FARMACY PRODUCT
MANUFACTURED FOR



CENTRAL SOYA
and Subsidiaries
FORT WAYNE, INDIANA 46802

**NET WEIGHT:
ONE POUND**

**NET WT: 110 POUNDS
(110 ONE POUND BAGS)**

USE DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL CLASSIFICATION

**FOR CONTROL OF NORWAY
AND ROOF RATS ;**

in and
around homes, industrial and agricultural
buildings, and similar man-made structures.

Apply 4 to 16 ounces of bait per
placement. Maintain an uninterrupted
supply of fresh bait for at least 10 days.
Four ounces of bait is effective for
1 or 2 rats.

SELECTION OF TREATMENT AREAS - Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much food as possible.

Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

ACCEPTED
with **COMMENTS**
in EPA Letter Dated:

AUG 24 1983

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

11885-12

2/2