

## PRECAUTIONARY STATEMENTS

### HAZARD TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

**NOTE TO PHYSICIAN:** - If ingested administer Vitamin K, intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

### ENVIRONMENTAL HAZARDS

Keep Out of Lakes, Streams or Ponds.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**USE RESTRICTIONS:** - For control of Norway rats, roof rats, and house mice in and around homes, industrial and agricultural buildings, and similar manmade structures.

Treated baits must be placed in tamper-proof bait boxes or in locations not accessible to children, pets, domestic animals, or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

### SELECTION OF TREATMENT AREAS

- Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much food as possible.

Master Mix®

# BLUE DEATH-D® RAT AND MOUSE BAIT

### ACTIVE INGREDIENT:

Diphacinone [2-(diphenylacetyl)-1,3-Indandione] . . . . . 0.005%

INERT INGREDIENTS: . . . . . 99.995%

100.000%

## KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

This bait is colored blue as an added safety precaution when used in and around feed mills as well as food processing plants. When used in USDA inspected plants, use in accordance with Meat and Poultry Inspection Procedures.

EPA REG. NO. 11885-12

ANOTHER FARMACY® PRODUCT  
MANUFACTURED FOR



EPA EST. NO. 70-KY-1

CENTRAL SOYA  
and Subsidiaries  
Fort Wayne, Indiana 46802

NET CONTENTS: ONE POUND

ACCEPTED

DEC 28 1987

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 11885-12

## APPLICATION DIRECTIONS

**FOR CONTROL OF NORWAY & ROOF RATS:** Apply 4 to 16 ounces of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

**FOR CONTROL OF HOUSE MICE:** - Apply 1/4 to 1/2 ounce (1-2 level tablespoons) of bait at 8 to 12 foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

## STORAGE AND DISPOSAL

**STORAGE:** Store only in original container in a dry area inaccessible to children and pets. Do not contaminate water, food, or feed by storage or disposal.

**DISPOSAL:** Do not reuse empty plastic or paper containers. Securely wrap in newspaper and discard in trash, or, if allowed by State and local authorities, by burning or burying with waste. If burned, stay out of smoke. Drum containers should be disposed in the same manner but may be reused for non-food or feed purposes if thoroughly cleaned.