

PRECAUTIONARY STATEMENTS

Bait stations must be placed in areas not accessible to children, pets, wildlife and domestic animals or in tamper-proof boxes.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife. Do not contaminate water by disposal of unused bait.

USE DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse bulk cartons. Destroy by burying with waste or burning. Stay away from smoke or fumes. Drums should be destroyed as above but may be reused for non-food or feed purposes if thoroughly cleaned. Do not contaminate water by cleaning of drums or disposal of wastes.

This bait is intended for use as an adjuvant safety precaution when used around animal feed mills as well as feed products to plants. When used on USDA inspected plants, use only in accordance with Master Mix baiting regulations.



Master Mix

P.C.G.

**BLUE DEATH[®]
RAT AND MOUSE BAIT**

ACTIVE INGREDIENT:

3-(alpha-Acetylfurfuryl)-4-Hydroxycoumarin 0.025%

INERT INGREDIENTS:

99.975%

100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

In case bait is eaten by humans, call physician at once. Treat as for overdose of Dicoumarol.

SEE REVERSE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA REG. NO. 11885-13 EPA EST. NO. 70-KY 1

**NET WT: 110 POUNDS
(110 ONE POUND BAGS)**



FARMACY

**CENTRAL SOYA
and Subsidiaries**

FOR USE ONLY BY

**Pesticide Control Operators
and Commercial or
Governmental applicators**

DIRECTIONS CONT

**FOR CONTROL OF NORWAY
AND ROOF RATS**

Place 4 to 16 oz. of bait into a shallow container and place next to burrows, in runways or where rats feed, water or travel, e.g. in corners and concealed locations where rats can feed unobserved. Four ounces of bait is effective for 1 or 2 rats.

**FOR CONTROL OF THE
HOUSE MOUSE**

Place 1/4 to 1/2 ounces of bait at 8-12' intervals into a shallow container and place in runways or where mice feed, water or travel, e.g. in corners and concealed locations where mice can feed unobserved.

GENERAL

Check bait stations daily to assure an uninterrupted supply of bait for at least 15 days. Contaminated or spoiled bait should be replaced promptly. Where a continuous baiting program is required or is near rodent-infested fields or dumps, set up permanent bait stations and protect from rain. Baits should be picked up and disposed of upon completion of rodent control program.

7127

