

# UNITED STATES ENVIRONMENT AT PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVIOUS PENDEDES AND TOXIC SUBSTANCES

Mr. H.R. McLane Agent for Gil Manufacturing, Inc. 7210 Red Road, Suite 206A Miami, Florida 33143

MAY 1 1 2007

Dear Mr. McLane,

Subject: Agency Initiated Actions – PR Notice 2005-1 Product Labeling

Omego Mist ULV EPA Reg. No. 11930-1 Omego Mist Mac EPA Reg. No. 11930-2 Omego Mist OSC

EPA Reg. No. 11930-3

Applications dated April 10, 2007

The labeling referred to above, submitted in connection with registration under the Federal, Insecticide, Fungicide and Rodenticide Act, is acceptable provided you make the following changes before releasing product bearing the amended labeling for shipment.

# 1. Page 1

a. Change "Do not allow pray to drift onto pastureland, cropland, (except those crops as listed or potable water." to read "Do not spray on or allow drift onto pastureland, cropland (other than those crops listed) or potable water supplies."

b. Environmental Hazards. Revise the bee warning section to read:

"BEE WARNING: This product is toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply to or allow drift onto blooming crops or weeds when bees are visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort."

c. Storage and Disposal. Change "Storage" to "Pesticide Storage".

### 2. Page 2.

a. Add the statement "Do not spray on or allow drift onto pastureland, cropland (other than those crops listed) or potable water supplies." before the statement "In the treatment of corrals, feedlots, swine lots, and zoos, cover any exposed drinking water, drinking water fountains and animal feed before application."

# 3. Page 3 - Product labels EPA Reg. Nos. 11930-1 and 11930-2 only.

a. Aerial Application. Make the following revision:

Change the EPA Reg. No. 11930-1 label from "Do not exceed 6.007 lbs permethrin a.i/acre or 6.3637undiluted fluid ounces per acre of OMEGO MIST ULV as listed in the Rates Chart on this label." to "Do not exceed 0.007 lbs permethrin a.i/acre or 6.3637 undiluted fluid ounces per acre of OMEGO MIST ULV as listed in the Rates Charts on this label."

Change the EPA Reg. No. 11930-2 label from "Do not exceed 6.007 lbs permethrin a.i/acre or 0.3584 undiluted fluid ounces per acre of OMEGO MIST MAC as listed in the Rates Chart on this label." to "Do not exceed 0.007 lbs permethrin a.i/acre or 0.3584 undiluted fluid ounces per acre of OMEGO MIST MAC as listed in the Rates Chart."

b. Use as an Insect Barrier Treatment. In this paragraph: add the word "microns" and revise the first sentence to read "For use in non-thermal ULV, motorized, portable, backpack, and fog type mist blower equipment apply "insert product name" with equipment adjusted to deliver ULV size droplets with a volume median diameter of 50-100 microns."

Please note that the availability of EPA's reregistration eligibility document (RED) for products containing permethrin was published in the Federal Register (FR) on June 28, 2006 (Vol.71 No.124 pg. 36788). The availability of the piperonyl butoxide RED was published in the FR on July 26, 2006 (Vol. 71, No. 143 pg. 42385). Additional data or labeling changes may be required for products containing permethrin and/or piperonyl butoxide.

A stamped copy of each label is enclosed for your records. Please submit 2 copies of the final printed labels within 30 days of receipt of this letter and before releasing the product for shipment. If you any questions, please do not hesitate to contact Kevin Sweeney at (703) 305-5063. Thank you for your patience and cooperation in this matter.

Sincerely,

George LaRocca, PM 13

Registration Division 7505P

Insecticides Branch

Enclosure

Label unit 1 of 3

For use only by Federal, State, Tribal, or local governmental officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the State or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

This product is Ready-To-Use, Quick knockdown, Low odor, Non-corrosive, Synergized, synthetic Pyrethroid for control of Adult Mosquitoes, Biting and Non-Biting Midges, Black flies and other outdoor flying insects as listed on this label which cause Public Health annoyance in Residential, Municipal and Recreational Areas. Do not allow spray to drift on pastureland, cropland, (except those Crops as listed), or potable water.

## EPA Reg. No.11930-1 EPA Est. No. 11930-AL-1

**ACTIVE INGREDIENTS:** 

Ready-To-Use!

Permethrin; [ <u>CAS 2645-53-1</u>] - - - - - - - - 2.0% Piperonyl Butoxide Technical; [CAS 51-03-5] - - 2.0% OTHER INGREDIENTS: - - - - - - - - 96.0%

Total 100.0%

ACCEPTED with COMMENTS In EPA Letter Dated Contains 0.143 lb. A.I. Permethrin plus 0.143 lbs. A.I. Piperonyl Butoxide per Gallon.

\* Contains a Petroleum Distillate Solvent

KEEP OUT OF REACH OF CHILDREN

as amended, for the pesticide registered under EPA Reg. No 930-1

Under Poteral Meticide. "PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente (If you do not understand the label, find someone to explain it to you in detail).

<u>FIRSTAID</u>

IF SWALLOWED - Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES - Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor

for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated ctothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air, if person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-800-858-7378 for emergency medical treatment advice. See below for additional Precautionary Statements
NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

#### **PRECAUTIONARY STATEMENTS**

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Contains petroleum distillate. Harmful if swallowed, or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing cum, using tobacco, or the tollet. Prolonged or repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash before reuse.

#### **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to aquatic organisms including fish and aquatic invertebrates. Runoff from treated areas or deposition to bodies of water may be hazardous to fish and other aquatic organisms. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present and weather conditions will facilitate movement of applied material away from water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsale or washwaters.

BEE WARNING: This product is toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply to blooming crops or weeds when bees are visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a State, Tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the State or Tribe during a natural disaster recovery effort.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Before making the first application of the season, it is advisable to consult with the State or Tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store product in its original labeled container in a cool, dry, locked place designated for such insecticides and out of reach of children. Do not expose to extreme temperatures. In case of spillage, soak up with absorbent material such as sawdust, or fullers earth; sweep up and place in a labeled container and dispose of as follows. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved wastes disposal facility. CONTAINER DISPOSAL: (Metal) Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other approved state and local procedures. (Plastic) Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or inciparation or if allowed. recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. [94-19-07]

Net contents 21/2 Gal 5 Gals 30 Gals. 55 Gals. 」 275 Gals. ∣ Gil Manufacturing, Inc. P.O. Box 242725 - Montgomery, AL 36124

# 5/6

# OMEGO MIST ULV HOW TO APPLY and WHEN TO USE

This product Will not cillude With water

RATES CHART FOR OMEGO MIST ULV USE, UNDILUTED.			
CONDITIONS AND RATES TO USE OMEGO MIST ULV UNDILUTED FOR MOSQUITO CONTROL			
Permethrin PBO	Application Rates	Fluid Ounces and	
lbs A I. IAcre   lbs. A I /Acre	<ul> <li>Fluid Ounces per Minute at</li> </ul>	mph (milliliters)	
	5 mph 10 mph 15 mph		
0.00700 0.00700	19.0911 38.1822 57.2733	76.3644 6.3637 (188.1969 ml)	
0.00350  0.00350	9.5457 18.0914 28.637	138.1828   3.1819 (94.1000 ml)	
0.00175 p.00175	4.7727 9.5454 14.3181	19.0908   1.5909 (47.0485 ml)	
0.00100 0.00100	2.7273 5.4546 8.1819	10.9092 0.9091 (26.8853 ml)	

FOR 1 to 1 DILUTION RATES FOR OMEGO MIST ULV				
MIX 1 PART OMEGO MIST ULV WITH 1 PART OF A SUITABLE MINERAL CIL APPLY AS FOLLOWS:				
pounds a i per / acre	Application Rates	Fluid oz finished spray		
PERMETHRIN PBO	Fl. oz. per Minute at Vehicle Speeds	per acre		
<b>t</b>	5 mph   10 mph   15 mph   20 mph	_		
0.00700 0.00700	35.0001 70.0002 105.0003 140.0040	11.6667		
0.00350 0.00350	17.5002 35,0004 52,5006 70,0008	5.8334		
0.00175 0.00175	8.7501 17.5002 26.2503 35.7004	2.9167		
0.00100 0.00100	5.0001 10.0002 15.0003 20.0004	1,6667		

Apply when temperatures are above 50°F and wind speed is equal to, or is greater than 1 mph. For proper ground application mount the fog applicator so that the nozzle is at least 4 1/2 feet above ground level and directed out the back of the vehicle. May be applied at speeds of 5 m.p.h. up to 20 m.p.h. Failure to follow these label directions may result in reduced effectiveness. For \*\*Aerial Application refer to the \*\*Aerial Application section on this label. OMEGO MIST ULV may be used as is, or diluted with a suitable solvent such as a 60 to 100 Second viscosity mineral oil and applied at a rate not to exceed 6.3637 fl. oz. of OMEGO MIST ULV per acre. Both aerial and ground applications should be made when the wind is less than 10 M.P.H. For exact rates, see the "UNDILUTED" or the "FOR DILUTION" Rates charts on this label.

OMEGO MIST ULV is recommended for application as an Ultra Low Volume (U.L.V.) Thermal

or Non-thermal aerosol (coid fog) to control adult mosquitoes, and other insects as listed on this label, in residential and recreational areas where these insect pests become a problem; such as, but not limited to parks, campsites, woodlands, athletic fields, golf courses, residential areas, municipalities, gardens, playgrounds, and non-crop waste areas. For best results; treat when mosquitoes or insects are most active and weather conditions are conductive to keeping the fog close to the ground. e.g. cool temperatures and wind speeds are not greater than 10 m.p.h. Applications during the cool hours of night or early morning are usually preferable. Repeat treatment when recommended by Public Health Officials or Mosquito Abatement Districts.

IMPORTANT: Do not re-treat a site more than once in 24 hours; no more than 2 applications should be made to a site in any 1 week period. Do not apply more than 0.185 lb. of permethrin per acre, per year, to any site. More frequent treatments may be made to prevent or control a threat to public and / or animal health determined by a State, Tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the State or Tribe during a natural disaster recovery effort.

#### URBAN ULV MOSQUITO APPLICATIONS

For control of resting or flying adult mosquitoes, biting flies and biting midges in application sites of Residential, Municipal and Recreational areas such as utility tunnels, sewers, storm drains and catch basins, pipe chases, underground basements, underground passages, parking decks, crawl spaces or underground buildings. This product may be applied using mechanical foggers, hand-held or truck mounted ULV equipment suitable for these applications. Apply at rates, up to, but not exceeding, 0.007 lb. active ingredient permethrin per acre. See Rate(s) Charts.

#### MAY BE APPLIED OVER THE FOLLOWING CROPS

OMEGO MIST ULV may be applied over specific growing crops and range grasses prior to harvest for the control of adult mosquitoes and biting files within or adjacent to these areas. Application can only be made where the following crops are present

Range Grasses Leafy vegetables, Cauliflower Pears Almonds Peppers,bell Apples Celery (except brassica) Lettuce, head Soybeans Cherries Broccoii Corn, fodder Corn,forage Tomatoes Brussels Mushrooms Vegetables, cucurbits sprouts Corn, grain Eggplant Onions, dry bulb Peaches Walnuts Cabbage

In the treatment of Corrals, Feed lots, Swine lots, Poultry ranges and Zoos, cover any exposed drinking water, drinking fountains and animal feed before application.

GROUND APPLICATIONS ULV NON-THERMAL AEROSOL (COLD FOG)

To control Mosquitoes, Midges and Blackflies apply OMEGO MIST ULV using truck mounted ground ULV (cold fog) equipment. Spray equipment must be adjusted so the volume medium diameter is less than 30 microns (Dv 0.5 < 30 microns) and that 90% of the spray is contained in droplets smaller than 50 microns (Dv 0.9 < 50 microns). Directions from the equipment manufacturer or vendor, pasticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated. 04-10-07.

#### EPA Reg. No.11930-1 EPA Est. No. 11930-AL-1

GROUND APPLICATIONS ULV NON-THERMAL AEROSOL (COLD FOG) (continued):
When applying this product undiluted, apply at a flow rate of 5.4546 to 38.1822 ounces per minute at an average vehicle speed of 10 M.P.H. These rates are equivalent to 0.001 to 0.007 pound of permethrin a.l. and 0.001 to 0.007 pound of piperonyl butoxide a.i. per acre. If a different vehicle speed is used, adjust the rate accordingly. 0.007 pound of piperonyl butoxide a.i. per acre. If a different vehicle speed is used, adjust the rate accordingly. Vary flow rates accordingly to vegetation density and mosquito population. Use higher flow rates in heavy vegetation or when insect populations are high. An accurate flow rate control system must be used to ensure proper flow rate. *OMBGO MIST ULV* may also be applied by diluting, 1 part to 1 part of a 60 to 100 second mineral oil or another suitable solvent, applied so as not to exceed the maximum a.i. rates per acre as shown in the rates charts. If an alternate dilution rate is required, adjust the flow rate accordingly, provided the droplet size and spectrum remain within label specifications. Do not exceed a flow rate of 20 oz. per minute unless recommended and required by equipment manufacturers and/or Public Health Officials for vehicle speeds of 10 to 20 m.p.h. and when the fogging equipment is capable of such higher rates of output per minute.

THERMAL AEROSOL FOGGING

Apply OMEGO MIST ULV diluted or undiluted by suitable Thermal Foggers mounted on trucks. If diluted use a 60 to 100 second viscosity mineral oil, or another suitable non-phytotoxic diluent, to reduce oil requirement and sludge buildup in equipment. May be applied at truck speeds of 5 m.p.h. to 20 m.p.h. but do not exceed the maximum active ingredient application rates. Droplet size of thermal "fog" will range 0.1 to 1.0 micron. Do not exceed the maximum rates. Spray equipment must be adjusted to so the volume medium diameter is less than 30 microns (0.5<30 microns), and that 90% of the spray droplets are smaller than 50 microns. (0.9< 50 microns), Directions from the equipment manufacturer or vendor posticide registrant or a test facility using a laser based measurement instrument must be used to adjust the equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated For use with Hand Carried and/or Lawn Mower thermal foggers, adjust the sprayer to apply the desired A.I. per acre based on \$\varepsilon\$ 50 foot swath and a walking speed of 2 m.p.h. Do not fog to wet foliage. Thermal fogging applications of OMEGO MIST ULV can be made to deliver 0.001 to 0.007 tbs. of permethrin a.I. per acre and 0.001 lb, to 0.007 lb, piperonyl butoxide a. i. per acre.

# USE AS AN INSECT BARRIER TREATMENT

For use in Non-Thermal ULV, motorized, portable, Backpack, Fog type Mist Blower equipment apply OMEGO MIST ULV with equipment adjusted to deliver ULV particles of 50 to 100 microns Volume Median Diameter. OMEGO MIST ULV may be applied undiluted or diluted (see Application Rates Charts on this label. If diluted use a 30 to 100 second viscosity mineral oil, or another, (if recommended by Public Health Officials), sultable non-phytotoxic diluent. Use 0.001 to .007 pound Permethrin A.I. per acre at a 50 ft. (15.2 m) swath width, while walking at a speed of 2 m.p.h. (3.2 k.p.h.). Whether applied undiluted or diluted, or at a different speed, make sure that the same amount, (0.001 to 0.007 lb) of Permethrin a.i. and Piperonyl Butoxide a.i. is applied per acre. When this product is applied as a barrier treatment, do not apply within 100 feet, (30 meters), of lakes and streams.

# \*\*AERIAL APPLICATION

Make Ultra Low Volume aerial applications of OMEGO MIST ULV according to the application rate table on this label. Spray equipment must be adjusted so that the volume medium diameter produced is less than 60 microns (Dv 0.5 < 60 microns), and that 90% of the spray is contained in droplets smaller than 100 microns (Dv 0.9 < 100 microns). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor pesticide registrant or a test facility using a wind tunnel and a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle

droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated. Application should be made by suitable aerial *U.L.V.* equipment at an altitude ranging from 120-175 feet depending on the terrain and weather conditions. The minimum spray boom height, (from the ground), for application by fixed wing or rotary aircraft shall be 100 feet. The recommended air speed for fixed wing aircraft with flat fan nozzles is from 120 to 160 m.p.h. For aircraft equipped with rotary nozzles, apply at sufficient airspeed to deliver the appropriate amount of *OMEGO MISTULV* a.i. per acre. Do not exceed 6.007 lb. Permethrin a.i. per acre or 6.3637 undiluted fluid ounces per acre of *OMEGO MISTULV* as listed in the Rates Charts on this label. *PROHIBITION ON AERIAL USE IN FLORIDA*: Not for aerial application in the State of Florida unless specifically authorized by the Florida Bureau of Entomology and the Florida Department of Agriculture and Consumer Services.

and Consumer Services. (04 00 07)

### NOTICE - READ ENTIRE LABEL BEFORE USING

Read the entire Directions for Use, Conditions, Discialmer of Warranties, and Limitation of Liability before using this product. By using this product, user and buyer accept the following Conditions, Disclaimer of Warranties and Limitations of Liability. CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However it is impossible to eliminate all risks associated with the use of this product, injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Git. Mig. Co., Inc. All such risks shall be assumed by the user or buyer. Disclaimer of Warranties: There are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label.

No agent of Git. Mig. Co., Inc. Is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Git.Mig. Co., Inc. disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product.

LIMITATION OF WARRANTIES: The exclusive remedy of the user or buyer for any and all toses, injuries or damages resulting from the use or handling of this product, whether in contract warranty, tort, negligence, strict liability or otherwise, shall not exceed

from the use or handling of this product, whether in contract warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price, or at GIL Mig. Co., tnc.'s option, the replacement of the product. 04-10-07

Gil Manufacturing, Inc. - P.O. Box 242725 Montgomery, AL 36124 U.S.A.