

11930-1

09-11-2009

17



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

SEP 11 2009

H.R. McLane, Inc.  
Authorized Agent  
Gil Manufacturing, Inc.  
7210 Red Road, Suite 206A  
Miami, Florida 33143-5321

RE: Notification of an Additional Brand Name: **OMEGO Mist 2-2 ULV**  
EPA Registration Number: 11930-1  
Date of Submission: July 28, 2009

Dear Mr. McLane:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated July 28, 2009, for the above mentioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" received and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs



**EPA**

United States  
Environmental Protection Agency  
Washington, DC 20460

☐ Registration  
☐ Amendment  
☒ Notification

**EPA**

Registration No.  
**11930-1**

### Application for Pesticide Section I To File an Additional Brand Name

Date: July 28, 2009

1. Company / Product Number: <b>11930-1</b>		2. EPA Product Manager <b>Dr. Linda D' Luise</b>		3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted	
4. Company Product Name: change: <b>OMEGO MIST ULV</b>		PM Number - <b>13</b>			
5. Name and address of Applicant: (Include Zip Code) <b>GIL MANUFACTURING, INC.</b> <b>P.O. BOX 242725</b> <b>MONTGOMERY AL 36124</b> <input type="checkbox"/> Check if this is a new address			6. Expedite Review. In accordance with FIFRA Section 3(c)(3) (b)(i), My product is similar or identical in composition and labeling to: <b>N/A</b> EPA Reg. No. _____ Product Name: <b>N/A</b>		

### Section II

<input type="checkbox"/> Amendment- Explain below <u>name change</u>	<input type="checkbox"/> Final Printed Labels in response to
<input type="checkbox"/> Resubmission in response to agency letter dated: _____	Agency Letter Dated: _____
<input checked="" type="checkbox"/> Notification - Explain Below	Me Too Applications, _____ Other Explain below _____

**Explanation:** Use additional pages if necessary (For Section I and Section II) **THIS IS A NOTIFICATION CONFORMING TO PR NO-TICE 98-10 TO FILE AN ADDITIONAL BRAND NAME AS :OMEGO MIST 2-2 ULV . PLEASE PLACE THIS AS A PERMANENT PORTION OF THE FILE FOR THE PRODUCT. THE CERTIFICATION FOR THIS APPEARS IN OUR COVER LETTER PAGE 2 OF THIS 6 PAGE DOSSIER. THANK YOU FOR YOUR COOPERATION IN THIS MATTER,**

### Section III

1. Material This Product will be packed in:					
Child Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Unit Packaging Wgt. No. Per Container		Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Package Wgt. No. Per Container	
2. Type of Container <input checked="" type="checkbox"/> Metal (Lined) <input checked="" type="checkbox"/> Plastic HDPE <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input checked="" type="checkbox"/> Other (Barex)		3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container			
4. Size(s) Retail Container <b>1; 2 1/2; 5; 30; 55; Gal.</b>		5. Location of label directions <input checked="" type="checkbox"/> On Label <input checked="" type="checkbox"/> Label accompanying product			
6. Manner in which label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper Glued <input type="checkbox"/> Stenciled		Other _____			

### Section IV

Contact Point (Complete items below for Identification of individual to be contacted if necessary to process this application.)

Name: **H. R. McLane, Inc.** Title: **Agent** 305-661-1706 Telephone No. (Include Area code)  
**7210 Red Rd. suite 206A miami, FL 33143** **GIL Manufacturing, Inc. 1-800-445-0180**

Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application received (Stamped)	
2. Signature: <i>H R McLane</i>	3. Title <b>Authorized Agent</b>		
4. Typed Name <b>Dr. Kenneth Floyd General Manager</b>	5. Date <b>07-28-09</b>		





**7210 Red Road, Suite 206A - Miami, Florida 33143-5321 U.S.A.  
Phone 305 661 1706 - Fax 305 661 3036 - E-Mail [Hrmclaneinc@bellsouth.net](mailto:Hrmclaneinc@bellsouth.net)  
Consulting in EPA Regulatory Affairs  
FIFRA Licensing & Registrations - Since 1948**

PAGE 2 OF 6

**JULY 28, 2009**

DR. LINDA D'LUISE PM-13  
Document Processing Desk (NOTIFICATION)  
Office Of Pesticide Programs (7504-P)  
Environmental Protection Agency  
1200 Pennsylvania Ave. N.W.  
Washington D. C. 20460

EPA REG. #11930-1

Registrant: GIL MANUFACTURING INC. EPA EST No. 11930  
P.O. BOX 242725 - MONTGOMERY, AL 36124  
Company Contact: DR. KENNETH FLOYD; GEN. MGR.  
Subject: NOTIFICATION TO FILE AN ADDITIONAL BRAND NAME.  
Product: NAME OF RECORD: "OMEGO MIST ULV" EPA REG. NO. 11930-1  
ADDITIONAL BRAND NAME IS: OMEGO MIST 2-2 ULV"

Dear DR. D'LUISE:

THIS IS A NOTIFICATION TO FILE AN ADDITIONAL BRAND NAME  
AS "OMEGO MIST 2-2 ULV" . WE ENCLOSE THE FOLLOWING.

INDEX .....	1
COVER LETTER TO DR. LINDA D'LUISE PM-13.....	2
EPA FORM 8570-1 - NOTIFICATION .EPA REG #11930-1...	3
2 COPIES OF ADDITIONAL BRAND NAME LABEL (3 p.@).....	4,5,6

-----NOTIFICATION CERTIFICATION-----  
 "This notification is consistent with the provisions of  
 PR Notice 98-10 and EPA regulations at 40 CFR 152.46,  
 and no other changes have been made to the labeling or  
 the confidential statement of formula of this product.  
 I understand that it is a violation of 18 U.S.C. Sec.  
 1001 to wilfully make any false statement to EPA, I  
 further understand that if this notification is not  
 consistent with the terms of PR Notice 98-10 and 40 CFR  
 152.46, this product may be in violation of FIFRA and I  
 may be subject to enforcement action and penalties under  
 sections 12 and 14 of FIFRA,"

Please place this as a permanent portion of the file for the product. Thank you for your cooperation in this matter.

Sincerely  
H. R. McLane, Inc.

H. R. McLane, Ph.D. Authorized Agent for:  
DR. KENNETH FLOYD; GENERAL MANAGER  
GIL MANUFACTURING, INC.  
HRM/nb/A.A./B.S./Ph.D./ENCL: as above.cc/KF/GMC



## INDEX

## NOTIFICATION

TO FILE THE ADDITIONAL BRAND NAME i.e. "OMEGO MIST 2-2" ULV

## REGISTRANT

GIL MANUFACTURING INC. EPA CORP NO. 11930

P.O. BOX 242725 - MONTGOMERY, AL 36124

## PRODUCT NAME OF RECORD

OMEGO MIST ULV

EPA REG. NO. 11930-1

NOTIFICATION

SEP 11 2009

DOCUMENT	PAGE
INDEX SHEET .....	1
COVER LETTER to DR. LINDA D'LUISE ..PM-13..... INCLUDES NOTIFICATION CERTIFICATION	2
EPA FORM #8570-1 NOTIFICATION EPA REG. NO. 11930-1... TO FILE AN ADDITIONAL BRAND NAME: AS OMEGO MIST 2-2 ULV	3
2 COPIES OF 3 PAGE "ADDITIONAL BRAND NAME" LABEL i.e. "OMEGO MIST 2-2" ULV .....	4,5,6

RETURN POSTCARD FOR EPA, RECEIPT OF THIS AMENDMENT.

TWO H. R. MCLANE, INC. ADDRESS STICKERS FOR EPA RETURN USE.

JUL 31 2009



# OMEGO MIST 2-2 JLV

Label unit 1 of 3

Page 4 of 6

For use only by Federal, State, Tribal, or local governmental officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the State or Tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision. This product is a Ready-To-Use, Quick knockdown, Low odor, Non-corrosive, Synergized, synthetic Pyrethroid for control of Adult Mosquitoes, Biting and Non-Biting Midges, Black flies and other outdoor flying insects as listed on this label which cause Public Health annoyance in Residential, Municipal and Recreational Areas. Do not spray on or allow drift onto pastureland, cropland, (other than those crops listed), or potable water supplies.

EPA Reg. No. 11930-1 EPA Est. No. 11930-AL-1

**ACTIVE INGREDIENTS:**

Permethrin; [CAS 2645-53-1] - - - - - 2.0%

Piperonyl Butoxide Technical; [CAS 51-03-5] - - - - - 2.0%

**OTHER INGREDIENTS:** - - - - - 96.0%

Total 100.0%

Contains 0.143 lb. A.I. Permethrin plus 0.143 lbs. A.I. Piperonyl Butoxide per Gallon.

\* Contains a Petroleum Distillate Solvent

**Ready-To-Use!****KEEP OUT OF REACH OF CHILDREN  
CAUTION**

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente"

(If you do not understand the label, find someone to explain it to you in detail).

**FIRST AID**

**IF SWALLOWED:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

**HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-800-858-7378 for emergency medical treatment advice. See below for additional Precautionary Statements

**NOTE TO PHYSICIAN:** Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Contains petroleum distillate. Harmful if swallowed, or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or the toilet. Prolonged or repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash before reuse.

**ENVIRONMENTAL HAZARDS**

This product is extremely toxic to aquatic organisms including fish and aquatic invertebrates. Runoff from treated areas or deposition to bodies of water may be hazardous to fish and other aquatic organisms. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present and weather conditions will facilitate movement of applied material away from water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or washwaters.

**BEE WARNING:** This product is toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply to or allow drift onto blooming crops or weeds when bees are visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a State, Tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the State or Tribe during a natural disaster recovery effort.

**PHYSICAL AND CHEMICAL HAZARDS**

Do not use, pour, spill or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Before making the first application of the season, it is advisable to consult with the State or Tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE:** Store product in its original labeled container in a cool, dry, locked place designated for such insecticides and out of reach of children. Do not expose to extreme temperatures. In case of spillage, soak up with absorbent material such as sawdust, or fullers earth; sweep up and place in a labeled container and dispose of as follows. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved wastes disposal facility. **CONTAINER DISPOSAL:** Nonrefillable 2½, 5, 30, 55 gallon container. Do not reuse or refill this container. Offer for reconditioning if appropriate. Refillable 275 gallon container; refill this container with pesticide only. Do not use this container for any other purpose. Clean container promptly after emptying. (Metal) "Triple rinse" or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other approved state and local procedures. (Plastic) "Triple rinse" or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. "Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. 09-30-09.

**Net contents**

2½ Gal. \_\_\_\_\_

5 Gals. \_\_\_\_\_

30 Gals. \_\_\_\_\_

55 Gals. \_\_\_\_\_

275 Gals. \_\_\_\_\_

Product Batch \_\_\_\_\_

Code No. \_\_\_\_\_

Gil Manufacturing, Inc. P.O. Box 242725 - Montgomery, AL 36124 U.S.A.



This product  
will not dilute  
with water.

# LABEL COPY FOR SIDE OF CONTAINER

## OM 30 MIST 2-2 ULV

### HOW TO APPLY and WHEN TO USE

Label unit 2 of 3

Page 5 of 6

RATES CHART FOR <i>OMEGO MIST 2-2 ULV</i> USE, UNDILUTED.						
CONDITIONS AND RATES TO USE <i>OMEGO MIST 2-2ULV</i> UNDILUTED FOR MOSQUITO CONTROL						
Permethrin lbs. A.I. /Acre	PBO lbs. A.I. /Acre	Application Rates				Fluid Ounces and (milliliters) per acre
		Fluid Ounces per Minute at mph				
		5 mph	10 mph	15 mph	20 mph	
0.00700	0.00700	19.0911	38.1822	57.2733	76.3644	6.3637 (188.1969 ml)
0.00350	0.00350	9.5457	18.0914	28.637	138.1828	3.1819 (94.1000 ml)
0.00175	0.00175	4.7727	9.5454	14.3181	19.0908	1.5909 (47.0485 ml)
0.00100	0.00100	2.7273	5.4546	8.1819	10.9092	0.9091 (26.8853 ml)

FOR 1 to 1 DILUTION RATES FOR OMEGO MIST 2-2 ULV						
MIX 1 PART OMEGO MIST 2-2 ULV WITH 1 PART OF A SUITABLE MINERAL OIL. APPLY AS FOLLOWS						
pounds a.	per / acre	Application Rates				Fluid oz. finished spray
PERMETHRIN	PBO	Fl. oz. per Minute at Vehicle Speeds				per acre
		5 mph	10 mph	15 mph	20 mph	
0.00700	0.00700	35.0001	70.0002	105.0003	140.0040	11.6667
0.00350	0.00350	17.5002	35.0004	52.5006	70.0008	5.8334
0.00175	0.00175	8.7501	17.5002	26.2503	35.7004	2.9167
0.00100	0.00100	5.0001	10.0002	15.0003	20.0004	1.6667

Apply when temperatures are above 50°F and wind speed is equal to, or is greater than 1 mph. For proper ground application mount the fog applicator so that the nozzle is at least 4 1/2 feet above ground level and directed out the back of the vehicle. May be applied at speeds of 5 m.p.h. up to 20 m.p.h. Failure to follow these label directions may result in reduced effectiveness. For "Aerial Application" refer to the "Aerial Application" section on this label. OMEGO MIST 2-2 ULV may be used as is, or diluted with a suitable solvent such as a 60 to 100 Second viscosity mineral oil and applied at a rate not to exceed 6.3637 fl. oz. of OMEGO MIST 2-2 ULV per acre. Both aerial and ground applications should be made when the wind is less than 10 M.P.H. For exact rates, see the "UNDILUTED" or the "FOR DILUTION" Rates charts on this label. OMEGO MIST 2-2 ULV is recommended for application as an Ultra Low Volume (U.L.V.) Thermal or Non-thermal aerosol (cold fog) to control adult mosquitoes, and other insects as listed on this label, in residential and recreational areas where these insect pests become a problem; such as, but not limited to parks, campsites, woodlands, athletic fields, golf courses, residential areas, municipalities, gardens, playgrounds, and non-crop waste areas. For best results; treat when mosquitoes or insects are most active and weather conditions are conducive to keeping the fog close to the ground. e.g. cool temperatures and wind speeds are not greater than 10 m.p.h. Applications during the cool hours of night or early morning are usually preferable. Repeat treatment when recommended by Public Health Officials or Mosquito Abatement Districts.

**IMPORTANT:** Do not re-treat a site more than once in 24 hours; no more than 2 applications should be made to a site in any 1 week period. Do not apply more than 0.185 lb. of permethrin per acre, per year, to any site. More frequent treatments may be made to prevent or control a threat to public and / or animal health determined by a State, Tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the State or Tribe during a natural disaster recovery effort.

#### URBAN ULV MOSQUITO APPLICATIONS

For control of resting or flying adult mosquitoes, biting flies and biting midges in application sites of Residential, Municipal and Recreational areas such as utility tunnels, sewers, storm drains and catch basins, pipe chases, underground basements, underground passages, parking decks, crawl spaces or underground buildings. This product may be applied using mechanical foggers, hand-held or truck mounted ULV equipment suitable for these applications. Apply at rates, up to, but not exceeding, 0.007 lb. active ingredient permethrin per acre. See Rate(s) Charts.

#### MAY BE APPLIED OVER THE FOLLOWING CROPS

OMEGO MIST 2-2 ULV may be applied over specific growing crops and range grasses prior to harvest for the control of adult mosquitoes and biting flies within or adjacent to these areas. Application can only be made where the following crops are

Artichokes	Cauliflower	Range Grasses	Pears
Apples	Celery	Leafy vegetables,	Peppers, bell
Broccoli	Cherries	(except brassica)	Soybeans
Brussels	Corn, fodder	Lettuce, head	Tomatoes
sprouts	Corn, forage	Mushrooms	Vegetables, cucurbits
Cabbage	Corn, grain	Onions, dry bulb	Walnuts
	Eggplant	Peaches	

Do not spray on or allow drift onto pastureland, cropland, (other than those crops listed), or potable water supplies. In the treatment of Corrals, Feed lots, Swine lots, Poultry ranges and Zoos, cover any exposed drinking water, drinking fountains and animal feed before application.

#### GROUND APPLICATIONS ULV NON-THERMAL AEROSOL (COLD FOG)

To control Mosquitoes, Midges and Blackflies apply OMEGO MIST 2-2 ULV using truck mounted ground ULV (cold fog) equipment. Spray equipment must be adjusted so the volume median diameter is less than 30 microns (Dv 0.5 < 30 microns) and that 90% of the spray is contained in droplets smaller than 50 microns (Dv 0.9 < 50 microns). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated. added 2-2-name-07-28-09.



# OM GO MIST 2-2 ULV

EPA Reg. No. 11930-1 EPA Est. No. 11930-AL-1

Page 6 of 6

## **GROUND APPLICATIONS ULV NON-THERMAL AEROSOL (COLD FOG) (continued):**

When applying this product undiluted, apply at a flow rate of 5.4546 to 38.1822 ounces per minute at an average vehicle speed of 10 M.P.H. These rates are equivalent to 0.001 to 0.007 pound of permethrin a.i. and 0.001 to 0.007 pound of piperonyl butoxide a.i. per acre. If a different vehicle speed is used, adjust the rate accordingly. Vary flow rates accordingly to vegetation density and mosquito population. Use higher flow rates in heavy vegetation or when insect populations are high. An accurate flow rate control system must be used to ensure proper flow rate. **OMEGO MIST 2-2 ULV** may also be applied by diluting, 1 part to 1 part of a 60 to 100 second mineral oil or another suitable solvent, applied so as not to exceed the maximum a.i. rates per acre as shown in the rates charts. If an alternate dilution rate is required, adjust the flow rate accordingly, provided the droplet size and spectrum remain within label specifications. Do not exceed a flow rate of 20 oz. per minute unless recommended and required by equipment manufacturers and/or Public Health Officials for vehicle speeds of 10 to 20 m.p.h. and when the fogging equipment is capable of such higher rates of output per minute.

(04-09-07)

## **THERMAL AEROSOL FOGGING**

Apply **OMEGO MIST 2-2 ULV** diluted or undiluted by suitable Thermal Foggers mounted on trucks. If diluted use a 60 to 100 second viscosity mineral oil, or another suitable non-phytotoxic diluent, to reduce oil requirement and sludge buildup in equipment. May be applied at truck speeds of 5 m.p.h. to 20 m.p.h. but do not exceed the maximum active ingredient application rates. Droplet size of thermal "fog" will range 0.1 to 1.0 micron. Do not exceed the maximum rates. Spray equipment must be adjusted so the volume median diameter is less than 30 microns (0.5 < 30 microns), and that 90% of the spray is contained in droplets smaller than 50 microns (0.9 < 50 microns). Directions from the equipment manufacturer or vendor pesticide registrant or a test facility using a laser based measurement instrument must be used to adjust the equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated. For use with Hand Carried and/or Lawn Mower thermal foggers, adjust the sprayer to apply the desired A.I. per acre based on a 50 foot swath and a walking speed of 2 m.p.h. Do not fog to wet foliage. Thermal fogging applications of **OMEGO MIST 2-2 ULV** can be made to deliver 0.001 to 0.007 lbs. of permethrin a.i. per acre and 0.001 lb. to 0.007 lb. piperonyl butoxide a. i. per acre.

## **USE AS AN INSECT BARRIER TREATMENT**

For use in non-Thermal ULV, motorized, portable, backpack, and fog type mist blower equipment apply **OMEGO MIST 2-2 ULV** with equipment adjusted to deliver ULV size droplets with a volume median diameter of 50 to 100 microns. **OMEGO MIST 2-2 ULV** may be applied undiluted or diluted (see Application Rates Charts on this label. If diluted use a 30 to 100 second viscosity mineral oil, or another, (if recommended by Public Health Officials), suitable non-phytotoxic diluent. Use 0.001 to 0.007 pound Permethrin A.I. per acre at a 50 ft. (15.2 m) swath width, while walking at a speed of 2 m.p.h. (3.2 k.p.h.). Whether applied undiluted or diluted, or at a different speed, make sure that the same amount, (0.001 to 0.007 lb.) of Permethrin a.i. and Piperonyl Butoxide a.i. is applied per acre. When this product is applied as a barrier treatment, do not apply within 100 feet, (30 meters), of lakes and streams.

## **\*\* AERIAL APPLICATION**

Make Ultra Low Volume aerial applications of **OMEGO MIST 2-2 ULV** according to the application rate table on this label. Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns (Dv 0.5 < 60 microns), and that 90% of the spray is contained in droplets smaller than 100 microns (Dv 0.9 < 100 microns). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor pesticide registrant or a test facility using a wind tunnel and a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Application should be made by suitable aerial U.L.V. equipment at an altitude ranging from 120 -175 feet depending on the terrain and weather conditions. The minimum spray boom height, (from the ground), for application by fixed wing or rotary aircraft shall be 100 feet. The recommended air speed for fixed wing aircraft with flat fan nozzles is from 120 to 160 m.p.h. For aircraft equipped with rotary nozzles, apply at sufficient airspeed to deliver the appropriate amount of **OMEGO MIST 2-2 ULV** a.i. per acre. Do not exceed 0.007 lb. Permethrin a.i. per acre or 6.3637 undiluted fluid ounces per acre of **OMEGO MIST 2-2 ULV** as listed in the Rates Charts on this label.

**PROHIBITION ON AERIAL USE IN FLORIDA:** Not for aerial application in the State of Florida unless specifically authorized by the Florida Bureau of Entomology and the Florida Department of Agriculture and Consumer Services. (05-29-07)

## **NOTICE - READ ENTIRE LABEL BEFORE USING**

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitation of Liability before using this product. By using this product, user and buyer accept the following Conditions, Disclaimer of Warranties and Limitations of Liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However it is impossible to eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of GIL Mfg. Co., Inc. All such risks shall be assumed by the user or buyer. **Disclaimer of Warranties:** There are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of GIL Mfg. Co., Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. GIL Mfg. Co., Inc. disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product. **LIMITATION OF WARRANTIES:** The exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price, or at GIL Mfg. Co., Inc.'s option, the replacement of the product at the time of purchase.

**Gil Manufacturing, Inc. - P.O. Box 242725 Montgomery, AL 36124 U.S.A.**