

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

<u>x</u> Registration Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

NOV - 7 2002

11930-3

Term of Issuance:

Conditional

Name of Pesticide Product:

Omega Mist OSC

Name and Address of Registrant (include ZIP Code):

Gil Manufacturing, Inc.

P.O. Box 230224

Montgomery, AL 36123

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phase "EPA Registration No. 11930-3".
- b. Please disregard comment 1 in our October 17, 2002 letter and reinstate the following two statements under Precautionary Hazards: "Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye irritation." Also add the "If Inhaled" first aid precaution under First Aid section. The above statements are required based on a Toxicity category III for eye irritation and acute inhalation exposures.
- c. Under Thermal Aerosol Fogging Directions change "For use with hand carried and/or lawn mower foggers..." with " "For use with Hand Carried and/or Lawn Mower Foggers...".

Signature of Approving Official:	Date:

page 2 EPA Reg. No. 11930-3

- d. Under ULV Non- Thermal Aerosol (Cold Fog) change ".Omega Mist OSC ..." to "Omega Mist OSC...".
 - e. Change Net Contents " 5 30 Gallons" to "_ Gallons".

We note that you will submit a storage stability study within one year of registration. This must be done in commercial containers following 0, 3, 6, 9 and 12 months of storage.

3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure

For Application only by Public Health Officials and Trained Personnel of Mosquito Abatement Districts and Other Mosquito Control Personnel. An All Temperature, Quick knockdown, Low Odor, Non-Corrosive, Synergized, Synthetic Pyrethroid for the Control of Adult Mosquitoes, in Residential, Recreational, and Non-crop waste Areas. Also for Use Against Biting and Non-Biting Midges and Black flies. OMEGO MIST OSC is a Trademark of GIL MANUFACTURING CO.

ACTIVE INGREDIENTS

Permethrin CAS [52645-53-1] - - - - Piperonyl Butoxide CAS [51-03-6] - - OTHER INGREDIENTS:*- - - To 4.0% 92.0% 100.0%

* Contains a Petroleum Distillate Solvent. Total 100.0% Contains 0.2821 lb. A.I. Permethrin and 0.2821 lb. A.I. Piperonyl Butoxide per gallon.

Contents 30 Gallons 5

KEEP OUT OF REACH OF CHILDREN CAUTION

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente"
FIRST AID

EPA Reg. No. 11930-3 EPA Est. No. 11930-AL-1

IFSWALLOWED - Immediately call a Poison Control Center or doctor. Do not induce vomiting unless told to by a poison control center or doctor. Do not give thing by mouth to an unconscious person. IF ON SKIN OR CLOTHING-Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. NOTE TO PHYSICIAN: *Solvent presents an aspiration hazard. Gastric lavage is indicated if material was taken internally. Vomiting may cause aspiration pneumonia. HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor or when going for treatment. You may also call 1-800-858-7378 for emergency medical treatment advise.

READ ENTIRE LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmfullif swallowed, or absorbed through the skin. . Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated sites may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

Bee Warning: This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift on blooming crops or weeds while bees are actively visiting the treatment areas.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. While using or handling this product wear long sleeved shirt and long pants, socks and shoes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. <u>STORAGE</u>: Store product in its original labeled container in a cool, dry, locked place designated for such insecticides and out of reach of children. In case of spillage, soak up with absorbent material such as sawdust, or fullers earth; sweep up and place in a labeled container and dispose of as follows. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved wastes disposal facility. CONTAINER DISPOSAL: (Metal) Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other approved state and local procedures. (Plastic) Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

THERMAL AEROSOL FOGGING

TRUCK MOUNTED - Apply OMEGO MIST OSC diluted or undiluted with suitable Thermal Fogging equipment. Droplet of thermal fog will range 0.1 to 1.0 micron If diluted use a 60 to 100 second viscosity mineral oil or another suitable non-phytotoxic diluent, to reduce oil requirement and sludge buildup in equipment. Do not exceed the maximum rates. May be applied at speeds of 5 m.p.h. up to 20 m.p.h.. For use with hand carried and/or lawn mower foggers, use the same rates of a.i.. per acre with a 50 foot swath width at a walking speed of 2 m.p.h.. Do not fog to wet foliage. Do not fog when wind conditions exceed 10 m.p.h.. Only use a clean, well maintained and properly calibrated fogger known to give excellent performance. Fog Downwind. Apply OMEGO MIST OSC to deliver 0.001 to 0.007 lb. of Permethrin a.i. and 0.001 to 0.007 lb. of piperonyl butoxide a.i. per acre. Droplet size of thermal fog will be very small, usually in the 0.5 to 1.0 microp. will be very small, usually in the 0.5 to 1.0 micron.

WARRANTY, NOTICE - READ ENTIRE LABEL BEFORE USING - `

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitation of Liability before using this 1 product. By using this product, user and buyer accept the following Conditions, Disclaimer of Warranties and Limitations of Liability. CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However it is impossible to eliminate all risks associated with the use of this product. Injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions. presence of other materials, or the manner of use or application, all of which are beyond the control of GIL Manufacturing. All such risks shall be assumed by the user or buyer. Disclaimer of Warranties: There are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of GIL Manufacturing is authorized to make any warranties beyond those contained herein, or to modify the warranties contained herein. Gil. Manufacturing disclaims any Under the Federal Insecticide. It liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product. Fundable, and Rodenticide act LIMITATION OF WARRANTIES: The exclusive remedy of the user or buyer for any and all losses, injuries or as amended, for the pesticide damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict registered under EPA Reg. No. liability or otherwise, shall not exceed the purchase price, or at GIL Manufacturing's option, the replacement of Lthe product.

****ACCEPTED** with COMMENTS in EPA Letter Dated

7 2002

For proper ground application mount the fog applicator so that the nozzle is at least 4 1/2 feet above ground level and directed out the back of the vehicle. May be applied at speeds of 5 m.p.h. up to 20 m.p.h. Failure to follow these label directions may result in reduced effectiveness. For **Aerial Application refer to the **Aerial Application section on this label. OMEGO MIST OSC may be used as is, or diluted with a suitable solvent such as a 60 to 100 Second viscosity mineral oil and applied at a rate not to exceed 3.1819 ft. oz. of OMEGO MIST OSC per acre. Both aerial and ground applications should be made when the wind is less than 10 M.P.H. For exact rates, see CHART No. 1 to apply "UNDILUTED", or CHART No. 2 to apply at a 1 to 1 DILUTION RATE.

OMEGO MIST OSC is recommended for application as an Ultra Low Volume (U.L.V.) Thermal or Non-thermal aerosol (cold fog) to control adult mosquitoes, and other insects at letel in this label, in residential, recreational cross where these insect pasts become a colored such as letel in this to narke composition.

OMEGO MIST OSC is recommended for application as an Ultra Low Volume (U.L.V.) Thermal or Non-thermal aerosol (cold fog) to control adult mosquitoes, and other insects as listed on this label, in residential, recreational areas where these insect pests become a problem; such as, but not limited to parks, campsites, woodlands, athletic fields, golf courses, residential areas, municipalities, gardens, playgrounds, and non-crop waste areas. Do not apply this product within 100 feet (30 Meters) of lakes and streams. Do not allow trdeatment to drift to pastureland, cropland, poultry ranges or potable water supplies. For Best Results; treat when mosquitoes or insects are most active and weather conditions are conducive to keeping the fog close to the ground, therefore during cool temperatures and when wind speeds are not greater than 10 m.p.h. Applications during the cool hours of night or early morning are usually preferable. Repeat treatment when recommended by Public Health Officials or Mosquito Abatement Districts.

ULV NON-THERMAL AEROSOL (COLD FOG)

.OMEGO MIST OSC is recommended for application as an ultra Low Volume, (ULV), to control Mosquitoes, Midges and Blackflies. Apply OMEGO MIST OSC using any standard U.L.V. ground applicator capable of producing a non-thermal aerosol fog with droplets ranging in size from 5 to 30 microns in diameter and a mass median diameter (MMD) of 15 to 20 microns. The largest droplets should not exceed 50 microns and less than 5% of drops should be below 5 microns), with an application swath width of 300 feet. Silicon slides should be required for calibration. Droplet size of application may be determined using the following procedure. Droplet size should be measured using Teflon coated glass slides. An adequate amount of air should be sampled by using, for example, rotating rod samplers. Other sampling techniques, such as AMES machine, may be used if authorized by local authorities. Slides are examined microscopically and the diameter of droplets measured in microns. Slides should be scanned until 100 to 200 droplets have been assessed. A spread factor of 0.61 should be used to correct droplet diameters. A 90% value of the droplets should be in the range of 5 to 30 microns in size.

When applying this product UNDILUTED, apply at a flow rate of 2.7276 to 19.0914 ounces per minute at an average vehicle speed of 10 M.P.H. These rates are equivalent to 0.001 to 0.007 pound of permethrin a.i. and 0.001 to 0.007 pound of piperonyl butoxide a.i. per acre. If a different vehicle speed is used, adjust the rate accordingly to the RATES CHART. Vary the flow rates accordingly to vegetation density and mosquito population. Use higher flow rates in heavy vegetation or when insect populations are high. An accurate flow rate "Control System" must be used to ensure proper flow rate. OMEGO MIST OSC may also be applied by dilluting 1 part to 1 part of a 60 to 100 second mineral oil, or another suitable solvent. Apply so as not to exceed the maximum a.i. rates per acre as shown in CHART No. 2. If an alternate dilution rate is required, adjust the flow rate accordingly, provided the droplet size and spectrum remain within this label specifications. Do not exceed a flow rate of 20 oz. per minute unless recommended by equipment manufacturers and/or Public Health Officials when undiluted or diffued 1 to 1 and high vehicle speeds of 10, 15 or 20 m.p.h. are necessary in emergency conditions and when fogging equipment is capable of such higher rates of output per minute.

USE AS AN INSECT BARRIER TREATMENT

For use in Non-Thermal ULV, motorized, portable, Backpack, Fog type Mist Blower equipment, apply OMEGO MIST OSC with equipment adjusted to deliver ULV particles of 50 to 100 mass median diameter. OMEGO MIST OSC may be applied undituted or diluted. See CHART No.1 or No.2 on this label. If diluted use a 30 to 100 second viscosity mineral oil, or another. (if recommended by Public Health Officials), suitable non-phytotoxic diluent. Use 0.001 to .007 pound Permethrin A.I. per acre at a 50 ft. (15.2 m) swath width, while walking at a speed of 2 m.p.h. (3.2 k.p.h.). Whether applied undiluted or diluted, or at a different speed, make sure that the same amount, (0.001 to 0.007 lb). of Permethrin a.i. and (0.001 to 0.007 lb). Piperonyl Butoxide a.i. is applied per acre

**AERIAL APPLICATION

Aerial application with ULTRA LOW VOLUMES of OMEGO MISTOSC when applied according to CHART No.1 of No.2 on this label, may be considered necessary when conducted at the discretion of Public Health Officials, Mosquito Abatement Districts, or other trained personnel engaged in outdoor Mosquito and flying insect control programs, when these insects threaten to become a public health hazard. Application should be made by suitable aerial U.L.V.. equipment capable of producing droplets with an MMD of 50 microns or less with no more than 2.5% exceeding 100 microns at an altitude of 120 to 175 feet, (37 to 50 meter), with a swath width of 200 to 500 feet depending on the terrain and weather conditions. The recommended airspeed for Fixed Wing aircraft with flat fan nozzles is from 120 to 160 mph. For Rotary Aircraft equipped with rotary nozzles, apply at a sufficient airspeed to deliver the appropriate amount of OMEGO MISTOSC a.i. per acre. Donot exceed 3.1819 fluid ounces per acre of OMEGO MISTOSC, (which is equal to 0.007 lb, permethrin a.i. and 0.007 lb, piperonyl butoxide a.i.) per acre. PROHIBITION ON AERIAL USE IN FLORIDA: Not for aerial application in the State of Florida unless specifically authorized by the Florida Bureau of Entomology and the Florida Department of Agriculture and Consumer Services.

RATES CHART NO. 1 - FOR USE OF OMEGO MIST OSC: UNDILUTED

CONDITIONS AND RATES TO USE OMEGO MIST OSC UNDILUTED for MOSQUITO CONTROL									
Permethrin / PBO	Application Rates				Fluid Ounces and '				
lbs. A.I./ Acre	Fluid Ounces per Minute				<u> I milliliters</u>	s) of product 👊	160		
	5 mph	10 mph)	15 mph	20 mph	per	racre "	٠,١,٠		
0.0070 / 0.0070	9.5457	19.0914	28.6371	38.1828	3.1819	(94.10 ml)	4.		
0.0035 / 0.0035	4.7727	9,5454	14.3181	19.0908	1.5909	(47.49 ml)	1.		
0.0010 / 0.0010	1.3638	2.7276	4.0914	5.4552	0.4546	(13.44ml)]		

RATES CHART NO. 2 - DILUTE 1 PART TO 1 PART MINERAL OIL

PBO = abrev. for Piperonyl Butoxide

AMOUNTS TO USE AFTER DILUTING 1 PART OMEGO MIST OSC WITH 1 PART MINERAL OIL									
Permethrin / PBQ	Application Rates			Fl.Oz. (ml)					
lbs/A.I. /Aacre	Fluid Ounces per minute			of product per acre					
	<u>5 mph 10</u>	mph	15 mph	20 mph					
0.0070 / 0.0070	<u> 19.0911 38.</u>	1822	57.2733	76.3644	6.3637	(188.20 ml)			
0.0035 / 0.0035		0914	28.6371	38.1828	3,1819	(94.10 ml)			
0.0010 / 0.0010	<u>3.7273</u> <u>5.</u>	<u>4546</u>	<u>8,1819</u>	10.9092	0,9091	(26.09 ml)			