



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SEP 11 2008

H.R. McLane
Agent for Gil Manufacturing
7210 Red Road, Suite 206A
Miami, Florida 33143-5321

Subject: Label Notification(s) for Pesticide Registration Notices 2007-4

Dear Mr. McLane:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 dated July 18, 2008 for:

EPA Registration 11930-5

Omega Mist West

The Registration Division (RD) has conducted a review of this request for applicability under PR Notices 2007-4 and finds that the label changes requested falls within the scope of PR Notices 2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by nonnotification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

T * ... 1 ... A . * 4 . .

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

Page 1 of 6

INDEX

NOTIFICATION TO COMPLY WITH PR NOTICE 2007-4 CONCERNING THE STORAGE AND DISPOSAL SECTION REVISED COPY

REGISTRANT
GIL MANUFACTURING, INC.
P.O.BOX 242725
MONTGOMERY, AL 36124

TO: MR. GEORGE T. LAROCCA PM-13

PRODUCT NAME
OMEGO MIST WET
EPA REG. NO. 11930-5

ADDITIONAL BRAND NAME FOR THIS PRODUCT IS.... "AQUA MIST" AND THIS NOTIFICATION WILL BE REFLECTED IN THAT ADDITIONAL BRAND LABEL

SUBJECT OF NOTIFICATION: PR NOTICE 2007-4

· · · · · · · · · · · · · · · · · · ·	IGE
INDEX	1
COVER LETTER to: MR. GEORGE T. LAROCCA PM-13	2
1 COPY OF EPA FORM 8570-1 EPA REG. NO. 11930-5	3
2 COPIES OF THE 3 PAGE DRAFT LABEL	4,5,6
PR NOTICE 2007-4 COPY FOUND AT THE BOTTOM OF LABEL'S UNIT 1 0/3 IN STORAGE AND DISPOSAL SECTION	

RETURN POSTCARD FOR EPA SIGNATURE OF RECEIPT
MAILING STICKERS FOR RETURN TO H. R. MCLANE, INC.

STANCE OF SERVICE A

H. R. McLANE, INC.

page 2 of 6

7210 Red Road, Suite 206A - Miami, Florida 33143-5321 U.S.A. Phone 305 661 1706 - Fax 305 661 3036 - E-Mail hrmclaneinc@bellsouth.net Consulting in EPA Regulatory Affairs FIFRA Licensing & Registrations - Since 1948

JULY 18, 2008

MR. GEORGE T. LAROCCA PM-13
DOCUMENT PROCESSING DESK (PRN-2007-4-NOTIFICATION)
OFFICE OF PESTICIDE PROGRAMS (7504 - P)
ENVIRONMENTAL PROTECTION AGENCY
1200 PENNSYLVANIA, AVE. N.W.
WASHINGTON, D. C. 20460-0001

PHONE 703-308-6100 FAX 703-305-6920

Subject: NOTIFICATION TO COMPLY WITH REQUIREMENTS OF PR NOTICE 2007-4

Registrant: GIL MANUFCTURING CO., INC.EPA EST. NO. 11930

P.O. BOX 242725 - MONTGOMERY AL 36124

Product: "OMEGO MIST WET

EPA REG. NO. 11930-5

ADDITIONAL BRAND NAME: "AQUA MIST"

DEAR MR. LAROCCA:

THIS NOTIFICATION DEALS WITH THE STORAGE AND DISPOSAL REVISED LABEL COPY REQUIRED BY PR NOTICE 2007-4 ON THE LOWER PORTION OF UNIT 1 OF 3 IN THE STORAGE AND DISPOSAL SECTION OF THE ENCLOSED 3 PAGE DRAFT LABEL. THE LAST STAMPED ACCEPTED, 03-07-07, 6 PAGE TYPED VERSION, OF THIS LABEL IS USED AS THE BASE LABEL FOR THIS, PRN 2007-4 "NOTIFICATION". THIS PRN 2007-4 NOTIFICTION WILL ALSO BE REFLECTED IN THE ADDITIONAL BRAND NAME.

"This notification is consistent with the guidance in PR Notice 2007-4 and the reuirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, 156.156. No other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the terms of 40 CFR 156-10, 156.140 156.144M 156.146M 156. this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Sincerely

H. R. MCLANE, INC

H. R. McLane, Ph.D.... Agent for MR. TED GILREATH; PRESIDENT/OWNER HRM/nb/ encl: as above. cc/TG/GMCI

⇔ EPA	L ad State	s tion Agency		\. . 4	Registra Amendr		Registrat	PA ⁴ / ₇ to tion. No. □
	Washington, DC	20460	·	Χi	Notificat		1193	<u>*************************************</u>
Applicatio	n for Pesticide	Section	NOTIFICA	FION for	PRN-20	07-4 Da	te:July 1	18, 2008
1. Company / Pro	duct Number: 11930-5		2. EPA Pro Mr. Geor		•		oposed Cla	assification
4. Company Prod	luct Name: IEGO MIST WET	additonal brand	PM Number			X	None	Restricted
G, 5.Name and GIL MAI	d address of Applicant: (In NUFACTURING CO., I	• •						Section 3(o)(3 sition and lat eli
P.O.BOX		1	b: EPA Reg.	Na N/A		NOTIF	ICATION	
	DMERY, AL 36124 Check if this is a new address		EPA Reg. Product Nam			SEP 1	1 2008	
		Sec	tion II		····	·		
- Resubmiss	nt- Explain-below sion in response to Agency on - Explain Below For PF	1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Age Me	al Printed ncy Lette Too Appli er Explai	er Dated: cations,	response t		
Explanation: Use 2007-4 concerning label's last EPA 3 in this 3 page submission. PLE & v: we have list gallon container	aditional pages if necessary (For ng the STORAGE AND DIS stamped ACCEPTED vedraft label. The Certificates NOTE as we have fitted the Nonrefillable size. Refill this ocntlaner with	POSAL requir rsion dated M lion for this No ollowed the ou s as 1; 2½; 5; n pesticide onl	ements as fou AR. 07, 2007, DTIFICATION i tlines for this F 30; and 55 gall y. etcPlease p	NOTIFIC and in the as found is found PR NOTI ons an lace thi	CATION at Section d in the lin our clice APP d senter s as a p	that conform of our I LOWER PO cover lette ENDIX 'A" nces 4 & 5 ermanent	orms to PR abel based ORTION of r page 2 of pages i: i as "Refilli portions of	NOTICE d on this unit 1 of 6 in this ii: iii: iv: able 275 f the file.
		Se	ction III		<u>:</u>			
1 . Material This Produc Child Resistant Packagi		ina W	later Soluble Pac	kaging	! т	vpe of Cont	ainer	
	X Yes_	Yes	No	99	2.	Х- Х	Metal (L	L ined) (Shrink Wrap)
X No Certification must be submitted Date:	If "Yes"	No Per If "Ye		Per ainer			Glass Paper Other (Chi	ipboard Box)
3. Location of Net Con		Size(s) Retail Contai		×	On Lal	ocation of label bel and 1# Box companying pr	directions	podard Box)
 	label is Affixed to Product	Lithograph Paper Glue Stenciled		Other				
			tion IV				· · · · · · · · · · · · · · · · · · ·	
Contact Point (C	omplete items below for Ide	ntification of inc	lividual to be co	ntacted i	if necess	ary to proc	eess this ap	oplication.)
Name: H. R. M 7210 Red Rd.	cLane, Inc. suite 206A miami, FL 3		Agent 305-60 Gil Mf			1 '	No. (Include 0-445-0180	
I certify that the statem I acknowledge that any both under applicable k	ents I have made on this form and all y false or misleading staterment may l aw.	Certification attachments thereto a poishable by fine or	are true, accurate and	l complete.				
2. Signature: By. H. I	HRU To	3. Title	Agent					
	ilreath, President / (18-08		(
Gil Mfgr.	Co. Inc.	1 .	JUL 1 8 2008	5		}	((

OMEGO MIST W

₹ 4

Label unit 1 of 3

For use only by federal, state, tribal, or local governmental officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision. An All Temperature, Quick Knockdown, Low Odor, Non-Corrosive Synergized Synthetic Pyrethroid Formulation for the Control of Adult Mosquitoes, Midges (Biting and Non-Biting) and Black Flies in Residential, Recreational, Municipal and other

(Optional marketing statements: • Quick Knockdown for Control of Target Insects • Ready-To-Use as an Undiluted Spray• Dilute with Water, Not Oil • May be Applied Undiluted or Diluted with Water• For Aerial or Ground Application as Diluted or Undiluted Spray. • For Barrier or Surface Application.

ACTIVE INGREDIENTS:

* Permethrin-20.6% 58.8% 100.0%

*(3-phenoxyphenyl)methyl(+/-) Cis/trans 3-(2,2-dichloroethenyl)2,2-Dimethy lcyclopropane carboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans. .**Equivalent to 80% (butyl carbityl)(6-propylpiperonyl) ether and 20% related compounds. Contains 1.75 pounds of Permethrin and 1.75 pounds of Piperonyl Butoxide per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUCION AL USUARIO: Si usted no lee ingles. no use este producto hasta que la etiqueta haya sido explicado ampliamente. (To the User: If you cannot read English, do not use this product until the label has been fully explained to you. [See Side Panel for Additional Precautionary Statements]

FIRST AID

If Swallowed: • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Have person sip a glass of water if able to swallow. • Do not Give anything by mouth to an unconscious person

Water for 15-20 minutes. • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a Polson Control Center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for

treatment.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if s0wallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Environmental Hazards

This pesticide is extremely toxic to aquatic organisms. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or washwaters.

BEE WARNING: This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence or disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

Physical and Chemical Hazards

Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. <u>PESTICIDE STORAGE and SPILL PROCEDURES</u>: Store product upright in its original labeled container, at room temperature in a dry, locked place designated for such insecticides and out of reach of children. Do not expose to extreme temperatures. In case or spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, or fullers earth; etc. Dispose of with chemical waste. <u>PESTICIDE DISPOSAL</u>: Spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility. <u>CONTAINER DISPOSAL</u>: Nonrefillable; 1; 2½; 5; 30; 55 gallon container. Do not reuse or refill this container. Offer for reconditioning if appropriate. Refillable 275 gallon container. Refill this container with pesticide only. Do not use this container for any other purpose. Clean container promptly after emptying. (Metal) <u>*Triple rinse</u> or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other approved State and local procedures. (Plastic) <u>*Triple rinse</u> or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill. Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. "Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/2 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment. 07:08-08.

EPA Reg. No. 11930-5 - EPA Est. No.

Gil Manufacturing, Inc. P.O. Box 242725 Montgomery, AL 36124-2725 U.S.A.

Net contents 1 Gal. 21/2 Gal.

5 Gals.

30 Gals.

55 Gals. 275 Gals.

Batch Code:

No._

DIRECTIONS FOR USE:

It is a violation of Federal law to use this label inconsistent with its labeling. NOTE: Before making the first application of the season it is advisable to consult with the State or Tribal agency with primary responsibility for pesticide application to determine if other regulatory requirements exist.

READ ENTIRE LABEL FOR DIRECTIONS

OMEGO MIST WET stays fully in suspension and will not settle or separate. No shaking or agitation is required before mixing. Mixed product will stay in suspension and will not gelatinize or produce filter-clogging by-products.

HOW TO APPLY AND WHERE TO USE

OMEGO MIST WET is designed for application as an Ultra-Low Volume (ULV) aerosol to control adult mosquitoes and flies of nuisance public health or disease vector importance in areas such as, but not limited to: residential, industrial, commercial, urban, parks, campgrounds, woodlands, athletic fields, golf courses, playgrounds, recreational areas,

overgrown waste areas, roadsides, and other areas where adult mosquitoes and flies may be found.

OMEGO MIST WET is recommended for application with ULV cold aerosol generators, thermal aerosol generators, mist-blowers, backpack sprayers, or handheld sprayers. Mist-blowers, backpack sprayers and low-pressure hand sprayers may be used for barrier or surface applications.

FOR BEST RESULTS apply when mosquitoes or insects are most active and weather conditions are conducive to keeping the fog close to the ground, e.g. cool temperatures, and consistent wind speeds are not greater than 10 m.p.h.. Application during cooler hours of the night or early morning are usually preferable. Do not retreat the same site more than once in 12 hours. Do not apply more than 0.18 lbs of permethrin per acre per year to any site. More frequent treatments may be made to prevent or control a threat to public and/or animal health determined by a State, Tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents In vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the State or Tribe during a natural disease. disaster recovery effort.

OMEGO MIST WET can be applied over specific growing crops and range grasses prior to harvest for the control of adult mosquitoes and biting flies within or adjacent to these areas. Application can only be made where the following crops are present: Almonds; Apples; Broccoli; Brussels sprouts; Cabbage; Celery; Cauliflower, Cherries; Corn fodder; Corn forage; Corn grain; Eggplant; Range Grasses; Leafy Vegetables (except 8rassica); Lettuce, head; Mushrooms; Onions, dry bulb; Peaches; Pears; Peppers, bell; Soybeans; Tomatoes; Vegetables, cucurbit; Walnuts.

Do not allow spray treatment to drift on pastureland, cropland (other than crops listed), or water supplies. In treatment of corrals, feedlots, animal confinements / houses, swine lots and zoos, cover any exposed drinking water, drinking fountains and animal feed before application.

OMEGO MIST WET provides effective control of adult mosquitoes, black flies, gnats, biting and non-biting midges, stable flies, horse flies, deer flies, sheep flies, horn and heel flies, and nuisance flying insects such as houseflies. All types of applications shall be conducted at temperatures greater then 50° F.

GROUND APPLICATION

Vehicle-Mounted ULV Cold Aerosol Generators; or Vehicle-Mounted Non-Thermal Aerosol (Cold Fog): Apply through non-thermal ULV application equipment and base acreage calculations on the equipment manufacturer's recommended swath width. Spray equipment must be adjusted so that the volume median diameter or mass median diameter is less than 30 microns (Dv 0.5 < 30 µm) and that 90% of the spray is contained in droplets smaller than 48 microns (Dv 0.9 < 48 µm). Directions from the equipment manufacturer, vendor, pesticide registrant or a test facility using a laser based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Apply at a rate not to exceed 0.007 pounds of permethrin per acre. An optimum swath is created when *OMEGO MIST*WET is applied from a truck that is being driven perpendicular to the wind direction. Direct the spray head of the equipment to ensure even distribution of the spray cloud throughout the area. For best results, apply when insects are most active and weather conditions are conducive to keeping the spray cloud close to the ground. An inversion of air temperatures and a light breeze of approximately 1 to 3 m.p.h. is preferable During applications ground wind speeds should not exceed 10 m.p.h.. Application during cooler hours of the night or early morning is recommended.

OMEGO MIST WET may be applied through ULV Cold Aerosol Generators, or other similar equipment designed for non-thermal ULV aerosol applications. The desired application rate may be obtained from the chart below or by aftering the speed. Some examples are given in the following chart. If an alternata rate is required, adjust the flow rate accordingly.

speed. Some examples are given in the following chart. If an alternate rate is required, adjust the flow rate accordingly, provided the droplet size and spectrum remain within the label specifications. 07-08-08.

FLOW RATES (Fluid Oun Application Rate	Ces Per Winute) Vehicle Speed	Undiluted	Dilutions Diluted	Based o	Diluted	allon Tank* Diluted
(lbs. Permethrin / Acre)			1:3	1:4.5	1:6.5	1:9
0.0015	10	0.70	2.80	3.70	5.25	6.70
	15	1.05	4.20	5.50	7.88	10.00
·	20	1.40	5.60	7.30	10.50	14.00
0.0035	10	1.55	6.20	8.60	11.70	15.60
	15	2.35	9.30	12.80	17.50	23.30
	20	3.10	12.50	17.20	23.40	
0.007	10	3.10	12.40	17.00	23.20	
	15	4.65	18.60	25.50		
	20	6.20	24.70]		

*Dilution Instructions: Fill tank 1/4 full of water, add OMEGO MIST WET, then finish filling tank with water. The use of metering pumps, injector systems or other mixing systems is optional. Note; When using oil as a diluent, agitate well before

Where dense vegetation is present the use of the higher rate and/or a slower speed is recommended. Applications should be conducted when temperatures are greater than 50° F.

BACKPACK OR HANDHELD SPRAYER APPLICATION: Apply through non-thermal ULV application equipment and base acreage calculations on a 300 foot swath. To apply undiluted at 0.007 pounds of permethrin per acre, adjust equipment to an output rate of 1.24 ounces per minute and walk at 4 mph. To apply 0.0035 pounds of permethrin per acre, dilute 1 part OMEGO MIST WET with 5 parts of diluent and apply at the rate of 3.8 ounces per minute and walk at 4 mph.

9

THERMAL AEROSOL APPLICATION

For use in truck-mounted, handheld or other thermal fogging equipment. Spray equipment must be adjusted so that the volume median diameter or mass median diameter is less than 30 microns (Dv $0.5 < 30 \,\mu$ m) and that 90% of the spray is contained in droplets smaller than 48 microns (Dv $0.9 < 48 \,\mu$ m). Directions from the equipment manufacturer, vendor, pesticide registrant or a test facility using a laser based measurement instrument must be used to Adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at east annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated. Apply this product mixed with water or oil at a rate not to exceed 0.007 lbs. per acre. Base acreage calculations on a 300 foot swath. For maximum control, direct the thermal fog to drift into and through areas where adult mosquitoes are found.

BARRIER APPLICATIONS

For control and exclusion of resting or flying adult mosquitoes in areas such as animal quarters, roadsides, urban areas, residential areas, commercial areas, industrial areas, golf courses, parks, recreational areas, tire piles and all public areas where adult mosquitoes may occur or find harborage. May be used to treat aggregation and harborage areas such as the perimeter of residential buildings, commercial buildings, storage buildings, crawl spaces, empty rail cars, truck transport trailers, abandoned or uninhabited buildings and other areas where adult mosquitoes find harborage.

To apply this product using low pressure hand sprayers or other similar equipment for the control of mosquitoes on resting or aggregation surfaces, mix 0.126 oz. (3.73 ml) in one gallon of water and apply sufficient spray to dampen surface, approximately 700-750 square feet of treated area. Use equipment that is capable of delivering an even distribution of the labeled rate over the treatment area. For application using backpack or truck-mounted mist-blower equipment apply *OMEGO MIST WET* undiluted at a rate not to exceed 7.3 oz. per acre. If diluted, apply at a rate not to exceed 0.1 lbs. pemethrin a.i. per acre. Diluted or undiluted applications may be made onto foliage at the perimeter of areas such as recreational areas, parks, or golf courses from which mosquitoes or flies are to be excluded. Direct applications into barborage areas or other resting areas where adult mosquitoes or flies may be found into harborage areas or other resting areas where adult mosquitoes or flies may be found.

NOTE: when this product is applied as an application using low pressure hand sprayers, hydraulic sprayers or ground ULV equipment, do not apply within 100 feet, (30 meters), of lakes and streams.

URBAN ULV MOSQUITO CONTROL APPLICATIONS: For control of resting or flying adult mosquitoes, biting flies and biting midges in harborage areas, such as but not limited to utility tunnels, sewers, storm drains and catch basins, pipe tunnels, basements, underground passages, parking decks, crawl spaces, abandoned or uninhabited buildings.

OMEGO MIST WET may be applied diluted or undiluted using mechanical foggers, hand-held or truck-mounted ULV equipment, thermal foggers or other spray equipment suitable for this application. Apply **OMEGO MIST WET** at rates up to but not exceeding 0.007 lbs. permethrin per acre.

AERIAL APPLICATION

OMEGO MIST WET may be applied either diluted or undiluted at rates up to 0.007 lbs. Permethrin / PBO per acre by fixed wing or rotary aircraft equipped with a spraying system capable of making a ULV application. For aerial applications of OMEGO MIST WET use ULV equipment and nozzles such as rotary atomizers or similar spray equipment. Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns (Dv $0.5 < 60 \ \mu m$) and that 90% of the spray is contained in droplets smaller than 115 microns (Dv $0.9 < 115 \ \mu m$). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least approach to confirm that processes at the nozzle and pozzle flow rate(s) are properly calibrated least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial application of OMEGO MIST WET should be made at an altitude of 100-300 feet. Do not apply when ground wind speed equals 0 mph or exceeds 10 mph. Aerial applications shall only be made when recommended by public health officials and trained personnel of mosquito abatement districts and other mosquito control programs. For best results, applications shall be made when temperatures are greater

For best results, treat when insects are most active and weather conditions are conducive to keeping the spray fog close to the ground. Aerial appliction using aricraft equipped with Global Positioning Systems. (GPS) may be needed to cmpensate for windy conditions and to insure drift into target areas.

IN FLORUDA: Do not apply by aircraft except in emergency situations and with the approval of the Florida Department of Agriculture and Consumer Services.

WARRANTY NOTICE: READ ENTIRE LABEL BEFORE USING

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitations of Liability before using this product. By using the product, user and buyer accept the following Conditions, Disclaimer of Warranties and Limitations fallibility).

Warranties and Limitations fallibility)'. CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However it is impossible to eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of GIL Mfg. Co. Inc. All such risks shall be assumed by the user or buyer. DISCLAIMER OF WARRANTIES: There are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of GIL Mfg. Co. Inc. is authorized to make any warranties beyond those contained here-in or to modify the warranties contained herein. GIL Mfg. Co. Inc. disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product. LIMITATION OF WARRANTIES: The exclusive remedy of the user or buyer for any and all losses, injuries, or damages resulting from the use or handling of this product. whether in contract warranty, tort, negligence, strict liability or otherwise, shall not exceed the product, whether in contract warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price, or at GIL Mfg. Co. Inc.'s option, the replacement of the product. 07-08-08