This DISINFECTANT is effective against a wide variety of gram-positive and gram-negative bacteria and pathogenic fungi.

This DISINFECTANT is also an excellent deodorant. It is especially advantageous to control odors that are bacterial in origin.

This DISINFECTANT mixes readily with water and makes a clear, stable solution. In use dilution, it is non-corrosive and non-staining to plastic, vinyl, synthetics, enamel, tile and most common metals. Has a pleasant lemon odor.

WARNING

KEEP OUT OF REACH OF CHILDREN: Causes eye or skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Avoid breathing spray mist.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. If irritation persists, get medical attention. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk or raw egg white. If these are not available, drink a large quantity of water. Avoid alcohol. Call a physician immediately.

Rinse empty container thoroughly with water and discard it.

MANUFACTURED BY

ROMAN CHEMICAL CORP.


ROME, GEORGIA 30161

ACCEPTED

SEP 4 1974

UNDER T... EDERAL ECTICIDE FUNGIC.DE AND HODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNLA NO. 1963-3 SUBJECT TO ATTACHED COMMENTS.





Phenol Coefficient using A.O.A.C. method

- Salmoneila typhosa 15
- Staphylococcus aureus 20
- Escherichia coli 12

ACTIVE INGREDIENTS:

Alkyl (C ₁₄ , 58%; C ₁₆ , 28%; C ₁₂ , 14%)	
dimethyl benzyl ammonium chloride	4.0%
Isopropanol	2.0%
Essential oils	0.5%
Total Active Ingredients	6.5%
INERT INGREDIENTS:	93.5%
TOTAL INGREDIENTS	100.0%

WARNING

KEEP OUT OF REACH OF CHILDREN

(See side panel for additional precautions and First Aid Statement)

E.P.A. REG. NO. 11963-3

NET CONTENTS: _____

Use in hosp ber and bea disinfection lain, synth furnishings.

- Flush aw
 Clean will
- per gallo 3. Rinse wil
- 4. Apply dissurfaces a disinfe per gallo to clean, ing solu gallon of
- 5. Surfaces with determined reuse.

For garbage

of 8 ounces

Use on ena dew. Follow every seven

UNDER T. . EDERAL ...LCTICIDE FUNGIC.DE AND MODENTICIDE ACT FOR ECUNOMIC POISON REGISTER-ED UNDER NO. 1963-3 SUBJECT

TO ATTACHED COMMENTS.

ivariety of

athogenic

rant. It is

b bacterial

ind makes

-corrosive

namel, tile

eye or skin

h clothing.

bod, Avoid

sh eyes or

ninutes. If

move and


of milk or


nk a large

sician im-

! and dis-

odor.





Phenol Coefficient using A.O.A.C. method

- Salmonella typhosa 15
- Staphylococcus aureus 20
- Escherichia coli 12

ACTIVE INGREDIENTS:

Aikyi (C_{14} , 58%; C_{16} , 28%; C_{12} , 14%) dimethyl benzyl ammonium chloride 4.0% 2.0% 0.5% Total Active Ingredients 6.5% INERT INGREDIENTS: 93.5% **TOTAL INGREDIENTS** 100.0%

WARNING

KEEP OUT OF REACH OF CHILDREN

(See side panel for additional precautions and First Aid Statement)

E.P.A. REG. NO. 11963-3

NET CONTENTS: ___

L-15

DIRECTIONS

Use in hospitals, public rooms, homes, restaurants, barber and beauty shops and pet animal quarters for general disinfection of walls, floors, glass, metal, plastic, porcelain, synthetics and finished wood surfaces and furnishings.

FOR DISINFECTION

- 1. Flush away surface soils with water where possible.
- 2. Clean with a solution of 2½ ounces of DISINFECTANT per gallon of water.
- 3. Rinse with clear water.
- 4. Apply disinfecting solution so as to thoroughly wet all surfaces. For non-porous, easily cleaned areas, make a disinfecting solution of 21/2 ounces of DISINFECTANT per gallon of water. For porous surfaces, areas difficult to clean, or contagious disease areas, make a disinfecting solution using 5 ounces of DISINFECTANT per gallon of water.
- 5. Surfaces contacting food must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse.

FOR DEODORIZING

For garbage cans and similar refuse areas, use a solution of 8 ounces per gallon of water. Spray or wet all surfaces.

FOR MILDEW CONTROL

Use on enamel, porcelain, tile and plastics to control mildew. Follow directions for disinfection. Repeat treatment every seven days, or when new growth appears. MANUFACTURED BY

ROMAN CHEMICAL CORP.

ROME, GEORGIA 30161