



SALEM
CD 72

ACCEPTED
10-12-72
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO. 12010-4

Comments

CLEANER DEODORANT DISINFECTANT FUNGICIDE

ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides	1.6%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides	1.6%
Sodium Carbonate	3.0%
Tetrasodium ethylenediamine tetraacetate	1.0%
INERT INGREDIENTS:	<u>92.8%</u>
	100.0%

NET CONTENTS: One Gallon


EPA Reg. No. 12010-4

DANGER

KEEP OUT OF REACH OF CHILDREN. SEE RIGHT SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS.

SALEM LABORATORIES INC.
SALEM, MICHIGAN 48175

ACCEPTED WITH COMMENTS



USE DIRECTIONS:

1 OUNCE = 2 TABLESPOONS

Use at 2 ounces per gallon. This product will provide 500 ppm quaternary to the use solution. This is enough for general disinfection, fungicidal activity against pathogenic fungi and deodorizing.

If a pseudomonas product is required, then use at 3 ounces per gallon.

For heavy soil, a precleaning step is recommended before using Salem CD 72.

For best results use Salem CD 72 with a drop cloth or mop and apply to walls, floors and other hard surfaces. If used for sanitization of food contact items, limit the level of active quaternary to 200 ppm (4 ounces per 5 gallons.)

NO RINSE REQUIRED

Rinse empty container thoroughly with water and discard.

Salem CD 72 is a cleaner, disinfectant, and sanitizer designed for general household and light industrial cleaning. For use on walls, floors, and any inanimate hard surfaces. When used as directed, Salem CD 72 will also deodorize those areas which generally are hard to keep fresh smelling, such as Garbage Pails, Sink Tops and Bathroom areas which are prone to odors caused by the growth of some microorganisms. Effective against Staphylococcus aureus and Salmonella choleraesuis at 2 ounces per gallon. Also effective against pathogenic fungi, Trichophyton interdigitale, at 2 ounces per gallon.

At 3 ounces per gallon, a hospital disinfecting claim against Pseudomonas aeruginosa can be made.

When used for sanitization of food processing and food contact items, limit the active quaternary to 200 ppm. When used in federally inspected meat and poultry processing, a following rinse is required.

DANGER

Keep out of Reach of Children. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink mild, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.