BEST	DOCUMEN,
------	----------

U 32 a	
2 30 az	The bro
4 28 oz	alga Istii tam
6 26 oz	reg with 100
8 24 az	
10 22 oz	lt is ma
12 20 az	For tion app
14 18 oz	This fou pro qui
16 16 a	par pou plas dilu
18 14 oz	res aro PO
20 <u> </u>	ef 1 P00 a m 5.0
<b>22</b> 10 oz	eve 5,0 Rer
24 8 oz	and mei bei and
26 6 az	
28 4 oz	
30 2 oz	

is product is specially formulated to control a ad range of algae found in swimming pools escially the resistant ones line BLACK and MUSTARD ae. The application of this product will controllerng algae, and subsequent doses will control redonfination by algae. It is also possible to prevent the n + nrowth of algae thereafter by maintaining the p h a suitable 7% copper algaecide like POOL-PAL

## DANGER HAZARDS TO HUMANS AND DOMESTIC ANIMALS **DIRECTIONS FOR USE GENERAL CLASSIFICATION**

s a violation of Federal Law to use this product in a nner inconsistent with its labeling.

best results brush algae spots before the applica-, and again the first and second day following dication.

is product is concentrated. Using the information nd below, calculate the required amount of this duct to be applied to your pool. Then dilute the rered amount of this product with at least 19 to 20 rts of water before application. To accomplish this, ur the required amount of this product into a stic watering can, fill with water, and sprinkle the ated product around the edge of the pool. For best ults, the mixture should be distributed equally und the edge of the pool.

OLS WITH VISIBLE ALGAE GROWTH: a) ply 6 fl. oz. this product per 5,000 gallons of poul water.

OLS WITHOUT VISIBLE ALGAE GROWTH: apply as naintenance treatment, 3 fl. oz. of this product per 00 gallons of pool water every 5 to 7 days; or ery two weeks, apply 1 fl. oz. of POOL-PAL 100 per OO galions of pool water.

move algae debris by vacuuming. If dead algae other organic debris are present before treatnt, their removal by vacuuming is recommended ore treatment. Maintain proper chlorine residual d oH at all times.

### **HOW TO ESTIMATE GALLON** CAPACITY OF YOUR POOL

Measure LENGTH (L), WIDTH (W), and AVERAGE DEPTH (D) in feet.

For square or rectangular pools:  $L = W \times D \times 7.5 \times GALLONS$ 

For circular or elliptical pools: L = W = D × 5.9 = GALLONS

## **FOR** SWIMMING POOLS

Controls stubborn algae like BLACK and MUSTARD algae.

**ACTIVE INGREDIENTS:** n-Alkyl (C12 40%, C14 50%, C16 10%) Dimethyl Benzyl Ammonium Chiorides ..... Copper as metallic\* ..... 3% INERT INGREDIENTS ..... 71% \*From mixed copper-ethanolamine complex.

This product contains 0.26 lbs. metallic copper per gallon.

## **KEEP OUT OF REACH OF CHILDREN** DANGER

See side panel for additional precautionary statements.

EPA Reg. No. 12014-14 EPA Est. Reg. No. 12014-WI-1

NET CONTENTS 1 QUART (32 fl. oz.)

Manufactured by: A & V. INCORPORÁTED PEWAUKEE, WISCONSIN

## PRECAUTIONARY S'

. Unis product is compatable with \_but \$h@uld\_never\_be\_pre-mixed before application.

Do Not mix with soap or anioni

## DANGER

**KEEPOUT OF REACH OF CHILD!** severe eye and skin damage. D skin or on clothing. Wear goggl rubber gloves when handling. swallowed. Avoid contamination

## STATEMENT OF PRACTIC FIRST All

In case of contact, immediately I plenty of water for at least 15 mi physician. Remove and wash c before reuse.

If swallowed, drink promptly a l egg whites, gelatine solution available, drink large quantit alcohol. Call a physician immed

## NOTE TO PHY!

Probable mucosal damage may ( of gastric lavage. Measures again as well as oxygen and measures manually or mechanically may tent, convulsions may be contri intravenous injection of a she

## **ENVIRONMENTAL** This pesticide is toxic to fish. I

lakes, streams, ponds or public DISPOSA

Do not reuse empty container. Wrap container and put in tras

Neither the manufacturer, nor warranty, expressed or implied, this product other than indicate assumes all risk of use of this pr is contrary to label instructions. bluing where marcite has been

This product is specially formulated to control a broad range of algae round in swimming pools; especially the resistant ones like BLACK and MUSTARD algae. The application of this product will control extending algae, and subsequent doses will control redocuted tamination by algae. It is also possible to prevent the Dun regrowth of algae thereafter by maintaining the posiwith a suitable 7% copper algaecide like POOL-PAL 100.

ىم 32 م

\_ 30 az

\_ 28 oz

. 26 az

\_ 24 oz

\_\_ 22 oz

\_ 20 oz

.... 18 oz

\_ 16 az

\_ 14 oz

\_ 12 oz

\_\_ 10 oz

8 oz

# DANGER HAZARDS TO HUMANS AND DOMESTIC ANIMALS DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For best results brush algae spots before the application, and again the first and second day following application.

This product is concentrated. Using the information found below, calculate the required amount of this product to be applied to your pool. Then dilute the required amount of this product with at least 19 to 20 perts of water before application. To accomplish this, pour the required amount of this product into a plastic watering can, fill with water, and sprinkle the diluted product around the edge of the pool. For best results, the mixture should be distributed equally around the edge of the pool.

POOLS WITH VISIBLE ALGAE GROWTH: apply 6 fl. oz. of this product per 5,000 gallons of pool water.

POOLS WITHOUT VISIBLE ALGAE GROWTH: apply as a maintenance treatment, 3 ff. oz. of this product per 5,000 gallons of pool water every 5 to 7 days; or every two weeks, apply 1 ff. oz. of POOL-PAL 100 per 5,000 gallons of pool water.

Remove algae debris by vacuuming. If dead algae and other organic debris are present before treatment, their removal by vacuuming is recommended before treatment. Maintain proper chlorine residual and pH at all times.

## HOW TO ESTIMATE GALLON CAPACITY OF YOUR POOL

Measure LENGTH (L), WIDTH (W), and AVERAGE DEPTH (D) in feet.

For square or rectangular pools: L × W × D × 7.5 = GALLONS

For circular or elliptical pools: L × W × D × 5.9 = GALLONS

## POOL-PAL

# Black Algaecide

# FOR SWIMMING POOLS

Controls stubborn algae like BLACK and MUSTARD algae.

This product contains 0.26 lbs. metallic copper per gallon.

## DANGER

See side panel for additional precautionary statements.

EPA Reg. No. 12014-14 EPA Est. Reg. No. 12014-WI-1

NET CONTENTS 1 QUART (32 fl. oz.)

Manufactured by:
A & V, INCORPORATED
PEWAUKEE WISCONSIN

# BEST DOCUMENT AVAILABLE

### PRECAUTIONARY STATEMENTS

. This product is compatable with other pool chemicals \_tout \$hould never be pre-mixed with other chemicals before upplication.

Do not mix with soup or anionic materials.

### **DANGER**

KEEPOUT OF REACH OF CHILDREN. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

## STATEMENT OF PRACTICAL TREATMENT FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatine solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

## **NOTE TO PHYSICIAN**

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breating manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

## **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water.

## DISPOSAL

Do not reuse empty container.

Wrap container and put in trash collection.

## NOTICE

Neither the manufacturer, nor the seller makes any warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use of this product when such use is contrary to label instructions. Contents may cause bluing where marcile has been etched.

65-A

65