US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (15 - 767) WASHINGTON, DC 20460 /	12014-31	
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: KER GIST HATION	NAME OF PESTICIDE PRODU	Ст — — — — — — — — — — — — — — — — — — —
(Under the Vesteral Insecticide, Fungicide, and Rosenfreide Act, as amended)		
RAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
r-	Г	
n an		
sector and the sector of the s		
submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration num On the basis of information furnished by the registrant, the a the Federal Insecticide, Fungicide, and Rodenticide Act.	ber.	
A copy of the labeling accepted in connection with this Reg	ustration/Reregistration is ret	urned herewith,
by others.		
 Model of lister of the second sector of the test of the second sector of the test of the second se	 i* - 28 - 28 - 28 - 2 i* - 5 - 1* 14 + 1* * r - 138 - 1* 5594 - 388 -	and an an an an air an bh Tach an 122 a tha an an Stainn an an Anna an Stainn Wind Stain Stainn Wind Stain Stainn Wind Stain
 Model of lighted of the contract of t	<pre>>p(*)</pre>	and an an an an air an bh Tach an 122 a tha an an Stainn an an Anna an Stainn Wind Stain Stainn Wind Stain Stainn Wind Stain
<pre>make = lusters =</pre>	<pre>>p(*)</pre>	<pre>control of the second fit (fit (+ - fit) + fit (+ e + - + - + - + - + - + + - + - + + - + + + + - +</pre>
<pre>make = lusters =</pre>	$\frac{1}{12} \left\{ \frac{1}{12} + \frac{1}{12}$	<pre>control of the second fit (fit (+ - fit) + fit (+ e + - + - + - + - + - + + - + - + + - + + + + - +</pre>
<pre>Mode of lister and lister is the test of the lists is at it of a conference of your the relevant to the train of the method of the trainer for the product. The lister the trainer is hippent. The these conditions in accordance of the shift of the product constitutes to shift of the product constitutes to the end complete the latel is one to shift of the product constitutes to the end complete the latel is one to the shift of the product constitutes to the end complete the latel is one to the shift of the product constitutes to the end complete the latel is one to the shift of the product constitutes to the end complete the latel is one to the shift of the product constitutes to the end complete the latel is one to the shift of the product constitutes to the shift of the product constitutes to the shift of the product of the latel is one to the shift of the product constitutes to the product constitutes the product constitutes to the product constitutes the product constitutes the product constitutes the product constitutes to</pre>	$\frac{1}{12} \left\{ \frac{1}{12} + \frac{1}{12}$	<pre>control of the second fit (fit (+ - fit) + fit (+ e + - + - + - + - + - + + - + - + + - + + + + - +</pre>
<pre>Model = lint area =</pre>	$\frac{1}{12} \left\{ \frac{1}{12} + \frac{1}{12}$	<pre>control of the second fit (fit (+ - fit) + fit (+ e + - + - + - + - + - + + - + - + + - + + + + - +</pre>

56657: I: Pringe 1: K-05: KENCO: 01/17/89:03/01/89: aw: VO: aw Ample 1-18

POOLCARE LITHIUM

DANGER

KEEP OUT OF REACH OF CHILDREN See side panel for additional precautionary statements.

EPA Reg. No. 12014-EPA Est. No. 12014-WI-1

A&V, Incorporated Sussex, WI 53089

NET WEIGHT 100 LBS.

DIRECTIONS FOR US AS A SANITIZER

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To start your pool: 1. Backwash filter. 2. Utilizing your pool test kit, adjust pH of pool water to 7.2-7.6. Add soda ash or sodium bicarbonate to correct an acid condition (less than 7.2). Add sodium bisulfate if the pH is greater than 7.6. Maintain pH range of 7.2-7.6 for a minimum of six hours before the addition of this product and during the entire season. 3. Use two cups of this product per 5,000 gallons of water.

After the proper pH range (7.2-7.6) and chlorine residuals (1.0-1.5) have been established, it is beneficial to add cyanuric acid to the pool to prevent extreme fluctuations in the chlorine level. Follow label instructions.

HOW TO MAINTAIN THE PROPER CHLORINE RESIDUAL

The chlorine residual should be maintained between 1.0-1.5 ppm available chlorine as determined by the chlorine test kit. Under normal conditions, this residual can be maintained by the daily addition of about 1/3 cups (2.7 ounces) of this product for each 5,000 gallons of pool water-if the pool water is properly stabilized with 30-50 ppm of cyanuric acid. Severe conditions, such as high temperature or continued use by many people, will require higher daily dosage, whereas smaller doses may suffice in spring and fall, or when the pool is not being subjected to normal bathing-loads.

ACCEPTED with COMMENTS in EPA 1 etter D

Under the Federal Innecticite, Fungitale, and Rodensicite Act as arounded, for the pasticide registered under EPA Reg. No. 13-D/4-3/

DIRECTIONS FOR USE AS SHOCK

The pool water should be shock treated about once each week. Utilizing your pool test kit, adjust pH of pool to 7.2-7.6. Use one pound (lb.) per 6,000 gallons of water in the evening when the pool will not be used for a minimum of 12 hours. Test the chlorine residual and if above 2.0 ppm, do not allow swimming until residual has decreased.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in a safe place.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Highly corrosive. Causes skin and eye damage. May be fatal if awallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Remove and wash contaminated clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT

Strong Oxidizing Agent. Mix only with water. Use clean, dry utensils, Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other checkeds may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

PRACTICAL TREATMENT (FIRST AID)

IF SWALLOWED: Feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately.

IF ON SKIN: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

IF IN EYES: Flush with cold water for at least 15 minutes.:Get medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance, contact the regional office of the EPA.