Submit Five (5) copies of the revised final printed label

Submit an acute dermal toxicity study and an acute

statements should appear on the top of side (front panel) or back

5. Change the word algaecide to algae in the sentence "Kills

Add to your labeling the statement "If in eyes: Flush

The Precautionary

Date.

12014-48".

3.

for the record.

Signature of Approving Official:

Colfite probes

EPA Form 8570-6

inhalation study by February 1993.

panel preceding Directions for Use.

Green and Mustard Algaecide" on the labeling.

with plenty of water. Call a physician.

Page 2 EPA Reg. No. 12014-48

- 7. You must include a referral statement appearing on the FRONT PANEL to your labeling if the precautionary labeling appears on other than the front panel.
- 8. It is preferred that the Environmental Hazards statement appears at the top side or back panel of the labeling preceding the Directions for Use.
- 9. Your product must be distributed and sold in child-resistant packaging. You must certify to the Agency that the package meets the standards of 157.32 of CFR. Please refer to 40 CFR part 157.

Sincerely,

Cynthia Giles-Parker Product Manager (22) Fungicide-Herbicide Branch Registration Division (H7505C)

Enclosure

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product directly into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in a NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

NOTICE

Neither the manufacturer, nor the seller makes any warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of the use of this product when such use is contrary to label instructions. Contents may cause bluing where marcite has been etched.

EPA REG. NO.: 12014-EPA EST. NO.: 12014-WI-1 ACCEPTED
with COMMENTS
In EFA Letter Dated:

7. A. O. O.

MANUFACTURED BY
A & V INCORPORATED
N62 W22632 VILLAGE DR
SUSSEX WI 53089

Hoder the Federal Insecticide Jurishide, and Rodenticide A raise amended, for the pesticide resistered under EPA Reg. No.

12014-48

KILLS GREEN AND MUSTARD ALGAECIDE

ACTIVE INGREDIENTS:

TOTAL 100.00

Contains .91 lb. of elemental copper per gallon.

*From mixed Copper Ethanolamine Complexes/

KEEP OUT OF REACH OF CHILDREN
DANGER
See side p nel for additional precautions.
NET CONTENTS: 1 QUART (32 FL. OZ.)

POOLCARE 100 PLUS ALGAECIDE

This product is effective in controlling the growth of algae in swimming pools. The application of this product will control existing algae, and subsequent doses will control recontamination by algae. The treated water may be used immediately. NO WAIT TO SWIM.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To a freshly fill pool or at first visible signs of algae growth, pour the required amount of this product into a plastic watering can, fill with water, and sprinkle the diluted product around the edge of the pool. For best results, the mixture should be distributed equally around the edge of the pool.

DOSAGE RATES

VISIBLE ALGAE GROWTH: Use 3.2 ozs. of this product per 10,000 gallons of pool water.

PREVENTION OF ALGAE: Use 1.6 ozs. of this product per 10,000 gallons of pool water once every two weeks.

BLACK ALGAE: To control Black Algae, use Poolcare Black Algaecide as directed on that product's label. Once control is obtained, res me regular PREVENTION OF ALGAE treatments with this product.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER

Corrosive. Causes irreversible eye damage and skin irritation. Due to corrosive nature, may be harmful or fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWEL: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. DO NOT INDUCE VOMITING. Avoid alcohol. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

