CONTROL OF ALGAE AND BACTERIA
OPEN RECIRCULATING COOLING STETEMS

ACTIVE INGREDIENT					
CALCRUM HYPOCHLORI	TE*				65 🐝
INRET INGREDIENTS			· • • • • • • • •		35 🛰
*AYAKANE CHLORNE - 65%					

DANGER: KEER OUT OF REACH OF CHILDREN.

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

IF CONTACT WITH EYES: Flush with plenty of cold water for at least 15 minutes. Get immediate medical attention.

IF CONTACT WITH SKIN: Brush off excess chemical and flush with cold water for at least 15 minutes, while removing contaminated clothing and shoes. If skin irritation occurs, get medical attention.

INHALATION: Remove to fresh air. If signs of irritation or discomfort occur. Take immediately to a hospital or physician.

IF SMALLOMED: If conscious, feed bread soaked in milk and/or drink large quantities of water and any common cooking (vegetable) oil if available. DO NOT Induce Vamiting. Take immediately to a hospital or physician. If vomiting occurs, administer additional water. If unconscious, or in convulsions take immediately to a hospital. To not attempt to induce vomiting or give anything by mouth to an unconscious person.

IN CASE OF FIRE: Drench with water. Sol-Vet 425 supplies oxygen; therefore, attempts to smother fire with a wet blanket, carbon dioxide, or a dry chemical! extinguisher are ineffective.

IN CASE OF SPILLS OF LEAKS: Use extreme caution. Contamination may cause fire or violent reaction. If fire or reaction occurs in area of splll, douse with plenty of vater. Otherwise, sweep up spilled material, using a clean, dry showel and broom and dissolve spilled material in water. Then immediately use solution as directed.



CALCIUM HYPOCHLORITE, HYDRATED HS2880



Johannieries -

ANDERSON-ST CORPORATION

1733 WALNUT STREET KANSAS CITY, MO. 64100 And State of Particular

DEC 0 0 1987

INDUSTRIAL WATER TREATMENTS

DIRECTIONS FOR USE

It is a violatio, of Federal Law to use this product in a manner inconsistent with its labeling. Sol-Wet 425 is used to control aigae and bacteria in recirculating commercial and industrial water cooling towers. Use when the system is in jeopardy of becoming affected, or after cleaning a system whose efficiency is already impaired. For best results, slug feed.

INITIAL DOSE: When system is noticeable fouled, apply 10 to 20 oz. of Sol-Wet 425 per 10,000 gallons of water in the system to obtain from 5 to 10 PPH available chlorine. Sol-Vet 425 should be applied to the tower basin in an area of rapid circulation for proper mixing. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 2 oz. of Soi-Vet 425 per 10,000 illons of water in the system daily, or as needed to maintain control and keep the chlorine residual at 1 PPM. Badly fouled systems must be cleaned before treatment is begun. Severe conditions may require higher dosage levels of Sol-Vet 425.

STORAGE AND DISPOSAL

STORAGE: DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE, DISPOSAL OF CLEANING OF EQUIP-MENT. Keep this product in the original container in a cool, dry place. Keep container tightly closed when not in use. Store in a cool, well ventilated area away from heat sources, sparks, open flame and lighted tobacco products. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding this container.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be dispose site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty drum by shaking and tapping sides and b. com to lonsen clinging particles. Empty residue into application equipment. Do not reuse Container. Residual materials remaining in empty drum can react to cause fire. Thoroughly flush empty container with water and dispose of durm in a sanitary landfill or by incineration if allowed by state and local authorities.

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANCER: Highly corrosive. Causes skin and eye damage. Hay be fatal if swallowed. Do not get in eyes, on skin or on clothing. Mear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust Remove and wash contaminated clothing before reuse.

ENVIROMENTAD MATARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds or public, waterways unless in accordance with a NPDES permit. For guidance, contact the regional office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING ACENT: HIX ONLY WITH WATER. Use only a clean dry utensil made of metal or plastic to remove product from container. Do not add this product to any dispensing device containing remnents of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, ands, organic matter or other chemicals will start a chemical reaction with generation of heat. liberation of chlorine gas and possible generation of a fire or explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Plood with targe volumes of water if necessary.

EPA MBG. NO. 12016-3

NET CONTENTS: 100 lbs. (45.4Kg)

EPA EST. NO. 748-WY-1

