ACCEPTED NOR: 191975 UNDER AN ADDATE MERCINE FUNGICIDE AND RODEN ICIDE ACT FOR ECONOMIC POISON REGISTER. ED UNDER NOL UT 2-6 SUBJECT TO ATTACHED CONMENTS.

Cold Disinfection

For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1 ½ ounces per gallon of water for 10 minutes.

DANGER Keep out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin whet handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water and discard.

WARRANTY

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee. expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials. Statements concerning the use of this product are not. to be construed as recommending the infringement of any patent, and no liability for infringement arising out of any such use is assumed.

EPA Est. 12042-WA-1



DISINFECTANT - DEODORIZER - SANITIZER EPA Reg. No. 12042-6

Active Ingredients

n-Alkyl (60% C14, 30% C16, 5% C12, 5% dimethyl benzyl ammonium chlorides . n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides. . . .

This product is a concentrate and should be diluted before using. When used on environmental, inanimate, hard surfaces at 3½ ounces per 5 gallons of water it is effective against Influenza A2, Herpes Simplex, Adenovirus type 2, and Vaccinia Viruses.

DANGER **KEEP OUT OF REACH OF CHILDREN**

(See other precautionary and first aid statements on left side of panel.)



Maltby Industrial Park Maltby, Washington 98290

NET CONTENTS: ONE GALLON (3.77 L.)



C ₁₈)											
•	••	•	•	•	••	•	•	•	•	•	5%
								•	•		. 5%
•	•••		•	•	• •	•	•	•	•		90%
											100%

USE DIRECTIONS:

Hospitals

For floors, walls and other hard surfaces in Hospitals, Nursing Homes and Institutions, as well as sink tops, garbage pails, telephones and restrooms, use at 3½ ounces per 5 gallons of water. Apply with cloth, mop or sponge. At this level this product will be effective against Pseudomonas aeruginosa PRD-10. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

For Room Fogging

To minimize the danger of cross-contamination from environmental surfaces apply solution of this sanitizer as a fog as described below. before applying standard routine terminal cleaning and disinfecting practices. 1. Remove all human, animal and plant life from room. 2. Open closet doors and drawers. 3. Set up 34" revolving platform in center of room. 4. Mount Jet Fog-Master Tri-Jet Model 6208 or other fogging device delivering equivalent spray at 3 RPM. 5. Fill sprayer reservoir with 1 ½ ounces per 1 gallon of water to produce 1150 ppm active ingredients. 6. Set sprayer mechanism to deliver 1 gallon of solution. 7. Fog for 15 minutes for an average 2100 cu. ft. room. For different room sizes, vary spray time proportionately to ensure complete wetting of exposed surfaces. 8. Wait 2 hours before entering room after treatment. 9. Rinse fogging equipment thoroughly with clear water following use.

Housekeeping

In Schools, Locker Rooms, Shower Stalls, Offices and Homes, use for floors, walls and other hard surfaces such as garbage pails, sink tops and telephones. Sanitize with 1 ounce per 4 gallons of water. Disinfect with 3 ounces per 5 gallons of water. Apply solution with mop or cloth. Kills Staphylococcus aureus and Salmonella choleraesuis. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.