

Cross-infection is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. This product is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection from environmental surfaces.

Precautionary Statements

Hazards to Humans and Domestic Animals
DANGER

Keep out of reach of children. May cause severe eye irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, raw egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

STORAGE AND DISPOSAL

—DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

—OPEN DUMPING PROHIBITED

—DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES

CONTAINER DISPOSAL

TRIPLE RISE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE.

GENERAL

CONSULT FEDERAL STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING

VERAY
TARGET

Highly Concentrated Germicide
Based on a Unique Blend of Quaternaries
Cleaner - Disinfectant - Deodorizer - Fungicide - Virucide*
for Hospital and Institutional Use

AOAC Panel Certifications

Staph. aureus (ATCC No. 6538)	104.0
Salmonella typhosa (ATCC No. 6539)	40.6

Active Ingredients

Octyl Decyl Dimethyl Ammonium Chloride	3.750%
Dioctyl Dimethyl Ammonium Chloride	1.875%
Didecyl Dimethyl Ammonium Chloride	1.875%
Alkyl (C ₁₂ , 50%; C ₁₄ , 40%; C ₁₆ , 10%)	
Benzyl Dimethyl Ammonium Chloride	5.000%
Tetrasodium Ethylenediamine Tetraacetate	3.420%
Water	84.080%

100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 12042-12
Net Contents

EPA Reg. No. 12042-12

ACCEPTED
APR 01 1981
Under the Federal Insecticide, Fungicide, and Rodenticide Act registered under EPA Reg. No. 12042-12

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Add 1/2 ounce (1 tablespoon) per gallon of water.

Apply to walls, floors, and other hard surfaces such as tables, chairs, and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At 1/2 ounce (1 tablespoon) per gallon use-level, this product is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Trichophyton interdigitale*, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution test. Fungicidal performance against *T. interdigitale* was determined by the AOAC Fungicidal test.

The broad spectrum effectiveness of this product is shown by its germicidal action against the following additional organisms:

- Escherichia coli
- Klebsiella pneumoniae
- Aerobacter aerogenes (enterobacter)
- Salmonella schottmuelleri
- Streptococcus faecalis
- Shigella dysenteriae
- Brevibacterium ammoniagenes

*At 1/2 ounce (1 tablespoon) per gallon use-level this disinfectant cleaner is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), and Influenza A, as represented by the strains commonly called the Hong Kong Flu and the London Flu Virus, on inanimate environmental surfaces.

MANUFACTURED BY:

VERAY CHEMICAL COMPANY

MALBY INDUSTRIAL PARK
MALBY, WASHINGTON 98220

43

44