

### DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

#### Disinfection

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi. A 10-minute contact time is necessary.

For best results, use **LEM-O-CHEM** with a cloth or mop and apply to walls, floors and other hard surfaces.

For heavy soil or organic matter, a pre-cleaning step is recommended.

This product when used on environmental inanimate hard surfaces at 2 ounces per gallon of water is effective against Influenza A, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**STORAGE:** If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On clean up of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of an absorbent material such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated area into a dustpan or sifter and put the sweepings into a salvageable drum. Dispose of wastes as below. If a clearly leaking container or a similar drum or glass container. Do not store. Use pourer or funnel to transfer to clean container.

**PESTICIDE DISPOSAL:** If a clearly leaking container or a similar drum or glass container. Do not store. Use pourer or funnel to transfer to clean container.

# ChemCo

## LEM-O-CHEM

CLEANER

DISINFECTANT

DEODORIZER

FUNGICIDE

Designed for Hospital and Industrial use

#### ACTIVE INGREDIENTS:

n-Alkyl (60% C<sub>12</sub>, 30% C<sub>14</sub>, 5% C<sub>16</sub>, 5% C<sub>18</sub>)  
dimethyl benzyl ammonium chlorides ..... 2.25%

n-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl  
ethyl benzyl ammonium chlorides ..... 2.25%

#### INERT INGREDIENTS:

94.50%

100.00%

NET CONTENTS:

GALS. EPA Reg. No. 12050-5

EPA EST. # 12050-TX01

Keep Out of Reach of Children.

#### WARNING

See right side panel for additional precautionary and first aid statements.

Manufactured by

**CHEMCO**  
DALLAS, TEXAS 75380

#### PESTICIDE DISPOSAL (Continued)

ture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

**LEM-O-CHEM** is a cleaner, disinfectant, and sanitizer, designed for institutional use such as Hospitals, Nursing Homes and Institutions where house-keeping will be of prime importance in controlling the hazard of cross-contamination from environmental surfaces. **LEM-O-CHEM** can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Pseudomonas aeruginosa*. Also effective against pathogenic fungi, *Trichophyton interdigitate*.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

##### WARNING

Keep Out of Reach of Children. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

#### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.