


[12059-4]



DIRECTIONS FOR USE

For most effective results against the active stages of flying, running and crawling insects, use in a good sprayer adjusted to deliver a coarse wet spray.

Treat infested areas thoroughly and, whenever possible, keep doors and windows closed for 10 minutes after spraying.

FLYING INSECTS: For control of exposed stages of FLIES, FRUIT FLIES, MOSQUITOES, GNATS, SAND FLIES, direct the spray toward the upper portions of the room and saturate the atmosphere with a fine mist spray using 1 to 2 ounces to each 1000 cubic feet of space. Sweep up and destroy fallen insects. Repeat treatment as necessary. Vacate the treated area and ventilate before re-occupying.

CRAWLING INSECTS: To control exposed or accessible stages of ROACHES, SILVERFISH, CRICKETS, and SPIDERS, spray infested areas with a coarse wet spray thoroughly and direct the liquid behind baseboards, moldings, cabinets, shelves, sinks, doors and window frames, and pipes, toward drains and dark corners, and into cracks, crevices, recesses and similar hiding places. Repeat treatment as necessary.

Against ANT infestations, treat shelves, cabinets and storage areas, spray ant runs, trails, baseboards, thresholds, and other places of entry, and treat nests liberally. Repeat treatment as necessary.

In controlling FLEAS and BROWN DOG TICKS in houses, direct the application toward the lower wall portions, baseboards, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should also be sprayed. Repeat treatment as necessary.

To control BEDBUGS effectively, apply liberally to top, ends, sides and bottom of mattresses, spraying thoroughly all tufts, seams and folds. Spray springs and frame, directing the liquid into all cracks and joints. Treat walls, baseboards, moldings, floors, carpets and beds in furniture, picture frames, with particular attention to protected bedding and bedding planes. Repeat treatment as necessary.

MASSACRE

General Purpose Insect Spray

A Pyrenone® insecticide.

Effective, Fast Acting insecticide. For Use in Homes, Institutions, Restaurants and Food Processing Plants.

Kills on contact exposed or accessible stages of:

- Roaches — Silverfish — Crickets — Spiders — Ants — Flies — Mosquitos — Listed Grain Moths — Gnats — Listed Grain Beetles — Sand Flies — Clothes Moths — Bedbugs — Listed Meal Moths — Carpet Beetles — Fleas — Brown Dog Ticks in Buildings.

ACTIVE INGREDIENTS:

Pyrethrins	0.10%
Piperonyl Butoxide, Technical*	1.00%
Petroleum Distillate	98.77%

INERT INGREDIENTS:	0.13%
TOTAL	100.00%

*Equivalent to 0.8% of (butylcarbityl) (6-propylpiperonyl) ether and 1.0% of related compounds

**CAUTION: KEEP OUT OF REACH OF CHILDREN
HARMFUL IF SWALLOWED.**

Do not spray near or toward an open flame.
Avoid contamination of feed and foodstuffs

See side panel for additional precautions.

PYRENONE-FMC trademark

Manufactured By
FMC CHEMICAL CORP.

1865 New Highway, Farmingdale, N.Y. 11735

EPA Est. No. 12059-NY-01

EPA Reg. No. 12059-4

For most effective control of CLOTHES MOTHS and CARPET BEETLES, remove infested articles from storage. Brush thoroughly, and if possible, air several hours in direct sunlight. Apply spray liberally in empty chests, closets, bureaus and storages, directing the liquid into cracks, joints and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the liquid lightly to the seams to avoid the possibility of staining. Treat both sides of rugs, carpets and pads, and all exposed and accessible surfaces of overstuffed furniture. Do not overspray if products are made of rubber or are rubber coated, to prevent expansion or swelling. Repeat treatments monthly unless the articles are stored in moth-tight containers.

Home and institutional pantries and food storages frequently become infested with GRANARY WEEVILS, RICE WEEVILS, CONFUSED FLOUR BEETLES, RED RUST FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES, ANGOUMOIS GRAIN MOTHS, and MEDITERRANEAN FLOUR MOTHS. To avoid sources of reinfestation, wormy flour, grain and cereals should be destroyed before treatment. Spray thoroughly all surfaces of shelves, baseboards, cabinets, pantries, lockers and similar structures, with particular attention to cracks, niches, crevices and other hiding places.

CAUTION

Do not treat an infested area until you have vacated the area after treatment is completed. The use of this product in foodstuffs and plants should be limited to emergency situations where the plant is not in production. Foods should be removed and destroyed during treatment. Avoid contact with eyes and clothing during treatment. For the most effective control, use Pyrenone-FMC in a well-ventilated area.

DO NOT USE NEAR SPILL OR FRESH NEAR HEAT OR OPEN FLAME. DO NOT REUSE EMPTY CONTAINER. DESTROY BY PERFORATING OR CRUSHING. EMPTY CONTAINERS ARE IN A SAFE PLACE AWAY FROM WATER SUPPLIES. DO NOT BURN. DO NOT REUSE EMPTY CONTAINERS FOR OTHER PURPOSES. DESTROY BY PERFORATING OR CRUSHING AND BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

ENVIRONMENTAL CAUTIONS

This product is toxic to fish and aquatic life. Do not apply to water bodies. Do not apply to streams, rivers, lakes, ponds, or other bodies of water. Do not apply to wetlands or other sensitive areas. Do not apply to areas where wildlife is present.

