FLEXOQUAT CONCENTRATE

USE DIRECTIONS

Use at I fluid ounce per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results use it with a cloth or mop and apply to walls, floors and other similar hard surfaces.

If used for sanitization of food equipment or food contact items, limit the level of active quaternary to 200 ppm, 1.4 fluid ounces per 5 gallons of water. NO RINSE REQUIRED.

For heavy soil or organic matter, a precleaning step is recommended.

Rinse the empty container thoroughly with water and discard.

This product when used on environmental inanimate hard surfaces at 1 fl. ounce per gallon of water, is effective against Influenza A-2, Herpes Simplex, Adenovirus type 2 and Vaccinia.

CLEANER DEODORIZER

DISINFECTANT FUNGICIDE

ACTIVE INGREDIENTS: n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides 4.5% n-Alkyl (68% C12, 32% C14 dimethyl ethylbenzyl ammonium chlorides 4.5%4.0% Sodium carbonate Tetrasodium ethylenediamine tetraacetate 2.0% INERT INGREDIENTS 85.0% 100.0% CONTENTS: _____

EPA Reg. No. 12107-1

DANGER!

Keep Out of Reach of Children!!!

See the right side panel for additional precautionary statements.

FLEXO CHEMICAL CO.

Box 82 River Forest, Illinois 60305 Phone 312—453-4635 It is a cleaner, disinfectant and sanitizer designed for use by institutions and industry where good house keeping is of prime importance and utilized to disinfect or control the growth of organisms, if used as directed on floors, walls sinks, garbage pails, telephones, and ir rest rooms. It is effective against Staphylcoccus aureus, Salmoneila choleraesuis, Pseudomonas aeruginosa and pathogenic fungus, Trichophyton interdigitale.

DANGER:

Keep out of reach of children as it causes skin irritation and may cause eye damage. Prevent any getting in eyes or on skin or clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID:

In case of skin or eye contact, immediately flush the eyes or skin with plenty of water for at least 15 minutes and immediately see a physician. At once, remove all contaminated clothing and wash well before re-using. If any is swallowed, drink milk, egg whites, gelatin solutions and if these are not available, drink large quantities of water and immediately see a physician.