



SHERWOOD



GENERAL PURPOSE INSECTICIDE

A Concentrated PYRENONE® Micro Emulsion

- Clear
- Stable
- Leaves No Oily or Objectionable Residue

Effective, Fast Acting Insecticide.

For Use in Homes, Institutions, Restaurants.

Food Processing Plants, Dairies, Livestock and Outdoors for Mosquito Control.

Apply with Conventional Mechanical or Compressed Air Equipment.

ACTIVE INGREDIENTS:

Pyrethrins	0.1%
*Piperonyl Butoxide, technical	1.0%
Petroleum distillate	0.4%

INERT INGREDIENTS: 98.5%

*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 1 .2% related compounds.

Pyrenone is a registered trademark of FMC Corporation

CAUTION

KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

~~Net Contents~~

Gallon


EPA Reg. No. 12123-3

EPA Est. No. 12123-NJ-1

MANUFACTURED BY

SHERWOOD CHEMICALS LTD

WESTVILLE, N. J. 08093



SPACE SPRAYING: Close doors and windows and shut off ventilating systems. Apply with a good machine adjusted to deliver a fine mist or fog. For rapid control of flies, fruit flies, gnats, mosquitoes, skipper flies, wasps, hornets, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, and tobacco moths: direct spray at an upward angle distributing it uniformly throughout the entire area, at a rate of 3-6 ounces per 1000 cubic feet of space.

FOGGING: To kill exposed or accessible stages of the above named crawling insects, use a rate of one gallon to 20,000 to 40,000 cubic feet of space. Contact insects directly whenever possible.

OUTDOOR ADULT MOSQUITO CONTROL: Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour.

~~Treat shrubbery and vegetation where mosquitoes may rest.~~ Shrubbery and vegetation around stagnant pools, marshy areas, ponds and shore lines may be treated. Application of this product to any body of water is prohibited.

Apply at a rate of 1½ gallons per acre (4½ ounces per 1000 square feet).

Using truck-mounted conventional misting equipment such as Rotomist® models 51C, 91 or 100 HT, traveling at 5 m.p.h., to treat a 300 foot swath, calibrate equipment to deliver 4.5 gallons per minute.

CAUTION

Harmful if swallowed. Avoid contamination of food and foodstuffs.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL CAUTIONS

This product is toxic to fish. Keep out of lakes, streams and ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drifting from areas treated. Do not contaminate water by cleaning of equipment or disposing of wastes. Apply this product only as specified on this label.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.