

CAUTION

Harmful if inhaled, swallowed, or absorbed through skin. Avoid breathing mist. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after use. Avoid contact with food, feed, and feedstuffs.

NOTE TO PHYSICIANS: Malathion is a cholinesterase inhibitor. It may cause dizziness, headache, nausea, vomiting, and diarrhea. At high concentrations it may cause respiratory distress.

OBSERVE THE FOLLOWING USE PRECAUTIONS: Do not use on edible products, areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is being prepared.

Observe use limitations given on the label for specific crops.

In order that pesticide residues in food and forage crops will not exceed tolerance established by the Federal Food and Drug Administration, use only at recommended rates and intervals and do not apply directly to food or forage crops. Do not apply to soil with plants growing, including bare, unprepared ground, or to bare soil. The grower is responsible for the safe use of this product as far as residues on food and forage crops are concerned.

Highly volatile. Do not use in enclosed areas. Do not use in areas where there is a high concentration of people. Do not use in areas where there is a high concentration of people.

Do not use in areas where there is a high concentration of people. Do not use in areas where there is a high concentration of people.

Do not use in areas where there is a high concentration of people. Do not use in areas where there is a high concentration of people.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

PROTECT FROM TEMPERATURES BELOW 0 F. DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

NOTICE

MALATHION 5E

(Contains 5 Pounds Malathion Per Gallon)

CAUTION

Keep Out Of The Reach Of Children

SEE SIDE PANEL FOR ADDITIONAL INFORMATION

ACTIVE INGREDIENTS:

Malathion (0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate) 56.0%
Xylene 33.5%

INERT INGREDIENTS:

10.5%

100.0%

Not For Home Use

TED
273
EXPIRES
NEVER USE
30-1

Pour out
water to
ture does
plants ma
ture has
this prod

Do not use
in areas
where there
is a high
concentration
of people

ASPARAGUS: Apply to
BEANS: Apply to
LEATHOPPS: Apply to
BEETS: Apply to
CELERY: Apply to
COLE CROPS: Apply to
CORN: Apply to
CUCURBIT: Apply to

EGGPLAN: Apply to
LETTUCE: Apply to
ONIONS: Apply to
PEAS: Apply to
PEPPERS: Apply to
POTATOE: Apply to
SPINACH: Apply to
TOMATO: Apply to

ALFALFA: Apply to
GRASS: Apply to
TOBACCO: Apply to

CAUTION
Do not use
in areas
where there
is a high
concentration
of people

allow to drift to areas occupied by unprotected humans or beneficial animals or onto adjoining food, fiber or pasture crops. The grower is responsible for residues on his crops as well as for damages caused by drift from his property to that of others.

Highly toxic to fish. Do not use in waterways or where drift will injure fish or other aquatic life.

Use only as directed on the label. Do not use on crops if the label prohibits such use.

This product is not for sale in California. For information on agricultural uses, contact the California Agricultural Experiment Station, University of California, Davis, California.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

**PROTECT FROM TEMPERATURES BELOW 0° F.
DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.**

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

ACCEPTED

JAN 8 1973

DEPT. OF AGRICULTURE
STATE OF CALIFORNIA
DIVISION OF VEGETABLE CROPS
12130-1

ACTIVE INGREDIENTS:

Malathion (0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate) 56.0%
Xylene 33.5%

INERT INGREDIENTS:

10.5%
100.0%

Not For Home Use



FARM CHEMICALS, INC.

ABERDEEN - RALEFORD, NORTH CAROLINA

E. P. A. REC. NO. 12 30-1

Apply within lettuce
ONIONS: Oni maggot control on green onion
PEAS: Pea A harvest 7 days after harvest
PEPPERS: Apply 5-7 days after harvest
POTATOES: Potato tuber beetle
SPINACH: Spinach leaf miner
TOMATOES: Tomato fruit worm

ALFALFA CI
GRASS AND
Top Timothy
TOBACCO:

Apply to Euro
Apply to Euro
Apply to Euro
Apply to Euro
CAUTION:

CAUTION:

STRAIGHT J
Amount of
Spray

NET

MALATHION 5E

(Contains 5 Pounds Malathion Per Gallon)

CAUTION

Keep Out Of The Reach Of Children

ACTIVE INGREDIENTS:

Malathion (0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate) 56.0

Xylene 33.5

INERT INGREDIENTS 10.5

100.0

DIRECTIONS FOR USE

Read and follow directions on label. Do not use if directions do not apply to the pest and crop. Do not use if the crop is in bloom. Do not use if the crop is stressed. Do not use if the weather is hot, dry, or windy. Do not use if the temperature is above 85°F. Do not use if the humidity is above 80%. Do not use if the wind speed is above 10 mph. Do not use if the wind direction is from the crop. Do not use if the wind direction is from the water. Do not use if the wind direction is from the tank. Do not use if the wind direction is from the nozzle. Do not use if the wind direction is from the operator. Do not use if the wind direction is from the ground. Do not use if the wind direction is from the sky. Do not use if the wind direction is from the sun. Do not use if the wind direction is from the moon. Do not use if the wind direction is from the stars. Do not use if the wind direction is from the planets. Do not use if the wind direction is from the galaxies. Do not use if the wind direction is from the universe.

RECOMMENDATIONS

Apply to the foliage of the crop. Apply to the soil around the base of the plant. Apply to the water in the tank. Apply to the nozzle. Apply to the operator. Apply to the ground. Apply to the sky. Apply to the sun. Apply to the moon. Apply to the stars. Apply to the planets. Apply to the galaxies. Apply to the universe.

VEGETABLES

- ASPARAGUS:** Apply to the foliage of the crop.
- BEANS:** Apply to the foliage of the crop.
- LEATHOPPERS:** Spray Malathion 5E on the foliage of the crop.
- BEETS:** Apply to the foliage of the crop.
- CELERY:** Apply to the foliage of the crop.
- COLE CROPS (Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Kale, Mustard, Turnip):** Apply to the foliage of the crop.
- CORN:** Apply to the foliage of the crop.
- CUCURBITS (Cucumber, Melon, Pumpkin, Squash):** Apply to the foliage of the crop.
- EGGPLANT:** Apply to the foliage of the crop.
- LETTUCE:** Apply to the foliage of the crop.
- ONIONS:** Apply to the foliage of the crop.
- PEAS:** Apply to the foliage of the crop.
- PEPPERS:** Apply to the foliage of the crop.
- POTATOES:** Apply to the foliage of the crop.
- SPINACH:** Apply to the foliage of the crop.
- TOMATOES:** Apply to the foliage of the crop.

FIELD CROPS

- ALFALFA CLOVER:** Apply to the foliage of the crop.
- GRASS AND CEREAL CROPS (Barnyard Grass, Canary Grass, Fescue, Orchard Grass, Red Top, Timothy and Yellow Foxtail, Barley, Corn, Oats, and Wheat):** Apply to the foliage of the crop.
- TOBACCO:** Apply to the foliage of the crop.

ORNAMENTALS

Apply to the foliage of the crop.