


Danger—Poison—Precautions



**CAN KILL YOU IF SWALLOWED**

This product can kill you if swallowed. Do not drink from containers that have been used for this product.



**CAN KILL YOU BY SKIN CONTACT**

This product can kill you if touched by skin. Do not get it on your face or splashed on skin. In case of contact with clothing, liquid goes through clothes.



**CAN KILL YOU IF BREATHED**

This product can kill you if vapors, spray mist or dust are breathed.

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

**POISONOUS TO BEES**

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**DANGER**

Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Wear Natural rubber gloves, protective clothing and goggles. Do not get in eyes, on skin or on clothing. In case of contact remove clothing, wash thoroughly with soap and water, for eyes flush with plenty of water and get prompt medical attention. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Do not contaminate feed or foodstuffs. Wash all contaminated clothing with soap and hot water before re-use. Do not breathe spray mist or vapors. Wear a mask or respirator of a type passed by the U. S. Bureau Of Mines for Methyl-Parathion protection.

Keep all unprotected persons and animals out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting spray mist and such as atropine to the limit of patient's tolerance, is indicated. Volatile residues have dissipated. If headache, dizziness or nausea develops during or after use, get out of contaminated area at once. Get medical attention.

**IF SWALLOWED:** Give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately. **IF ON SKIN:** in case of contact remove contaminated clothing and immediately wash skin with soap and water.

**PHYSICIANS NOTE:** Methyl Parathion exerts muscarinic-like effects — i.e., stimulation of the para-sympathetic nervous system. Repeated use of a para-sympathetic depressant such as atropine to the limit of patient's tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patients suspected of Parathion poisoning. Toxaphene produces central nervous system excitation which responds to the barbituric acid derivatives. Refer to "Clinical Handbook on Economic Poisons."

2 PAM is also anticholinergic and may be administered in conjunction with atropine. Treat symptomatically.

STOP! READ THE LABEL



**CAN KILL YOU**

**POISON**

See side panels for antidote and precautions

**DANGER  
KEEP OUT  
OF REACH  
OF  
CHILDREN**

# 8-2 TOX-METHYL

(Contains 8 Lbs. Toxaphene and 2 Lbs. M. Parathion Per Gallon)

**ACTIVE INGREDIENTS:**

Toxaphene (Technical Chlorinated Camphene


Chlorine Content 67% to 69%) 67.5%

O,O-Dimethyl O-p-nitrophenyl thiophosphate\* 16.8%

**INERT INGREDIENTS:**

\*Methyl Parathion 100.0%

Not For Home Use



Manufactured by

## FARM CHEMICALS, INC.

ABERDEEN - RAEFORD, NORTH CAROLINA

E.P.A. REG. NO. 12130-4

**DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE**

Destroy all containers when empty. Rinse equipment and containers and dispose of waste by burying in noncroplands away from water supplies.

Keep containers closed when not in use. Do not re-use containers for other purposes.

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

**DIRECTIONS FOR USE**

Prepare a spray mixture of 82 TOX METHYL as follows:

1. Add about half the total amount of water to be used to the spray tank.
2. Start agitator or pump by-pass and add proper amount of 82 TOX METHYL.
3. Continue mixing and add remaining water.

**DIRECTIONS FOR USE ON COTTON**

82 TOX METHYL may be applied by either ground equipment or aircraft. For ground equipment, dilute in 20 to 150 gal. of water per acre to give adequate coverage. For aerial application, dilute in 3 to 4 gallons of water per acre. **EARLY SEASON PROGRAM:** For general early season control of plant bugs, fleahoppers, and aphids, use 1 to 1.25 pints 8-2 TOX METHYL per acre. Make two or three applications at 7 day intervals starting at the two-leaf stage. For thrip control only, use 0.75 to 1 pint per acre and for cutworms use 1.5 to 2 pints per acre.

**MID SEASON INSECTS:** Overwintering boll weevils, plant bug, bollworms, aphids, and cotton leafworms are controlled with 3 pints 82 TOX METHYL per acre. Make repeat treatments at 5 day intervals as insect counts indicate they are necessary. Use higher rate for heavy bollworm outbreaks. **LATE SEASON CONTROL:** Use 2 to 4 pints per acre to control boll weevil, bollworms, and aphids. Use the higher rate for heavy bollworm outbreaks. Repeat applications at 5 to 7 day intervals as insect counts indicate they are necessary. **CAUTION:** Do not apply within 7 days of hand picking or harvest. Workers entering fields within 24 hours after application should wear protective clothing. Do not graze dairy animals or animals intended for slaughter in treated fields.

**DIRECTIONS FOR USE ON SOYBEANS**

Apply 2 pints of 82 TOX METHYL per acre to control aphid, armyworms, bean leaf beetles, corn earworms, grasshoppers, great cloverworms, stink bugs, and velvetbean caterpillars. Apply suitably diluted with water. For aerial applications apply diluted insecticide at 3 to 4 gallons per acre. **CAUTION:** Avoid spray drift. Do not apply less than 3 weeks before harvest. Do not apply more than two applications per growing season. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals or animals being finished for slaughter. Do not feed soybean mill trash to livestock or poultry. **FOR ARMYWORM CONTROL IN BARLEY, OATS, RYE, OR WHEAT:** Apply 2 pints per acre to control armyworms in wheat, oats, barley, or rye. Apply suitably diluted with water. Do not apply within 15 days of harvest. Do not feed forage to dairy animals or animals being finished for slaughter.

**NOTICE**

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

NET CONTENTS

GALLONS