



Danger—Poison—Precautions

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts spray mist or dust may be fatal if swallowed



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes)



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

POISONOUS TO BEES

This product is highly toxic to bees exposed to direct treatment of residues on crops. For further information, may be obtained from your commercial seed, fertilizer, or pesticide service.

DANGER

Poisonous if swallowed, inhaled or absorbed through the skin. Do not get in eyes or skin or on clothing. Rapidly absorbed through the skin. Repeated exposure may, without symptoms, be increasingly hazardous. Wear protective clothing, natural rubber gloves and goggles.

Do not breathe fumes or spray mist. Wear a mask or respirator effective for protection against Parathion. Information as to suitable types of masks or respirators is available from the U. S. Bureau of Mines.

Do not contaminate feed or food. Keep out of reach of children. Keep all unprotected persons out of the operating area or vicinity where there may be danger of drift. Workers who must enter treated fields within 2 days of application should wear protective clothing. Wash hands, arms, and face thoroughly with soap and warm water before eating or smoking. Wash and contaminate clothing with soap and hot water before re-use.

Do not use on other crops used for food or forage. Use only according to label directions. Applications at rates above those shown may result in illegal crop residues.

Highly toxic to fish and wildlife. Birds and other wildlife on treated areas may be killed. Do not contaminate any body of water nor apply to any area not specified on the label.

KEEP AWAY FROM OPEN FLAME

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated wash with flowing water for at least 15 minutes.

PHYSICIANS NOTE: Methyl Parathion exerts muscarinic-like effects—i.e., stimulation of the para-sympathetic nervous system. Repeated use of a para-sympathetic depressant such as atropine to the limit of patient's tolerance is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patients suspected of Parathion poisoning. Toxophene produces central nervous system excitation which responds to the barbituric acid derivatives. Refer to "Clinical Handbook On Economic Poisons". 2-PAM is also antidotal and may be administered in conjunction with atropine. Treat symptomatically.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

STOP! READ THE LABEL

POISON

See side panels for antidote and precautions



CAN KILL YOU

**DANGER
KEEP OUT
OF REACH
OF
CHILDREN**

6-3 TOX-METHYL

(Contains: 6 lbs. Toxophene 3 lbs. Methyl Parathion)


ACTIVE INGREDIENTS:

*Toxophene	52.0%
**O,O-dimethyl O-p-nitrophenyl thiophosphate	26.2%
Xylene	16.0%
INERT INGREDIENTS	5.8%
	100.0%

*Technical Chlorinated Camphene-Chlorine Content 67% 69%

**Methyl Parathion

Not For Home Use



FARM CHEMICALS, INC.

ABERDEEN — RAEFORD, NORTH CAROLINA

E. P. A. REG. NO. 12130-7

E. P. A. REG. NO. 12130-N-1

CONTAINER DISPOSAL

DO NOT RE-USE THE CONTAINER — Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Rinse empty container by filling with water and add 1 cup of household lye to each 5 gallons of water. Bury rinse solution at least 18 inches deep in an isolated area away from water supply. Punch holes in the top and bottom of the can, crush the can, and bury deeply in an isolated location.

Do not use container in any connection with feed, food and drinking water.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTION FOR USE

This product is an emulsifiable concentrate that mixes readily with water, for use in the control of certain insects attacking cotton.

COTTON — Early Season Control: Overwintered Boll Weevils, Cotton Fleahoppers, Flea Beetles, and Thrips — Use 2 pints per acre making from 2 to 4 applications at 7 to 10 day intervals.

Mid Season Control: Aphids, Boll Weevils, Cotton Leafworms, Fleahoppers, Grasshoppers, Red Spider Mites, and Thrips — Use one third gallon per acre. Apply at four to five day intervals until control is gained. Proper timing of applications is essential.

Late Season Control: And trouble cases of boll-worm and cotton leaf perforators caused by previous insufficient dosage, lack of weekly scouting; failure to maintain recommended regular application, by reason of weather conditions or otherwise, increase rate per acre to 1 1/2 gallon of 6-3 TOX-METHYL for one application, then return to recommended dosage as in Mid Season Control and maintain regular recommended schedule.

Do not apply with 7 days of hand picking or harvest.

Workers entering treated fields within 5 days after application should wear protective clothing. Do not use on forage crops.

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals.

For ground application only use at least 2 gals. of water per acre.

Application should be made only by experienced personnel using approved protection equipment.

MIXING DIRECTIONS

1. Add about one half total amount of water to be used.
2. Start agitation and add 6-3 TOX-METHYL.
3. Continue to mix and add remaining water.

NOTICE

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

NET CONTENTS

U. S. Gallons