



CAN KILL YOU

4-4 TOX-METHYL

WETSPRAY LIQUID

4-4 Tox-Methyl (4-4 Tox-Methyl) is a...

ACTIVE INGREDIENTS

4-4 Tox-Methyl	95.0%
Water	5.0%
Other	0.0%

Not For Home Use



FARM CHEMICALS, INC



EXTREMELY TOXIC AND CORROSIVE

DANGER

FIRST AID TREATMENT

... ..

NOTICE

RECOMMENDATIONS

... ..



Danger—Poison—Precautions



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing. Liquid goes through clothes.



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff likely to occur.

Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DANGER

Do not get in eyes, on skin or on clothing. Do not breathe fumes. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Parathion protection. Keep all unprotected persons out of operating areas or vicinity where there might be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residues have dissipated. Do not contaminate food and feed. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

FIRST AID TREATMENT

IF SWALLOWED: Give a tablespoonful of salt in a glass of warm water. Repeat until vomit fluid is clear. Have patient lie down and keep quiet.

INHALATION: Remove patient from contaminated atmosphere.

SKIN: In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.

EYES: In case of contact, flush immediately with water for at least 15 minutes.

INFORMATION FOR PHYSICIAN (TREATMENT): Give atropine preferentially by injection, grains 1/30 to 1/15 (to 1/4 mg.) at once and every hour or oftener as needed to achieve and maintain full atropinization. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Discontinue patient continuously for 48 hours.

2-PAM is also antidotal and may be administered in conjunction with atropine. Treat symptomatically.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

STOP! READ THE LABEL

POISON

See side panels for antidote and precautions



CAN KILL YOU

**DANGER
KEEP OUT
OF REACH
OF
CHILDREN**

4-4 TOX-METHYL

EMULSIFIABLE LIQUID

(Contains 4 lb. Toxaphene, 4 lb. Methyl Parathion per Gallon)

ACTIVE INGREDIENTS:

*Toxaphene 37.03%

**0, 0-dimethyl 0-p-nitrophenyl thiophosphate 37.12%


Xylene 20.85%

INERT INGREDIENTS 5.00%

Total 100.00%

*Technical Chlorinated Camphene (67% - 69% Chlorine)

**Methyl Parathion.



Not For Home Use



Manufactured by

FARM CHEMICALS, INC.

ABERDEEN — RAEFORD, NORTH CAROLINA

F.P.A. REG. NO. 12130-8

FOR ALL EMPTY CONTAINERS

DO NOT reuse the container. Completely empty contents and bury unused chemical at least 18 inches deep in an isolated location away from water supply.

GLASS CONTAINERS—empty containers of any size, at least 18 inches deep in an isolated location away from water supply.

METAL CONTAINERS, 1-Gallon Cans—empty containers of any size, at least 18 inches deep in an isolated location away from water supply. Wash all inner surfaces with soap and water. Bury whole can at least 18 inches deep in an isolated location away from water supply. Do not reuse for any other purpose. Do not crush containers.

5-GALLON, 30-GALLON and 55-GALLON DRUMS—empty containers of any size, at least 18 inches deep in an isolated location away from water supply.

5-GAL DRUMS—empty containers of any size, at least 18 inches deep in an isolated location away from water supply.

30-GAL DRUMS—empty containers of any size, at least 18 inches deep in an isolated location away from water supply.

55-GAL DRUM—empty container of any size, at least 18 inches deep in an isolated location away from water supply.

Waste containers should be buried in a hole at least 18 inches deep. Bury the container at least 18 inches deep in an isolated location away from water supply.

CAUTION—Empty containers should be buried with extra care. Read and carefully follow the precautions on package. Do not reuse for any other purpose.

IF THE ABOVE RINSE METHOD CANNOT BE USED

Punch holes in TOP of container and turn in bit for bit until it has been completely buried. Do not reuse for any other purpose. Do not reuse for any other purpose. Do not reuse for any other purpose.

RECOMMENDATIONS

Application should be made only by experienced personnel using approved protective equipment.

COTTON, Early Season Control—Overstrawed Boll Weevil, Cotton Fleahopper, Loop Beetles and Thrips. Apply 2 pints per acre making from two to four applications at 7 to 10 day intervals. Use the maximum dosage if boll weevils are present.

Mid and Late Season Controls—Apply Bollworm, Boll Weevil, Cotton Fleahopper, Loop Beetles, and Thrips. Use 2 pints per acre. Apply at four to five day intervals until harvest. Proper timing of applications is essential.

Do not apply within 7 days of picking and do not enter or re-enter fields within 24 hours after application. Wear protective clothing.

Do not graze dairy animals or animals being finished for slaughter in treated fields. Do not feed cottonseed to dairy animals being finished for slaughter.

BEANS: Apply Armyworms, Cucumber Beetles, Leafhoppers, Flat Mites, Stinkbugs. Apply 1 to 2 pints per acre. Do not apply Mexican Bean Beetle. Apply 2 to 2 pints per acre. Apply with sufficient water for thorough coverage. Do not apply within 7 to 10 day intervals until harvest. Do not apply within 21 days of harvest.

SWEET CORN: Fall Armyworm. Use 1 to 2 pints per acre. Do not apply within 12 days of harvest.

PEPPER: Apply. Apply 1 to 2 pints per acre. Do not apply within 15 days of harvest.

TOMATO: Apply. Apply 1 to 2 pints per acre. Do not apply within 15 days of harvest.

DO NOT GRAZE DAIRY ANIMALS OR ANIMALS BEING FINISHED FOR SLAUGHTER IN TREATED FIELDS.

USE ONLY AS RECOMMENDED.

NET CONTENTS

GALLONS