



... ..



POISONOUS TO FISH AND WILDLIFE

... ..

DANGER

... ..

... ..

ANTIDOTE AND FIRST AID TREATMENT

INTERNAL

EXTERNAL

IF WARNING SYMPTOMS APPEAR

... ..

STOP! READ THE LABEL

POISON

side panels for antidote or precautions



CAN KILL YOU

**DANGER
KEEP OUT
OF REACH
OF
CHILDREN**

EPN-METHYL 3-3

ACCEPTED Not For Home Use
Feb 28, 1973



FARM CHEMICALS, INC.

NOTE TO THE USER

... ..

PRECAUTIONS IN USING

... ..

GENERAL DIRECTIONS

... ..

DIRECTIONS FOR USE

... ..

DISPOSAL OF EMPTY CONTAINERS

... ..

DO NOT USE

... ..

**DO NOT USE FOR SPILL OR NOSE NEAR
HEAT OR FLAME**

DESTROY CONTAINER WHEN EMPTY NEVER REUSE
NOTICE



Danger—Poison—Precautions



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes)



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Birds feeding on treated areas may be killed.

DANGER

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING.

Do not swallow or get in eyes, on skin, or on clothing. Do not breathe dust or vapors. Wear clean natural rubber gloves, clean, waterproof protective clothing and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for

STOP! READ THE LABEL



POISON

See side panels for antidote and precautions

**DANGER
KEEP OUT
OF REACH
OF
CHILDREN**

CAN KILL YOU

EPN-METHYL 3-3

(Contains 3 lbs. EPN and 3 lbs. 33% Methyl Parathion per gallon)

1. FIVE GALS. DETERGENT	
2. 100% D.D.T. (Dichloro-diphenyl ether) 31.00	
3. 100% dimethyl D.D.T. (Dichloro-diphenyl ether) 31.00	
4. 100% D.D.T. 20.00	
5. 100% D.D.T. 17.00	
6. 100% D.D.T. 100.00	
7. EPN	
8. Methyl Parathion	

Not For Home Use

DANGER

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING.

Do not swallow or get in eyes, on skin or on clothing. Do not breathe dust or vapors. Wear clean natural rubber gloves, clean, waterproof protective clothing and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Methyl Parathion protection. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before re-use. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.

ANTIDOTE AND FIRST AID TREATMENT

ATROPINE IS THE EMERGENCY ANTIDOTE FOR METHYL PARATHION — EPN Poisoning. Consult your physician about obtaining an adequate supply of 1/100 grain (0.6 mg.) atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If swallowed, call a physician immediately. Induce vomiting by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of warm water). Repeat until vomit fluid is clear. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the Methyl Parathion — EPN mixtures, remove all contaminated clothing and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR. Take or administer two 1/100-grain atropine tablets immediately. Get medical attention at once. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR (See WARNING SYMPTOMS on right panel). Have patient lie down and keep quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

Xylene

20.50%

INERT INGREDIENTS

17.50%

100.00%

* EPN

** Methyl Parathion

ACCEPTED

Feb 28, 1973

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC PESTER REGISTRATION UNDER NATIONAL SUBJECT TO ATTACHED COMMENTS

Not For Home Use

12130-10



Manufactured by

FARM CHEMICALS, INC.

ABERDEEN - RAFFORD - NORTH CAROLINA

E.P.A. REG. NO. 112010

DO and isolc FIV the 5-G holo 55-1 (hol Rotc ly w isolc DO drin (CA can can Pun con IF hol all Ext fair fro Do DO HI

**DANGER
KEEP OUT
OF REACH
OF
CHILDREN**

3-3

per gallon)

10.00

31.00

20.50

17.50

100.00

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, head ache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals in doses of 1 or 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until the time for cholinesterase inhibitor regeneration has been allowed as determined by blood test.

PRECAUTIONS IN USING

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not apply within 7 days of hand picking or harvest. Workers entering fields within 24 hours after application should wear protective clothing. Do not graze dairy animals or animals being finished for slaughter in treated fields. Do not contaminate food or feed products.

GENERAL DIRECTIONS

EPPN MP 33 can be used in conventional hydraulic sprayer, low volume ground applicators, or airplane sprayers. For airplane application, use 3-10 gallon water per acre depending on crop growth to give good coverage. Use this product only for recommended purposes at recommended dilutions. Mix with water by agitating. Agitate the mixture while spraying. If allowed to stand, agitate before use. Always mix with enough water for good coverage.

DIRECTIONS FOR USE

INSECT CONTROL ON COTTON: For control of bollworm, leaf miner, and leaf webber, use 2-4 oz. per acre. For control of tobacco budworm, use 2-4 oz. per acre. For control of cotton rootworm, use 2-4 oz. per acre. For control of cotton bollworm, use 2-4 oz. per acre. For control of cotton leafworm, use 2-4 oz. per acre. For control of cotton rootworm, use 2-4 oz. per acre. For control of cotton bollworm, use 2-4 oz. per acre. For control of cotton leafworm, use 2-4 oz. per acre.

DISPOSAL OF EMPTY CONTAINERS

DO NOT reuse the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

FIVE GALLON AND FIFTY-FIVE GALLON DRUMS: Pour the following mixtures into the empty containers:

DESTROY CONTAINER WHEN EMPTY. NEVER REUSE.

3-3

tion per gallon)

thioate 31.00%

31.00%

20.50%

17.50%

100.00%

S, INC.

CAROLINA

harvest workers entering fields within 200 feet of treated fields. Do not graze dairy animals or animals being finished for slaughter in treated fields. Do not contaminate food or feed products.

GENERAL DIRECTIONS

EPN MR 33 can be used in conventional hydraulic sprayer, low volume ground applicators, or airplane sprayer. For airplane application, use 3-10 gallon water per acre depending on crop height to give good coverage. Use this product only for recommended purposes at recommended dosages. Mix with water by agitation, agitate the mixture while spraying. If allowed to stand, agitate before use. Always mix with enough water for sufficient coverage.

DIRECTIONS FOR USE

INSECT CONTROL ON COTTON For control of aphids, beet weevils, cotton leaf worm, meadowhoppers and some species of spider mites, use 2 1/2 qt. to 1 pint per acre. For control of bollworm and budworm, use 1 1/2 qt. per acre. For more information, contact your local extension service or State Agricultural Experiment Station. Repeat applications as directed.

DISPOSAL OF EMPTY CONTAINERS

DO NOT re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

FIVE GALLON AND FIFTY-FIVE GALLON DRUMS — Pour the following mixtures into the empty containers:

DESTROY CONTAINER WHEN EMPTY. NEVER REUSE.

5-Gallon Drums — 2 qts. water, 1/2 cup caustic soda (household lye), 2 tablespoons detergent

55-Gallon Drums — 5 gallons water, 2 pounds caustic soda (household lye), 1 cup detergent

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

DO NOT USE container in any connection with feed, food, or drinking water.

(CAUTION: Handle caustic soda, household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow the precautions on the package.)

Punch holes in the top and bottom of container, crush the container and bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED — Punch holes in the TOP of the container and burn in a hot fire until all of the paint has been completely burned off the container. Extreme caution should be exercised to insure that the containers are completely empty and that persons stay well away from the smoke and fumes.

Do not attempt to burn more than five containers at one time.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR FLAME.

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE
NOTICE

The seller warrants that the product conforms to its label description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

NET CONTENTS

GALLONS