



RESTRICTED USE PESTICIDE

For sale to and use only by Certified Applicators
or persons under their direct supervision and only for those
uses authorized by the Certified Applicator's certification.

STOP! READ THE LABEL

POISON

See side panels
for antidote
and precautions



**DANGER
KEEP OUT
OF REACH
OF
CHILDREN**

CAN KILL YOU

EPN-METHYL 3-3

(Contains 3 lbs. EPN and 3 lbs. Methyl Parathion per gallon)

ACTIVE INGREDIENTS:

* O Ethyl O p nitrophenyl phenylphosphonothioate	31.00%
** O dimethyl O p nitrophenyl thiophosphate	31.00%
Xylene	20.50%
INERT INGREDIENTS	17.50%
	100.00%

* EPN
** Methyl Parathion

Not For Home Use



Manufactured by

FARM CHEMICALS, INC.

ASHEBURN, VALENTINE, NORTH CAROLINA

1964

1964

MIDWEST FARMER

BLD

121300

PRECAUTIONARY STATEMENTS



KEEP OUT OF REACH OF CHILDREN.
DO NOT GET THIS PRODUCT IN YOUR EYES, NOSE, OR MOUTH.
DO NOT DRINK FROM THE CONTAINER.



DO NOT GET THIS PRODUCT ON YOUR CLOTHING OR SKIN.
WASH YOUR HANDS THOROUGHLY WITH SOAP AND WATER AFTER HANDLING THIS PRODUCT.



DO NOT BREATHE THE VAPOR OR DUST OF THIS PRODUCT.
DO NOT USE THIS PRODUCT IN A CONFINED SPACE.

POISONOUS TO FISH AND WILDLIFE

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops and weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DANGER
POISONOUS IF SWALLOWED. INHALED, OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY WITHOUT SYMPTOMS PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION TOXICITY.

Do not apply to bees. Do not apply to blooming crops and weeds if bees are visiting the treatment area. Do not apply to bees. Do not apply to blooming crops and weeds if bees are visiting the treatment area.

Protective Clothing Required:
Wear clean protective clothing, goggles, and respirator as is approved by NIOSH or the American Standards Institute when applying or handling, or when re-entering fields within (at least 24) hours of treatment. The following protective clothing must be worn: lightweight, unlined, natural rubber gloves at least midforearm in length; a wide brimmed waterproof hat or waterproof hood; a protective suit or coveralls of a non-permeable, non-cloth material covering the body from ankles to wrists; lightweight, unlined, natural rubber boots at least midcalf in length; full-face respirators are recommended; half-face respirators and goggles are required. Aerial applicators in positive pressure cockpits and other applicators in comparable ground equipment with appropriate filters at all air intakes need not comply with these protective clothing requirements.

ANTIDOTE AND FIRST AID TREATMENT:
ATROPINE IS THE EMERGENCY ANTIDOTE FOR METHYL PARATHION - EPN POISONING. Consult your physician for details on appropriate supply of atropine. In all cases of suspected poisoning, call a physician immediately.
INTERNAL: If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting if the person is unconscious or if the person has had a seizure. Do not give anything by mouth to an unconscious person. Get medical attention.
EXTERNAL: If the material has been splashed on the skin, immediately remove clothing from the affected area. Wash the skin with soap and water. Remove shoes and socks. Wash skin with soap and water. Wash eyes with water. Wash face with soap and water. Wash hair with soap and water. Wash hands with soap and water. Wash clothes with soap and water.
IF WARNING SYMPTOMS APPEAR: Take of symptoms and if you gain symptoms take a second dose. Get medical attention as soon as possible. **NEVER ADMINISTER ATROPINE.** **IF WARNING SYMPTOMS APPEAR (SEE WARNING LABEL),** call your physician immediately. Do not use if you are pregnant or nursing. Do not use if you are taking any other medication. Do not use if you have any other medical condition. Do not use if you are taking any other medication. Do not use if you have any other medical condition.

NOTE TO PHYSICIAN:
WARNING SYMPTOMS: ...
TREATMENT: ...

LEFT side panel

For aerial applications, flagging must be by fully automated mechanical means or by humans working in totally enclosed vehicles.

GENERAL INSTRUCTIONS

For aerial applications, flagging must be by fully automated mechanical means or by humans working in totally enclosed vehicles.

DIRECTIONS FOR USE

- (1) Do not apply this product when weather conditions favor drift from treated area.
- (2) (applies to WP and EC formulations only) Do not apply to blooming cotton if bees are visiting the treatment area.

INSECT CONTROL ON COTTON

GENERAL INSTRUCTIONS

For aerial applications, flagging must be by fully automated mechanical means or by humans working in totally enclosed vehicles.

NET CONTENTS

GALLONS

RIGHT SIDE PANEL

613

Farm Chemicals, Inc.
P.O. Box 456
Aberdeen, NC 28315

Gentlemen:

Subject: EPR-methyl 3-3
EPA Registration No. 12130-10
Response To Cancellation Notice of August 31, 1983
Your Revised Labels Submitted September 30, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

However, before you release the product for shipment, submit to us five (5) copies of the final printed labels incorporating the following change:

As per PR Notice 63-2, the reentry interval must be 48 hours instead of 24.

Sincerely yours,

Jay S. Pientzberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TC-767)

Enclosure

DCR-26452; CBI-11; 12/27/83; EPR; Del. 1/9/84

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							