

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children

DANGER! PELIGRO!

PRECAUTIONAL USAGE: Is used as an insecticide, not as a herbicide...

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN

RAPIDLY ABSORBED THROUGH SKIN REPEATED EXPOSURE MAY WITHOUT SYMPTOMS BE INCREASINGLY HAZARDOUS

Do not breathe vapors or spray mist. Do not get in eyes, on skin or on clothing.

POISON SIGNS (Symptoms)

Methyl parathion is a very dangerous poison. It rapidly covers the body on contact with all skin surfaces and eyes...

POISON

ATROPINE IS AN ANTIDOTE. CONSULT PHYSICIAN FOR EMERGENCY SUPPLY.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED METHYL PARATHION POISONING.

If symptoms or signs of poisoning include blurred vision, abdominal cramps, and tightness in the chest, do not wait for a doctor but give two atropine tablets...

NOTE TO PHYSICIAN

Atropine - extremely strong alkali in large doses, 750 to 1500 mg. intravenously or intramuscularly is toxic to cyanide is poisonous. Repeat at 5 to 10 minute intervals...

WORK SAFETY RULES

REPEATED EXPOSURES TO CHOLINESTERASE INHIBITORS SUCH AS ARE CONTAINED IN THIS PRODUCT MAY WITHOUT WARNING CAUSE PROLONGED SLEEPING...

Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further treatment should be allowed until it has been determined by means of blood tests that the cholinesterase level has returned to normal.

If hazardous conditions prevail mechanical exhaust systems are required.

Keep all unprotected persons and animals away from treated areas or where there is a danger of drift.

Do not rub eyes or mouth with hands. If you feel sick at any time STOP work and get help right away. See First Aid (Practical Treatment) section.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof boots, coat, hat, rubber boots or rubber overalls. (2) Wear safety goggles. (3) Wear a protective respirator properly approved by the Mining, Enforcement and Safety Administration...

IMPORTANT! Before wearing glasses, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

WASH CLOTHES: Take off all work clothes and shoes. Shower using soap and water. Wash only clean clothes when leaving job.

WASH CLOTHES: Take off all work clothes and shoes. Shower using soap and water. Wash only clean clothes when leaving job. Do not wear contaminated clothing.

Respiratory Statement

Do not apply this product in such a manner as to directly or through drift or contact with another person. The area being treated must be vacated by unprotected persons.

Do not enter treated area for 48 hours unless wearing adequate protective clothing.

Because certain states require that individuals be notified by mail of the use of this product, contact your State Department of Agriculture for further information.

Wash all work clothes and shoes before wearing them again. Do not wear contaminated clothing.

ORAL REMEDIES: Wash victims workers of areas or fields. Do not use or eat anything until given to workers who are suspected to be in a treated area or in an area about to be treated with this product.

ORAL REMEDIES: Wash victims workers of areas or fields. Do not use or eat anything until given to workers who are suspected to be in a treated area or in an area about to be treated with this product.

WATER SUPPLIES: Must include the following only: (1) Drinking water. (2) Bathing water. (3) Washing water.

DANGER! Area treated with Methyl parathion or EPN-METHYL 3-3. Do not enter without appropriate protective clothing for 48 hours.

ATTENTION

To avoid excessive residues of methyl parathion on food or forage crops, always observe the statements found under "Directions to Use"...

Because this material is poisonous by skin contact, inhalation or swallowing it should not be used in such a manner as to create weather conditions as well as permit drift of the spray onto areas not intended to be sprayed.

Do not apply in areas of drift to areas occupied by unprotected humans or beneficial animals.

Environmental Hazards

This product is toxic to fish, shrimp, crab, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes and estuaries.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Physical or Chemical Hazards

Combustible: Do not use, pour, spill or store near heat or flame.

Do not use in areas where there is a danger of fire, explosion or other hazard. Do not use in areas where there is a danger of fire, explosion or other hazard.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

STORAGE AND HANDLING: 1. Handle containers carefully to avoid damage and prevent leakage.

2. Do not use in areas where there is a danger of fire, explosion or other hazard.

3. Store containers in a well-ventilated place.

4. Empty containers must be cleaned and product residues disposed of according to label instructions.

5. Keep out of reach of children and domestic animals.

DISPOSAL: Residues of this pesticide are acutely hazardous. Dispose of residues according to label instructions.

Empty containers must be cleaned and product residues disposed of according to label instructions.

Empty containers must be cleaned and product residues disposed of according to label instructions.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

STOP! READ THE LABEL

EPN-METHYL 3-3

(Contains 3 lbs. EPN and 3 lbs. Methyl Parathion per gallon)

ACTIVE INGREDIENTS:

- O-Ethyl-O-p-nitrophenyl phenylphosphonothioate 31.00%
O,O-dimethyl O-p-nitrophenyl thiophosphate 31.00%
Xylene 20.50%

INERT INGREDIENTS

17.50%
100.00%

- EPN
Methyl Parathion

Keep out of reach of children.

DANGER PELIGRO



POISON

NOT FOR HOME USE

FIRST AID TREATMENT

STATEMENT OF PRACTICAL TREATMENT

Call a doctor (physician, clinic or hospital) immediately. Explain that the victim has been exposed to Methyl parathion and describe his condition.

If INHALED, remove victim to fresh air. If not breathing, immediately get artificial respiration, preferably mouth-to-mouth, and maintain until doctor sees victim.

If IN EYES OR ON SKIN, immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

If SWALLOWED, induce vomiting immediately by giving two glasses of water and by touching back of throat with finger. DO NOT INDUCE VOMITING ON ONE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Have victim lie down and keep quiet.



Manufactured by

FARM CHEMICALS, INC.

ABERDEEN - RAEFORD, NORTH CAROLINA

E.P.A. REG. NO. 12130-10

GENERAL DIRECTIONS

EPN-MEP 3-3 can be used in conventional hydraulic sprayers, low-volume ground applicators, or airplane sprayers. For one plane application, use 3-10 gallon water per acre depending on crop growth to give good coverage.

DIRECTIONS FOR USE

INSECT CONTROL ON COTTON: For control of aphids, boll weevils, cotton leaf worm, flea hoppers, and some species of spider mites, use 2/3 pint to 1 pint per acre.

NOTICE

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use.

ACCEPTED with COMMENTS to EPA Letter Datab

JAN 31 1965

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

12130-10

SALLANS