

DIRECTIONS FOR USE


It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To sanitize dishes, glasses, food processing equipment and utensils including dairy and brewery equipment and utensils use the following procedure:

1. Scrape and then prewash with Chlorinated Cleaner/Sanitizer FC 3.0 solution (1 oz. or 2 level tbs. per quart of water) or other detergent or compatible cleaner.
2. Rinse in potable water.
3. Sanitize in Chlorinated Cleaner/Sanitizer FC 3.0 solution. (2 level tbs. or 1 oz. per gallon of potable water). Immerse all utensils for at least two minutes or contact time specified by governing sanitary code.
4. After sanitizing rinse in clear running potable water. Note: Some local health authorities do not permit a final rinse but require sanitized utensils to be placed on a rack or drainboard to air dry.
5. Fresh Chlorinated Cleaner/Sanitizer FC 3.0 solution should be made up each morning or just before use and as frequently during the day as is necessary.

DIRECTIONS FOR CLEANING AND DEODORIZING SURFACES

Use 1 oz. (2 level tbs.) per quart of water and apply this solution to porcelain, wood, and enameled surfaces such as sinks, refrigerators, etc.



**CHLORINATED
CLEANER/SANITIZER
FC 3.0**

ACTIVE INGREDIENTS

Sodium Hypochlorite3.25%
 Sodium Phosphate Expressed as
 Na₂PO₄·12H₂O91.75%

INERT INGREDIENT, SODIUM CHLORIDE 5.00%

TOTAL100.00%

AVAILABLE CHLORINE3.09%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

**FOR INDUSTRIAL USE AS A DISINFECTANT
OR SANITIZING AGENT IN FOOD SERVICE
ESTABLISHMENTS**

**MAY CAUSE BURNS TO EYES
SEE FIRST AID STATEMENT AND ADDITIONAL
PRECAUTIONS ON SIDE PANELS**

**EPA Registration No.
EPA Establishment No.**

**12179-12
12179-MI-1**

NET 300 LBS. (136 kg)

STORAGE AND DISPOSAL

Store in cool, dry area. Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Pesticide, spray mixture or dilute that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides. After rinsing, dispose of containers in an incinerator or landfill approved for pesticide containers. Consult the appropriate federal, state and local regulatory agencies for approved alternative procedures.

SPILL OR LEAK: Wear NIOSH/MSHA approved dust/chlorine respirator. Follow OSHA regulations for respirator use (sec. 29 CFR 1910.134). Wear goggles, coveralls, and rubber gloves and boots. Shovel or sweep up and place in an approved DOT container and seal.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER: Corrosive and alkaline. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles, coveralls, and rubber gloves and boots when handling. Harmful if swallowed. Avoid breathing dust. Use only with adequate ventilation.

FIRST AID (Practical Treatment)

If on Skin: Flush skin with cold water for at least 15 minutes. Call a physician.

If in Eyes: Flush with cold water for at least 15 minutes. Call physician.

If Swallowed: Give large amounts of water. Do not induce vomiting. Call physician.

If Inhaled: Remove to fresh air. Call a physician.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with a NPDES Permit. For guidance contact the regional office of EPA.

FOSTER CHEMICALS INCORPORATED

DETROIT, MICHIGAN 48238

TEL. (313) 867-5444