

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
— CAUTION —**

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash hands after using. In food handling areas, application is limited to crack and crevice and or spot treatment. Do not apply directly to food or feedstuffs. In commercial food handling facilities, cover or remove any food or food processing equipment during application. Do not apply while food processing is underway. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Get immediate medical attention. If in eyes or on skin: Flush with plenty of water for at least 15 minutes. For eyes: get medical attention.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition appear, atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to water. Do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Do not apply this water-based product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not store this water-based formulation at temperatures below 32° F.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: For Containers One Gallon and less: Do not reuse empty container. Wrap container and put in trash. For Containers Over One Gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill, or by other procedures approved by State and Federal authorities.

LUR-RID

**TRANSPARENT EMULSION; INSECTICIDE SPRAY
CONTAINS DURSBAN® INSECTICIDE**

ACTIVE INGREDIENTS
Chlorpyrifos Methyl 25.00%
INERT INGREDIENTS 75.00%
100% Total

PRECAUTIONAL CONSUMER INFORMATION: See side panel for insecticide use directions. Do not use for household or general household insect control. For household use, use only for crack and crevice treatment.
TO THE USER: For household use, use only for crack and crevice treatment. Do not use on surfaces that can be harmed or stained by water.

**KEEP OUT OF REACH OF CHILDREN
— CAUTION —**

**SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
AND STATEMENT OF PRACTICAL TREATMENT**

Can be used in commercial establishments and institutions for insect control in crack and crevice application only. For crack and crevice treatment.

FOR INDUSTRIAL USE ONLY

1.5 L (0.40 Gal) Net Contents EPA Reg. No. 101-101-0101

sandolite
Chemical Corporation



3449 FT. HAMILTON PARKWAY, BROOKLYN, N.Y. 11215
(212) 435-5600, Toll Free From The Northeast: (800) 221-0806

DIRECTIONS FOR USE (Continued)

For residual and contact control of cockroaches, silverfish, bed bugs, spiders, crickets, ants, fleas, carpet beetles, centipedes, and other household pests. For repeat applications, dilute with equal parts of water. One gallon is sufficient for 1500 linear feet with a 6-inch spray. Residual spray kills up to 4 weeks.

In EPA Letter Dated:

For use in non-food areas: Indoors and Outside of

- | | |
|---------------------------------------|------------------|
| Hospitals | In such areas as |
| Restaurants | Comptoirs |
| Nursing Homes | Incinerators |
| Apartment Buildings | Corridors |
| Stores, Homes | Offices |
| Hotels, Motels | Warehouses |
| Commercial, Office, Storage Buildings | Garages |
| Boats, Ship Cabins, Ship Cargo Holds | Basements |
| Supermarkets | Stairways |
| Buses, Trucks, Box Cars | Attics |
| Air Craft | Boiler Rooms |
| Terminals | Storage Rooms |
| Dog Kennels, Horse Stables | Waste Areas |

SEP 10 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act

and amendments, as amended, for the pest control uses registered under EPA Reg. 12192-3



NOTE: In hospitals, remove patients prior to treatment and ventilate for 2 hours before returning patients.
Do not use in vehicles or in any areas that may at any time transport or store food or food products.
In kennels and stables, do not spray on dogs and horses. Do not spray dog and horse food or feed items.

As a Residual Spray: Aids in the control of pests listed above. Kills for up to 4 weeks. Apply a coarse wet spray in a 6-inch band on base boards, cracks and crevices, around door and framing and other hiding places such as closets, under equipment and appliances, bathrooms, lower walls, and dark places. Wet area thoroughly but not to point of run-off. Treat on a monthly basis or as necessary.

As a Contact Spray: Kills pests listed above and reduces infestations. Use as a spot treatment. When possible spray directly on pests or manually apply with a paint brush into hiding places such as cracks and crevices, moist areas, openings around pipes, etc. Repeat as necessary.

Out of Door Pests listed above: Apply as a residual spray or with a paint brush to outside surfaces of buildings where the pests congregate or have been seen. Do not treat or allow spray to contact plants (lawn, shrubs, trees, evergreens, flowering plants, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee is made as to the effects of such or the results to be obtained if used in accordance with the instructions and established safe practices. The user must exercise caution and follow the instructions carefully.