


Going Forward Through Research In Chemistry

Colorless

Ready To Use

Stable



Concentrated

Time Saving

Economical

DIRECTIONS

To control root growth in sewer pipes use MARC 70 as follows:

MUNICIPAL SANITARY SEWERS: During periods of low flow use one gallon of MARC 70 every 10 to 12 month period at each junction or regularly used or from time to time to prevent problem. In large cities the sewer must be opened sufficiently to permit some water flow. This can be obtained by mechanical or chemical means.

COMMERCIAL AND INDUSTRIAL SEWERS: Use one gallon of MARC 70 every 10 to 12 month period during periods of low flow. In large cities the sewer must be opened sufficiently to permit some water flow. This can be obtained by mechanical or chemical means.

© 1974 by W. H. Rorer, Inc.

1741 E. 17th St., Denver, CO 80202

ROOT CONTROL

(Patent Pending)


Designed for

Municipalities

Industry

Institutions

Home Use



Active Ingredient:

Copper Sulfate (Anhydrous) 100%

Inert Ingredients:

100%

CAUTION

Keep out of reach of children.

For more information:

Write to the manufacturer.

Always use properly.

DIRECTIONS

To control root growth in sewer use MARC 70 as follows:

COMMERCIAL AND INDUSTRIAL SEWERS: During periods of low flow use one gallon of MARC 70 every 10 to 12 month period at each junction or regularly used or from time to time to prevent problem. In large cities the sewer must be opened sufficiently to permit some water flow. This can be obtained by mechanical or chemical means.

HOUSEHOLD SEWERS: Use one gallon of MARC 70 every 10 to 12 month period during periods of low flow. In large cities the sewer must be opened sufficiently to permit some water flow. This can be obtained by mechanical or chemical means.

NOTE: Do not apply to storm drains.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, large quantities of water. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

DIRECTIONS FOR USE

1. For use in swimming pools, tubs, hot tubs, spas, etc. Add 1000 ml of POOL-SIDE to 10,000 gallons of water.

2. For use in hot tubs, spas, etc. Add 1000 ml of POOL-SIDE to 1000 gallons of water. For use in swimming pools, tubs, hot tubs, spas, etc. Add 1000 ml of POOL-SIDE to 10,000 gallons of water.

3. For use in swimming pools, tubs, hot tubs, spas, etc. Add 1000 ml of POOL-SIDE to 10,000 gallons of water.

4. For use in swimming pools, tubs, hot tubs, spas, etc. Add 1000 ml of POOL-SIDE to 10,000 gallons of water.

5. For use in swimming pools, tubs, hot tubs, spas, etc. Add 1000 ml of POOL-SIDE to 10,000 gallons of water.

NET CONTENTS:



PIONEER CHEMICAL INC.

Concentrated Swimming Pool Algaecide

POOL-SIDE

Keeps Pool Water Clear of Green Algae
Control Algae Slime

ACTIVE INGREDIENTS:

2-AIK-60, C11-30, C16-3, C17-3, C18-3
2-benzyl-4-methyl-6-tert-butyl-4-nitrophenol

2-AIK-60, C11-30, C16-3, C17-3, C18-3
2-benzyl-4-methyl-6-tert-butyl-4-nitrophenol

INERT INGREDIENTS

DANGER:

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield when handling. Harmful or fatal if swallowed. Avoid contamination of food.