#### Frequenonary Statements

Hazards to Humans and Domestic Animals DANGER

Corrosive. Causes irreversible eye damage and skin burns. Wear goggles or safety glasses, protective clothing, and rubber gloves. May be harmful if swallowed or absorbed through the skin. May cause skin sensitization reaction in certain individuals. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.


#### **Environment Hazards**

This product is toxic to fish and aquatic organisms. Do not apply to water except as specified on labeling.

#### Statement of Practical Treatment

IF IN EYES, flush with plenty of water. Call a physician. IF ON SKIN, wash with plenty of soap and water. Get medical attention. IF SWALLOWED, call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol. Note to Physician: Probably mucosal damage may contraindicate the use of gastric tavage.

### **READY-TO-USE LIQUID**



Keep Out Of Reach of Children
DANGER

Read carefully precautions on side panel.

Net Contents: 1 Quart

ODOF ESS

CONCENTRATE

UIRECTIONS TOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To control root growth in sewer pipes, use MARC Root Control as follows:

#### HOUSEHOLD SEWERS:

Use MARC Root Control twice yearly at the rate of one quart to each 75 to 100 feet of sewer. Apply in toilet nearest sewer line at night or during periods of low flow. Flush toilet after each quart of application. If sewer is completely blocked, use mechanical or chemical methods to obtain some flow. Follow with repeat treatments until free flow is restored. Then resume semi-annual preventive freatments.

NOTE: Do not apply in sink or tub drains.

#### Storage and Disposal

Store only in tightly closed original container in an area inaccessible to children. Do not reuse container. Rinse thoroughly. Securely wrap original container in several layers of newspaper and discard in trash.

Manufactured by Mid-American Research Chemical Corp. Columbus, Nebraska 68601

R-9-66

.1062

12204-1

PM23

# **ODORLESS READY-TO-USE** STABLE

ACCEPTEI **Precautionary Statements** 

Hazards to Humans and Domestic Animal

Corrosive. Causes irreversible eye damaged under [220]and skin burns. Wear goggles or salaries in glasses, protective clothing, and rubber gloves. May be harmful if swallowed or absorbed through the skin. May cause skin sensitization reaction in certain individuals. Avoid contact with skin, eves and clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

#### Environmental Hazards

This product is toxic to fish and aquatic organisms. Do not apply to water except as specified on labeling.

## Storage and Disposal

Store in tightly closed, original container in a secure area inaccessible to children. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsale is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for 1 guidance.

Do not reuse empty container. Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal intan approved landfill.

Contact lederal, state, or local disposal, ... authorities for approved alternative procedures

# **ROOT CONTROL**

MARC 70

# **Designed for:**

SEP 2 9 1986

the Federal Insecticion and Rodenticide Act

lor the perticide

- Municipalities
- Industry

#### Active Ingredient:

Copper Sulfate Pentahydrate*	.19.8%،
Inert Ingredients	.80.2%
	100.0%

Institutions

Home Use

EPA Reg. No	. 12204-1
EPA Est. No.	.12204-NB-1

#### Keep Out of Reach of Children

# DANGER Statement of Practical Treatment -

IF IN EYES, flush with plenty of water. Call a physician. IF ON SKIN, wash with plenty of soap and water. Get medical attention. IF SWALLOWED, call a physician or Poison Control Center. Drink promotly a large quantity of milk, egg white, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol. Note to Physician: Probably mucosal damage may contraindicate the use of gastric lavage.

Read additional precautions on side panel.

Manufactured by MID-AMERICAN RESEARCH CHEMICAL CORPORATION Columbus, Nebraska 68601

# CONCENTRATED TIME SAVING **ECONOMICAL**

# Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To control root growth in sewer pipes, use MARC 70 Root Control as follows:

COMMERCIAL, INDUSTRIAL AND MUNI-CIPAL SANITARY SEWERS: During periods of low flow, use one gallon of MARC 70 Root Control each 6 to 12 month period at each junction or terminal ahead of where there may be a root problem. To be effective, the sewer must be opened sufficiently to permit some water flow. This can be altained by mechanical or chemical means.

STORM SEWERS: Use one gallon of MARC 70 Root Control each 300 to 400 feet per year. Make application during period of light flow. In dry weather, introduce a flow with a hose. If storm drains become almost plugged, repeat treatment three or four times at two-week intervals.

HOUSEHOLD SEWERS: Use MARC 70 Root Control twice yearly at the rate of one quart to each 75 to 100 feet of sewer. Apply in toilet nearest sewer line at night or during periods of low flow. Flush toilet after each quart of application. If sewer is completely blocked, use mechanical or chemical methods to obtain some flow. Follow with repeat treatments until free flow is restored. Then resume semi-annual preventive treatments.

NOTE: Do not apply in sink or tub drains.

Net Co	ntents	6	 	-•	•	
Batch			-			