

FEATURES

A cleaner, disinfectant, and sanitizer designed for institutional use, such as hospitals, nursing homes, and schools where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. Provides the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Psuedomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.



**MARC 34
MARCICIDE**

**CLEANER
FUNGICIDE**

**DEODORIZER
DISINFECTANT**

**DESIGNED FOR HOSPITAL AND
INSTITUTIONAL USE**

122045

ACCEPTED
JUL 02 1980
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 12204-5

AOAC Phenol Coefficients

S. aureus	42
S. typhosa	27

Active Ingredients:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂) dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	2.25%
Sodium Carbonate	5.00%

Inert Ingredients: 32.50%
..... 60.00%

EPA Registration No. 12204-5
EPA Establishment No. 12204-NB-1

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See Left Panel for Additional Precautionary Statements

Manufactured by

MID-AMERICAN RESEARCH CHEMICAL CORP

Lincoln, Nebraska 68501

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DISINFECTION

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use with a cloth or mop and apply to walls, floors and other hard surfaces.

For heavy soil or organic matter, a pre-cleaning step is recommended.

SANITIZATION

Used for sanitization of previously cleaned food equipment or food contact items, limit the concentration of active quaternaries to 200 ppm (2.8 ounces per 5 gallons). **RINSE WITH POTABLE WATER BEFORE REUSE.**

This product, when used on environmental,animate, hard surfaces at 2 ounces per gallon of water, is effective against Influenza A₂, Herpes Simplex, Adenovirus type 5, and Vaccinia viruses.

STORAGE AND DISPOSAL

1. PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal.
Open dumping is prohibited.
If container is plastic and less than 30 gallons, do not reuse container.

2. PESTICIDE DISPOSAL

Pesticide spray, mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

3. CONTAINER DISPOSAL

Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill or bury in a safe place. Metal or plastic containers of more than 30 gallons may also be resealed and offered for recycling. Plastic containers of less than 30 gallons may also be disposed of in an approved landfill.

Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill or bury in a safe place.

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER

Do not get in eyes, on skin or on clothing. Causes severe skin irritation, especially to broken skin. Causes eye damage. Harmful if swallowed. Wear goggles or faceshield and rubber gloves when handling this product. Remove and wash contaminated clothing. Avoid contamination of food.

**STATEMENT OF
PRACTICAL TREATMENT**

FIRST AID: Skin and Eyes: In case of contact, immediately flush eyes of skin with plenty of water for at least 15 minutes. For eyes, call a physician.

INGESTION: If swallowed drink milk, egg whites, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol. Call a physician.

NOTE TO PHYSICIAN: Probing mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Net Contents 5 Gallons.

12204-5

07/02/1980

1/1