

FOR PROFESSIONAL USE

SANIFECT

for hospital and institutional use

BLEACH
DEODORIZER
DISINFECTANT
DEGREASER

Sanifect is a powerful disinfectant and sanitizer designed for use in hospitals, nursing homes, schools, and other institutional settings. It is effective against a wide range of bacteria, viruses, and fungi.

DANGER
KEEP OUT OF REACH
OF CHILDREN

CONTENTS

55
208-191

20
75-701

5
18-921

1
4-781

GALS

FOR PROFESSIONAL USE

ACCEPTED
10/22
10/21 3

SANIFECT

Sanifect is a bleach, disinfectant, and sanitizer designed for institutional use, such as HOSPITALS, NURSING HOMES, and SCHOOLS, where housekeeping will be of prime importance in reducing the hazard of cross-infection from environmental surfaces. Sanifect can provide the assistance you need in this area when used as directed. For use in floors, walls, sink traps, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Pseudomonas aeruginosa*. Also effective against pathogenic fungi, *Trichophyton mentagrophytes*.

When used for sanitation of previously cleaned food processing equipment and food contact items, limit active quaternary to 200 ppm (2.8 oz per 5 gals. of water). At this level a potable water rinse is required.

DANGER

Keep Out of Reach of Children. Causes eye damage and severe skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. If eyes call a physician. Remove and wash all contaminated clothing. If swallowed, get medical attention immediately.

SANIFECT

DIRECTIONS

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PHD 10 at this level. This has been substantiated by the AICAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use Sanifect with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitation of food equipment or food contact items, limit the level of active quaternary to 200 ppm (2.8 ounces per 5 gallons of water). A potable water rinse is required.

For removing heavy oil or organic matter, clean with M.E.C. Power All purpose degreaser before using Sanifect.

PHENOL COEFFICIENTS

Guaranteed	Minimum
S aureus	12
Styphena	25

Rinse empty container thoroughly with water and discard.




Manufactured by
MISCO INTERNATIONAL CHEMICALS, INC.
1021 South Noel, Wheeling, Illinois 60094
Phone: (312) 537-9600

GVI

FOR PROFESSIONAL USE

FOR PROFESSIONAL USE.



SANIFECT

for hospital and institutional use

CLEANER
DEODORIZER
DISINFECTANT
FUNGICIDE

ACTIVE INGREDIENTS
n-Alkyl 160% C₁₂ 30% C₁₄ 5% C₁₆ 5% C₁₈
dimethyl benzyl ammonium chlorides
n-Alkyl 168% C₁₂ 32% C₁₄ dimethyl
ethylbenzyl ammonium chlorides
Sodium Carbonate
INERT INGREDIENTS

2.25%
2.25%
7.00%
92.50%
100.00%

DANGER
KEEP OUT OF REACH
OF CHILDREN

Carefully read additional precautionary
statements on side panel

CONTENTS: 55 20 5 1 GALS.
208.19L 75.70L 18.92L 3.78L

SANIFECT

Sanifect is a cleaner, disinfectant and sanitizer designed for institutional use such as HOSPITALS, NURSING HOMES, and SCHOOLS where housekeeping will be of prime importance in reducing the hazard of cross-infection from environmental surfaces. Sanifect can provide the assurance you need in this area, when used as directed. For use in floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Pseudomonas aeruginosa*. Also effective against pathogenic fungi, *Trichophyton mentagrophytes*.

When used for sanitization of previously cleaned food processing equipment and food contact items, limit active quaternary to 200 ppm (2.8 oz per 5 gals. of water). At this level a potable water rinse is required.

DANGER

Keep Out of Reach of Children. Causes eye damage and severe skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before re-use. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

SANIFECT

DIRECTIONS:

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRO-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use Sanifect with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of food equipment or food contact items, limit the level of active quaternary to 200 ppm (2.8 ounces per 5 gallons of water). A potable water rinse is required.

For removing heavy soil or organic matter, clean with M.I.C.'s Power all-purpose concentrate, before using Sanifect.

PHENOL COEFFICIENTS:

Guaranteed	Minimum
<i>S. aureus</i>	12
<i>S. typhosa</i>	27

Rinse empty container thoroughly with water and discard.

EPA Reg. No. 12310-1
EPA Est. No. 12310-1-1



Manufactured by
MISCO INTERNATIONAL CHEMICALS, INC.
1021 South Noel, Wheeling, Illinois 60093
Phone: (312) 537-9400

GYE