CEASE

HOW TO APPLY: Use a sprayer which will distribute the required amount evenly over the area to be treated. Use a coarse spray to reduce drift. Application may be made when top growth is dense, but better control will be obtained when weeds are short or when excess growth is mowed and removed before applying.


WHEN TO APPLY: Best results will be obtained if applied shortly before or at the time plant growth begins. Rain or thorough watering after application will cause the material to move to the root zone and thus speed up control.

NOTE: Do Not apply, allow to drift or drain or flush equipment onto or near croplands, lawns, trees or other desirable plants or to areas where their roots may extend. Do Not contaminate irrigation ditches or water used for domestic purposes. Do Not allow contact with fertilizers, insecticides, fungicides or seeds. Application equipment should be thoroughly cleaned with a detergent and water to prevent corrosion. Do Not contaminate water by cleaning of equipment, or disposal of wastes. Equipment which has been used to



new, improved CEASE

complete vegetation killer



CEASE

DIRECTIONS:

NON-CROP AREAS: For use on Non-crop land such as Right-of-Ways, Industrial Plants, Lumber Yards, Tank Farms, Storage Areas, and Parking Lots for control of most annual and perennial grasses and broadleaved weeds. The effectiveness and length of time that control will last will depend on type of soil, amount of rain and other conditions.

RATE: Under orcinary conditions use at the rate of 2 to 4 gallons per 1000 square feet (1-3/5 to 3-1/5 pints per 100 square feet). Under conditions where weeds are difficult to control, use at the rate of 6 gallons per 1000 square feet. (4-4/5 pints per 100 square feet).

● FOR GENERAL WEED CONTROL ON NON-CROP. LANDS AND PAVED AREAS.

ACTIVE INGREDIENTS:

Monuron Trichloroacetate

[3-(p-chlorophenyl)-1, 1-dimethylurea trichloroacetate] Aromatic Petroleum Derivative INERT INGREDIENTS -

3.15% 92,90% 4.45%

EPA Reg. No. 12310-5 U.S. Patents No. 2,782,112 and 2,801,911

CAUTION - Keep Out Of Reach Of Children

For additional caution information see right panel.

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

NET CONTENTS GALLONS



CEASE

HOV. TO APPLY the sprace of the tenter of the required between a contract of the energy of the december of the Approval of the second of the area of the energy of the better of the area of the energy of the energ

WHEN TO APPLY: Fest results as the Stress of Fappheed sometime for at the time point p with the solution of the regional region against the most results as the result of the result at the result of the speed application.

NOTE: Do Not apply, about the dreft in dram in these equipment or or mean croplands, tax, is the sour the notion by plant in the adversary where them notes may extend. On Notion terminate impation disches or with model in discrete purpose. Do it tails will not obtain the first lizers, on chaldes, to be described as Apparent and water to prevent corrosion. Do Not contaminate water by reasoning if equipment, or disposal of wastes. Equipment which has been used to

the product should not be used for applying insecticides,



new, improved

CEASE

complete vegetation killer

ANG.



DIRECTIONS:

NON-CROP AREAS: For use on Non-crop land such as Right of Mays, Industrial Plants, Lumber Yards, Tank Farms, Storage Areas, and Parking Lots for control of most armual and perennial grasses and broadleaved weeds. The effectiveness and length of time that control will last will depend on type of soil, amount of rain and other conditions.

RATE: Under premary conditions use at the rate of 2 to 4 gailons per 1000 square feet (1-3'5 to 3-1.5 pints per 100 square feet). Under conditions where weeds are difficult to control, use at the rate of 6 gallons per 1000 square feet. (4.4'5 pints per 100 square feet).

CAUTION: HARNFUL IF SWALLOWED. IRRITATING TO SKIN AND EYES. Do Not Get On Skin, In Eyes Or On Clothing, in case of contact, immediately work akin with planty of water. For eyes, weak with water for at least 15 minutes and get medical attention. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not applicably recommended, and other influencing factors in the use of this product are beyond the control of the stiller. Buyer assumes all right of use, storage or handling of this meterial not in strict accordance with directions given herewith.



PREELING, ILLINOIS 00090

PRINTLY IN U.S.A.