

# SELECT - K#1

## DIRECTIONS FOR USE

### GENERAL INFORMATION:

**WHERE TO USE:** Select - K #1 Lawn Weed Killer may be used on Bluegrass, Bermuda, or Zoysia lawns, vacant lots, playgrounds and other similar areas where hard-to-kill weeds are present. This product is especially effective on all types of hard-to-kill weeds such as HENBIT, CHICKWEED, KNOTWEED, SPOTTED SPURGE, OXALIS, BLACK MEDIC, and SHEEP SORREL. In addition to these, Select - K #1 Lawn Weed Killer controls most other broadleaf lawn weeds, including Dandelion and Plantain, and a partial list is given on the side panel. Do not apply to newly seeded areas.

Do not allow spray to get on vegetables or ornamental plants since injury may result. Since injury can be expected when used on Centipede or St. Augustine

grass lawns, "Spot-Spray" weeds only. Clover present will be damaged if sprayed. Repeat if necessary for hard to kill weeds.

**WHEN TO USE:** Spray at any time during the growing season when weeds are actively growing. Treat Chickweed, Henbit, Wild Onion and Garlic in the fall or in the spring, as needed. On new lawns wait until the turf has reached a height of 2 inches before making an overall spray treatment. "Spot Spray" weed treatment, however, may be made at any time with a small pressure sprayer, spraying only the weeds at ground level. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results mow before treating. Do not water lawn within 24 hours after treatment.

### HOW MUCH TO USE — ENTIRE LAWN

**HOSE-END SPRAYER:** Use a hose-end sprayer designed for lawns. Put recommended amount of chemical (Column 1) in bottle and add water to indicated level (Column 2), and spray on area indicated. For example — to spray 2,500 sq. feet, measure 10 ozs. (20 tbsp.) in jar and add water to the 10 gallons level and mix. Turn on hose and spray as evenly as possible over 2,500 sq. feet.

**PRESSURE SPRAYERS:** Measure indicated amount of chemical into tank and dilute with water according to the following chart. Use a spray pattern which gives small spray droplets without any fine mist and cover the area indicated.

Amt. Select - K#1  
Lawn Weed  
Killer to use:

Amt. Select - K#1  
Lawn Weed  
Killer to use:

NOTE:

HOW MUCH TO USE: SPOT SPRAY



**INTERNATIONAL  
CHEMICALS, INC.**

Keep from Freezing



**misco**  
**INTERNATIONAL  
CHEMICAL**

**SELECT**  
**lawn weed**

ACTIVE INGREDIENTS

INERT INGREDIENTS

**CAUTION: KEEP**  
**See**

Clover present will be damaged if weeds.

the growing season when weeds are Wild Onion and Garlic in the fall or until the turf has reached a height by treatment. "Spot Spray" weed time with a small pressure sprayer. Wait 3 weeks before putting new plants. Poor weed control may result if it rains. For best results mow before mowing after treatment.

amount of chemical into tank and spray chart. Use a spray pattern which mist and cover the area indicated.



**misco**  
INTERNATIONAL  
CHEMICALS, INC.

# SELECT - K#1

## lawn weed killer

\*TRIMEC+ Herbicide & 2, 4-D, MCPP

ACTIVE INGREDIENTS

INERT INGREDIENTS

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
See Right Panel for Additional Cautions

Keep from Freezing

# SELECT - K#1

WEEDS CONTROLLED: Select — weeds listed below:

- Bedstraw
- Black Medic
- Buckhorn
- Chicory
- Chickweed
- Clover
- Dandelion
- Dock
- Ground Ivy
- Heal-All
- Henbit
- Knotweed

APR 16 1975

April 16, 1975

UNITED STATES DEPARTMENT OF AGRICULTURE  
FUNGICIDE AND FERTILIZER DIVISION  
FOR FOCAL POINTS FOR RESEARCH  
ED UNDER NO. 12310-15

CAUTION:

CAUTION

NOTICE

INTERNATIONAL  
CHEMICALS, INC.

# SELECT - K #1

WEEDS CONTROLLED: Select — K #1 is especially effective against the weeds listed below:

Bedstraw  
Black Medic  
Buckhorn  
Chicory  
Chickweed  
Clover  
Dandelion  
Dock  
Ground Ivy  
Heal-All  
Henbit  
Knotweed

Morning Glory  
Peppergrass  
Pigweed  
Plantains  
Poison Ivy  
Poison Oak  
Purslane  
Ragweed  
Shepherd's  
Purse  
Speedwell  
Spurge

SELECT - K #1  
Weed killer

*April 16, 1975*

*12310-15*

\*TRIMEC® Herbicide & 2, 4-D, MCPP

CAUTION:

CAUTION:

NOTICE:

KEEP OUT OF REACH OF CHILDREN  
See Right Panel for Additional Cautions

# SELECT - K #1

## DIRECTIONS FOR USE


### GENERAL INFORMATION:

**WHERE TO USE:** Select - K #1 Lawn Weed Killer may be used on Bluegrass, Bermuda, or Zoysia lawns, vacant lots, playgrounds and other similar areas where hard-to-kill weeds are present. This product is especially effective on all types of hard-to-kill weeds such as HENBIT, CHICKWEED, KNOTWEED, SPOTTED SPURGE, OXALIS, BLACK MEDIC, and SHEEP SORREL. In addition to these, Select - K #1 Lawn Weed Killer controls most other broadleaf lawn weeds, including Dandelion and Plantain, and a partial list is given on the side panel. Do not apply to newly seeded areas.

Do not allow spray to get on vegetables or ornamental plants since injury may result. Since injury can be expected when used on Centipede or St. Augustine

grass lawns, "Spot-Spray" weeds only. Clover present will be damaged if sprayed. Repeat if necessary for hard to kill weeds.

**WHEN TO USE:** Spray at any time during the growing season when weeds are actively growing. Treat Chickweed, Henbit, Wild Onion and Garlic in the fall or in the spring, as needed. On new lawns wait until the turf has reached a height of 2 inches before making an overall spray treatment. "Spot Spray" weed treatment, however, may be made at any time with a small pressure sprayer, spraying only the weeds at ground level. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results mow before treating. Do not water lawn withing 24 hours after treatment.



**misco**

# SELECT

## lawn we

### HOW MUCH TO USE - ENTIRE LAWN

**HOSE-END SPRAYER:** Use a hose-end sprayer designed for lawns. Put recommended amount of chemical (Column 1) in bottle and add water to indicated level (Column 2), and spray on area indicated. For example - to spray 2,500 sq. feet, measure 10 ozs. (20 tbsp.) in jar and add water to the 10 gallons level and mix. Turn on hose and spray as evenly as possible over 2,500 sq. feet.

**PRESSURE SPRAYERS:** Measure indicated amount of chemical into tank and dilute with water according to the following chart. Use a spray pattern which gives small spray droplets without any fine mist and cover the area indicated.

Area to be Sprayed (sq. ft.)	Amount of Chemical (ozs.)	Water Level (Gallons)
250	1	10
500	2	20
750	3	30

- 2, 3-methyl-4-chloro...
  - 2, 4-dichlorophenoxy...
  - 3, 4-dichloro-o-anis...
- TOTAL** .....

**Do not spray areas of hard-wood trees. Do not use hose-end sprayer. Mix 1 part of chemical to 10 parts of water in pressure sprayer and spray in light fogging over the area to be treated. MISCO International, Inc. tank**

\* Trimox is a U.S. Patent



